

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

PHYSICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

-DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
-OPEN DUMPING IS PROHIBITED
-DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE THAT CANNOT BE USED, OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

DISPOSE OF IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS. BURY IN A SAFE PLACE OR RETURN TO DRUM RECONDITIONER

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES

FUEL - SENTRY

FUEL OIL STORAGE TANK TREATMENT.
Microbiocide for the effective control of a broad spectrum of microorganisms in oil field flood or salt water disposal systems and crude oil pipelines and storage facilities

Active Ingredient

1-Hydroxyethyl-1-benzyl-2-alkyl*
Imidazolinium chloride 50%

Inert Ingredients

50%

100%

*Alkyl as in fatty acids of coconut oil

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS

EPA REG. NO. 3339-
EPA EST. NO. 3339-NY-1

MANUFACTURED BY:

PARKE-HILL CHEMICAL CORP.

29 BENTEL AVENUE
MOUNT VERNON, N.Y. 10580

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Oil Field Water Flood or Salt Water Disposal Systems:
(Do not apply in Marine and Estuarine Oil Fields)

1. For the control of slime forming and sulfate reducing bacteria in oil field water flood or salt water disposal systems, add 35-50 ppm (active Fuel-Sentry 8 1/2% - 13 gallons per 3000 barrels of water) continuously. Levels for effective control will vary depending on conditions at the site.
2. For intermittent use, dose at a rate of 35-70 ppm (active Fuel-Sentry 8 1/2% - 18 gallons per 3000 barrels of water) for 48 hours per day, one to four times a week as needed to maintain control.

Crude Oil Pipelines and Storage Facilities

1. For the control of sulfate reducing bacteria, heterotrophic bacteria and corrosion in crude oil pipelines, slug dose with 0.5-3 gallons of Fuel-Sentry per diameter inch per mile of pipeline. Apply the appropriate dosage in slug form in front of the pipeline pig as required by the system.
2. For continuous pipeline leak applications, add 0.5-10 gallons of Fuel-Sentry per 3000 barrels of crude oil. Fuel-Sentry is added to the pipeline directly behind the pig.
3. For the treatment of crude oil storage facilities, add Fuel-Sentry at the rate of 0.5-13 gallons per 3000 barrels of crude oil.

Add Fuel-Sentry directly from the drum with the proper type of metering equipment. This product weighs 7.75 lb/gallon at 20°C. Since crude oil pipelines and storage facilities differ in the material handled and operation, the recommended dosage may require adjustment based on practical experience.

ACCEPTED
with COMMENTS
in EPA Letter D-84

JUL 20 1984

United States Environmental Protection Agency
Federal Register
as required by 40 CFR 161.10
Registered under EPA Reg. No.
3339-21

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (M11-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

TERM OF ISSUANCE

20 JUL 1984

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

BEST DOCUMENT AVAILABLE

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE