

10% Dithane Dust

(ZINEB)

—FOR PREVENTION OF—

ACCEPTED
APR 6 1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 3342-12 SUBJECT
TO ATTACHED COMMENTS.

Tobacco Blue Mold.

ACTIVE INGREDIENTS:

(ZINEB) Zinc Ethylene Bisdithiocarbamate) 6.5%

(Zinc Expressed As Metallic) 1.54%

INERT INGREDIENTS: (Pyrophyllite) 93.5%

DIRECTIONS FOR USE

For Tobacco Blue Mold control start dusting when plants are about the size of a dime or when Blue Mold first appears in the area, and dust regularly twice a week at the following rates per 100 square yards.

First to fourth dusting 1 1/2 to 2 lbs., fifth and sixth 2 1/2 to 3 lbs., seventh and subsequent 3 1/2 to 4 lbs.

Repeat Dusting Immediately Following Rain.

NOTICE: Our recommendation for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer. no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Red **CAUTION:** KEEP OUT OF REACH OF CHILDREN: May cause irritation of nose, throat and skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. In case of contact, flush with plenty of water. For eyes get medical attention.

U.S.D.A. Reg. No. 3342-12