

MIXING DIRECTIONS

For sprayer equipped with power agitator, this concentrate may be mixed by pouring into the spray tank containing the necessary amount of water. For hand sprayers, mix the concentrate at recommended dilutions and stir thoroughly. Keep mixture well agitated during spraying operation.

DIRECTIONS FOR USE


COTTON INSECT For control of non-resistant boll weevil, army worms, climbing cutworms, flea hoppers, lygus, plantbugs and thrips.

PLANT For control of boll weevil, army worms, climbing cutworms, flea hoppers, lygus, plantbugs and thrips. Use 2 quarts per acre.

NOTICE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied is made as to the effects or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse, as well as its combination with other materials.

EPA Reg. No. 3342-6



TIGER BRAND
TOXAPHENE 6E

Contains 6 Lbs. Of Toxaphene Per Gallon

ACTIVE INGREDIENTS:

Toxaphene (technical chlorinated camphene containing 67-69% Chlorine)	58.40
Aromatic Petroleum Derivative	36.60
INERT INGREDIENTS	5.00
	100.00

Net Contents One Gallon

MANUFACTURED BY

Cape Fear Chemicals, Inc.

WILMINGTON, N.C.
NEW YORK, N.Y.
SAN FRANCISCO, CALIF.

MIXING DIRECTIONS

For sprayer equipped with power agitator, this concentrate may be mixed by pouring into the spray tank containing the necessary amount of water. For hand sprayers, mix the concentrate at recommended dilutions and stir thoroughly. Keep mixture well agitated during spraying operation.

CAUTION: Read Entire Label. Use in Strict Accordance With Label Directions and Cautions

DIRECTIONS FOR USE

COTTON INSECT: For control of non - resistant boll weevil, army worms, climbing cutworms, flea hoppers, lygus, plantbugs and thrips.


PRE-SQUARE CONTROL: Make 2 applications at 7 day intervals beginning when first tiny squares appear. Use 2 quarts per acre.

WARNING: FLAMMABLE - KEEP AWAY FROM HEAT OR OPEN FLAME

NOTICE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

EPA Reg. No. 3342-67



TIGER



BRAND

TOXAPHENE 6E

Contains 6 Lbs. Of Toxaphene Per Gallon

ACTIVE INGREDIENTS:

Toxaphene (technical chlorinated camphene containing 67-69% Chlorine)	58.40%
Aromatic Petroleum Derivative	36.60%
INERT INGREDIENTS	5.00%
	100.00%

WARNING - KEEP OUT OF REACH OF CHILDREN AND ...

Net Contents One Gallon

MANUFACTURED BY

Cape Fear Chemicals, Inc.

ELIZABETHTOWN, N. C.

See other precautions on the back side panel.

See Side Panel For Further Caution Statements And Instructions

NOTE TO PHYSICIAN! ANTIDOTE

INTERNAL: Give sodium chloride 15 g (one tablespoonful of table salt) in glass of warm water. Repeat until vomit is clear. Call a doctor immediately.

EXTERNAL: Wash with soap and water.

WARNING: MAY BE FATAL IF SWALLOWED

WARNING: This product is toxic to bees and should not be applied when bees are actively visiting the area.

WARNING: Do not get on skin, in eyes, or on clothing. Can be absorbed through skin. Wash thoroughly after using. Do not breathe spray mist. ~~AVOID CONTAMINATION OF FEED OR FOODSTUFFS. Do not use on dairy animals or in dairy barns.~~

WARNING: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

WARNING! Do not graze dairy animals or animals being finished for slaughter in fields treated late in season.

WARNING:

Not for use or storage in or around the home.

Product should be used in program for fumigation only.

CONTAINER RESPONSE

When container is empty, it should be sealed and disposed of in accordance with labeling. If container is damaged, it should be disposed of in accordance with labeling. Do not use for any other purpose. (Keep out of smoke)

0342-47