

BEST AVAILABLE COPY

3342-68 PM12
1071


RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

FERMATE-PARATHION DUST

ACTIVE INGREDIENTS:

Ferbam (Ferric Dimethyl dithiocarbamate)	11.40%
Parathion (40, O-diethyl O-p-nitrophenyl thiophosphate)	1.00%
INERT INGREDIENTS	87.60%
	100.00%



Read Entire Label. Use In Strict Accordance With Label Directions and Cautions

CAUTION: Dealers must sell in original packages only **DIRECTIONS FOR USE**

TOBACCO PLANT BEDS: Dust treatments, should begin before blue mold appears. Use a good crank type duster, though small areas can be treated with a small puff-type duster. Make the dust flow evenly, fill the hopper not more than two-thirds full. Apply the dust early in the morning when the air is quiet and the plants are moist with dew. Make two (2) or at most 4 yards wide with side walls that hold the dust close to the plants can be dusted through the cover. On wider beds, the cover must be removed before dusting. After each treatment all exposed leaf surface should show a coating of dust. Begin early, with plants the size of a dime, or when blue mold first appears in the area, dust regularly, twice a week, and apply enough dust. The quantities to be applied to each 100 yards of bed are as follows:

Application.....	Lbs	Application.....	Lbs
First to fourth.....	1 to 1 1/2	Seventh and subsequent.....	3 to 3 1/2
Fifth to sixth.....	2 to 2 1/2		

The 3 to 3 1/2 pound rate always used during the two weeks before transplanting. When a dust application is washed off by the rain while blue mold is active, repeat the treatment at once. If blue mold is seen in a bed that is being dusted, increase the rate and make three instead of two applications that week. Eight to twelve applications will be required.

A combination fungicide and insecticide for the control of Tobacco Blue Mold and green June beetle grubs, cutworms, aphids (plant lice) on tobacco plants.

NOTICE: Our recommendation for use of this product are based upon tests believed to be reliable. The use of this product being, beyond the control of the manufacturer, no guarantee expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

CAUTION: This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

WARNING: KEEP OUT OF REACH OF CHILDREN AND ANIMALS

CAUTION: Rapidly absorbed through skin. Do not get in eyes. Wash all contaminated clothing with soap and hot water before reuse. In case of contact wash immediately with soap and water. Wear natural rubber gloves, protective clothing and goggles. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Not for use or storage in or around the home.

Hazardous if swallowed, inhaled or absorbed through skin. Avoid inhalation and skin contact. Wear a respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to parathion poisoning. If you suspect excessive exposure see a doctor at once. Do not store near food or feed products. Remove unprotected persons and domestic animals from operating and adjacent areas where insecticide may drift. Prohibit reentry until drift & vapor dissipate.

NOTE TO PHYSICIAN

FIRST AID TREATMENT. Atropine is Antidotal. Consult Physician For Emergency Supply. 2 PAM is also antidotal and may be administered in conjunction with atropine. Call A Physician At Once In All Cases of Suspected Parathion Poisoning. Warning Symptoms include weakness, headache, tightness in the chest, blurred vision, nonreactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1-100 gr.) at once. Remove contaminated clothing and wash the skin clean with copious application of soap and water to remove all traces of parathion. Remove patient immediately from area where parathion is present.

IF SWALLOWED, INDUCE VOMITING BY GIVING WARM SALTY OR SOAPY WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT.

CAUTION: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather condition favor drift from areas treated. Do not apply when runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER DISPOSAL

DESTROY THIS CONTAINER. DO NOT REUSE. DESTROY IT BY BURNING OR BURYING WITH WASTE. STAY AWAY FROM FUMES.

Apply this product only as specified on this label. EPA Reg. No. 7342-68