#### RECOMMENDATIONS


VEGETABLES For control of cucumber Beetles attacking cucumbers squash and melons apply at the rate of 1% to 2% pints per acre in sufficient water for good coverage.


For the control of Aphids, Spider Mites and Pickleworms, attacking CUCUMBERS, SQUASH and MELONS; and the control of Mexican Bean Beetles, Spider Mites, Aphids attacking BEANS and PEAS. 'Not to be applied within 7 days of harvest if pea vines are to be used for livestock forage," and the control of Aphids, Imported Cabbage Worms, Cabbage Looper, Flea Beetles, Spider Mites attacking CABBAGE, TURNIPS, SPINACH, MUSTARD, LETTUCE, POTATOES and TOMATOES. Use 2 pints per acre in sufficient water for good coverage. Repeat application at 5 to 7 day intervals, as necessary for control. Do not use on cabbage, spinach, mustard within 7 days of harvest. Do not use on other vegetables named within 3 days of harvest. Do not apply to leaf lettuce within 14 days of harvest.

ORNAMENTALS: For the control of Aphids Red Spider Mites, Wooly Aphids, White Fly, Thrips, Rose Leafhopper attacking roses, camellias, azaleas and evergreens. Use 1½ to 2 teaspoonfuls per one gallon of water. Do not use on Boston, Maindenhair and Pteris Ferns as well as some species of Crassula. FLIES AND MOSQUITOES: Spray around windows, door sills of houses, crevices and woodwork. Mix one part of Malathion to 28 parts of water. Use one gallon of diluted spray to cover 1000 sq. ft. Avoid contamination of milk, milking equipment and water.

### PREMIUM GRADE

EPA Reg. No. 3342-81







# TIGER BRAND

ONE GALLON CONTAINS FIVE POUNDS OF MALATHION

CONTENTS BY WEIGHT

**ACTIVE INGREDIENTS:** 

Malathion*	57%
Xylene	32%
INERT INGREDIENTS:	11%
TOTAL	
	· _ 4.1

O, O-Dimethyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION: KEEP OUT OF REACH OF CHILDREN

NET CONTENTS 1 GAL.

Manufactured By

CAPE FEAR CHEMICALS, INC.

ELIZABETHTOWN, N.C.

See Side Panel For Further Caution Statements and Instructions

CAUTION: the not reuse empty or crushing and berry in a safe place for empty me application apply progallous. The stores are restricted according.

"WARNING" FLAMMABLEF E

CAU'

CAUTION: Harmful if swallows may cause irritation of nose & the clothing. Wash thoroughly after clothes daily. Avoid contaminating feed treated forage to dairy anifor slaughter

CAUTION: This product will kill conditions favor drift from areas

Keep out of Lakes, Streams and

CAUTION: "Do not contamina or disposal of wastes."

#### CONTAINE

Destroy this Container Do not waste or burning. Stay away fr product only as specified on this

NOTE TO

Melathion, may cause Cholines ANTIDOTAL.

Our recommendation to rese of believed to be reliable. The use control of the manufacturer no made as to the effects of such cused in accordance with direction buyer must assume all responsible resulting from at misuse as sumaterials.

CAUTION: This is the tosting treatment or resides on cops obtained from a constant to concerative

ACCEPTED WITH COMMENTS

5342-81 1M NS


ber Beetles attacking rate of 1% to 2% pints

nontrol of Mexican nontrol and PEAS.

It if pea vines are to be a fine of Aphids, Imported Beetles, Spider Mites PINACH, MUSTARD, Use 2 pints per acrest application at 5 to 7 not use on cabbage, Do not use on other Do not apply to leaf

ids Red Spider Mites, fhopper attacking roses, 2 teaspoonfuls per one lenhair and Pteris Ferns AND MOSQUITOES: revices and woodwork. ater. Use one gallon of contamination of milk,

run off before storage vater for the control of ce Weeval, Flour beetles



## TIGER BRAND

ONE GALLON CONTAINS FIVE POUNDS OF MALATHION

CONTENTS BY WEIGHT

**ACTIVE INGREDIENTS:** 

Malathion*			57%
Xylene			32%
XyleneINERT INGREDIENT	S:		11%
TOTAL			i00%
O, O-Dimethyl mercaptosuccinate.	dithiophosphate	of	diethyl

CAUTION: KEEP OUT OF REACH OF CHILDREN

NET CONTENTS 1 GAL.

Manufactured By

CAPE FEAR CHEMICALS, INC.

**ELIZABETHTOWN, N.C.** 

See Side Panel For Further Caution Statements and Instructions

CAUTION: Do not make empty container instruction of crushing and but in a safe place.

for amplane application apply an whole for the control of the second gallons of water as needed for good solvings.

"WARNING" FLAMMABLE FREED ROOM TO T

CAUTION:

CAUTION: Harmful if swallowed! Avoid breathing of spray most may cause irritation of nose & throat. Do not get in eyes, on skin or clothing. Wash thoroughly after handling, or inge. Contaminated clothes daily. Avoid contamination of feed and food stuff. Do not feed treated forage to dairy animals or to livestock being finished for slaughter.

CAUTION: This product will kill fish. The life apply when well or conditions favor drift from areas treated."

Keep out of Lakes, Streams and Ponds

CAUTION: Do not contaminate water by dimening of entire reconsordisposal of wastes."

#### CONTAINER DISPOSAL

Destroy this Container Do not Re Use Destroy this bety in with waste or burning. Stay away from smoke or fines in American this productionly as specified on this label.

#### NOTE 10 PHYSICIAN

Melathion, may cause Cholinesterase Inhibition. ATROPINE IS ANTIDOTAL. NOTICE

Our recommendation for esc of this product are complicated and believed to be reliable. The use of this product thing the control of the manufacture, no quarantee, excremed or making the made as to the effects of such another insults to be chiamed if the used in accordance with directions or established safe are the control of the buyer must assume all responsibility, occurring minary or the resulting from its miscise as such or in and nation in the materials.

CAUTION: This product is highly to be to been expressed to line treatment or residue on crops. Protective information is as to obtained from volum Cooperative Agricultura. Succession Societies

3342-81