

# 10% TOXAPHENE DUST

## ACTIVE INGREDIENTS:

Toxaphene . . . . . 10%

INERT INGREDIENTS: . . . . . 90%

\*TECHNICAL CHLORINATED CAMPHENE (CHLORINE CONTENTS 67% to 69%)

CAUTION: NOT FOR USE OR STORAGE IN OR AROUND THE HOME  
Dealers should sell in original packages only

## DIRECTIONS FOR USE

CAUTION: For use only on the crops and insects listed below.

10% Toxaphene may be applied at any time during the day suitable for dusting. It is effective for the control of the Boll Weevil on Cotton.

Apply at the average rate of 20 to 25 lbs. per acre, depending on the infestation present and the stage of plant growth. Use a good dust gun or traction or power driven equipment so as to apply insecticide to both upper and lower surfaces of the leaves hitting as many insects as possible. Repeat treatment as often as necessary.

CAUTION: Do not use on crops or insects not listed below.

**NOTICE:** Our recommendation for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

CAUTION: Do not use on crops or insects not listed below.

**CAUTION: KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

CAUTION: For use only on the crops and insects listed below.

