

# DIRECTIONS:

For use in Clinics, Restaruant, HOSPITALS, Schools, and Factories where POSITIVE DIS-INFECTION and deodorizing is required on floors, walls, woodwork, desks and work tables. In food handling areas, remove food from area, disinfect and then rinse surface with potable water before re-use. Dilute this concentrate with water, using 2 oz. per gallon of water. Mop or wipe over areas to be disinfected and allow 10 minutes contact time to disinfect.

This disinfectant is non-selective and is effective against Salmonella Typhosa, Staphylococcus aureus, Salmonella choleraesuis, and Pseudomonas aeruginosa, organisms representative of gram positive and gram negative pathogens.

Where maximum deodorizing effect is to be obtained, leave solution for extended periods of contact time before mopping up.

Form 3512-S-H-GC  
EPA Reg. No. 3367-50

**ACCEPTED**  
  
**MAY 6 1974**  
  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 3367-50 SUBJECT  
TO ATTACHED COMMENTS.

## LEMON DISINFECTANT No. 20

### FUNGICIDAL - DISINFECTANT - DEODORIZER - CLEANER

#### FOR HOSPITALS AND INSTITUTIONS


#### PHENOL COEF. STAPH AUREUS - 26

Active Ingredients ..... 8.50%  
Isopropyl Alcohol - 3.10%; n-Alkyl (50% C14, 40% C12, 10% C16) Dimethyl  
Benzyl ammonium chlorides - 2.94%; Essential Oils - 1.34%; Ethanol 0.72%  
Trisodium salt of N-(2-Hydroxyethyl) ethylene diamine triacetic acid - 0.40%  
Inert Ingredients ..... 91.50%

### WARNING: - KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Causes eye and skin irritation. Do not get into eyes. Avoid contact with skin. If contact occurs flush with plenty of water. For eye irritation immediately consult physician. Avoid contact with food. Rinse empty container with water thoroughly and discard it.

Manufactured by  
**REILY CHEMICAL CO.**  
New Orleans, La. 70117  
FOR



### STATEMENT OF QUALITY WARRANTY

This product is guaranteed to meet AOAC Use Dilution Confirmation Test vs. Salm. Choleraesuis, Staph. Aureus, Pseudomonas aeruginosa, when tested in accordance with AOAC official methods in stated use dilutions.

This product is effective against Trichophyton interdigitale in stated use dilution.

When tested in accordance with official AOAC methods for Phenol Coefficients, this product is equally non-selective and has shown the following phenol coefficients:

|              |    |
|--------------|----|
| Staph Aureus | 26 |
| Salm. Typh.  | 14 |

### CONTAINER DISPOSAL

Rinse empty container with water and discard it.

Net Contents: Gal.