

# Reily

## LAUNDRYL

A Mildew Inhibitor for  
Commercial and Institutional Laundry Use.

*Active Ingredient:* Didecyl Dimethyl Ammonium Chloride 25%  
*Inert Ingredients:* 75%

DANGER.

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL  
FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-  
indicate the use of gastric lavage. Measures against circulatory  
shock, respiratory depression, and convulsion may be needed.

Manufactured by  
REILY CHEMICAL CO.  
New Orleans, La. 70117

### USE DIRECTIONS

FOR LASTING MILDEW PREVENTION, USE LAUNDRYL AS  
DIRECTED.

- FOR 2 WEEK PROTECTION, USE 1 OUNCE PER 100 POUNDS  
FABRIC (DRY WEIGHT).
- FOR 3 WEEK PROTECTION, USE 3 OUNCES PER 100 POUNDS  
OF FABRIC (DRY WEIGHT).
- 1 TO 5 OUNCES PER 100 POUNDS OF FABRIC (DRY WEIGHT),  
WILL GIVE LONG LASTING PROTECTION FOR 30 DAYS OR  
MORE AGAINST MILDEW. RETREAT AS NECESSARY.

DILUTE THE APPROPRIATE AMOUNT OF LAUNDRYL TO ONE  
TO TWO GALLONS OF WATER, THEN ADD TO THE WASH TUB OR  
IN THE FINAL OR FOUR RINSE.

RE-TREAT FABRIC AFTER EACH WASHING.

DO NOT RE-USE EMPTY DRUM. RETURN TO DRUM RECON-  
DITIONER OR RINSE WELL WITH SOAP SOLUTION. (SEE DIS-  
CARD) DO NOT CONTAMINATE WATER BY DISPOSAL OF WASTE.

NET CONTENT

Laundryl is based on a highly active *TRIN CHIN* quaternary  
ammonium compound. It prevents musty odors and discoloration on  
all fabrics due to molds, mildew and fungi. The mildew inhibition of  
Laundryl lasts at least four weeks when used as directed. It is designed  
for commercial and institutional laundry use by addition to the final  
rinse or sour step. Fabric may also be preserved against mildew by  
soaking in a solution of Laundryl. For recommended solution con-  
centration, see *Use Directions*.

Laundryl is economical to use because it is concentrated. It should  
be handled with care.

### DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin  
damage. Do not get in eyes, on skin, or on clothing. Wear goggles or  
face shield and rubber gloves when handling. Harmful or fatal if  
swallowed. Avoid contamination of food.

### FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of  
water for at least 15 minutes. For eyes, call a physician. Remove and  
wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites,  
gelatin solution, or if these are not available, drink large quantities of  
water. Avoid alcohol. Call a physician immediately.

EPA Reg. No. 1367-68

May 20, 1972

227-68