

#### DIRECTIONS:

For use in Clinics, Restaurants, HOSPITALS, Schools and Factories where POSITIVE DISINFECTION and deodorizing is required on floors, woodwork, desks and work tables. In food handling areas, remove food from area, disinfect and then rinse surface with potable water before re-use. Dilute this concentrate with water, making up a 2% solution, or using about 2 1/2 oz. per gallon of water. Mop or wipe over areas to be disinfected and allow 10 minutes contact time to disinfect.

This disinfectant is non-selective and is effective against *Salmonella Typhosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*, organisms representative of gram positive and gram negative pathogens.

Where maximum deodorizing effect is to be obtained, leave solution for extended periods of contact time before mopping up.

This disinfectant, when not mopped off, has residual bacteriostatic activity in the presence of moisture. If pseudomonacidal activity is desired a 2.33% solution (3.0 oz. gal. must be used).

Form 3512 S-L-GB  
EPA Reg. No. 3367-70  
November 1972

# Lemon Disinfectant No. 39

FOR USE IN HOSPITALS AND INSTITUTIONS

PHENOL COEF. STAPH AUREUS -- 39

Cleaner - Disinfectant - Deodorizer

*Active Ingredients* ..... 10.50%  
Isopropyl Alcohol, n-Alkyl (C14, C12, C16) Dimethyl Benzyl Ammonium chlorides, Essential Oils, Trisodium salt of N-(2-Hydroxyethyl) Ethylene Diamine Triacetic Acid.  
*Inert Ingredients* ..... 89.50%  
Water, Octyl Phenoxy Polythoxy Ethanol.

#### WARNING: — KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Causes eye and skin irritation. Do not get into eyes. Avoid contact with skin. If contact occurs flush with plenty of water. If eye irritation persists consult physician. Avoid contact with food. Rinse empty container with water thoroughly and discard it.

MANUFACTURED BY  
REILY CHEMICAL CO.  
New Orleans, La. 70117

#### STATEMENT OF QUALITY:

##### WARRANTY

This product is guaranteed to meet AOAC Use Dilution Confirmation Test vs. *Salm. Choleraesuis*, *Staph. Aureus*, *Pseudomonas aeruginosa*, when tested in accordance with AOAC official methods in stated use dilutions.

When tested in accordance with official AOAC methods for Phenol Coefficients, this product is equally non-selective and has shown the following phenol coefficient:

Staph Aureus	39
Salm. Typh.	21

Net Contents: Gal.

REC'D  
Nov 12 1972