

MINT DISINFECTANT

For Hospitals and Institutional Use DISINFECTANT - CLEANER - DEODORIZER

ACTIVE INGREDIENTS:

Isopropyl alcohol	3.05%
n-Alkyl (C14 - 50%, C12 - 40%, C16 - 10%) Dimethyl benzyl ammonium chlorides	1.60%
Methylsalicylate	1.25%
Trisodium Hydroxyethylethylene diaminetriacetate	0.30%

INERT INGREDIENTS: 93.80%

CAUTION: — KEEP OUT OF REACH OF CHILDREN

Avoid getting disinfectant in eyes. In case of contact, wash thoroughly with water. If irritation persists, consult physician. Avoid contamination of food.

Manufactured by:

REILY CHEMICAL COMPANY

New Orleans, Louisiana 70117

STATEMENT OF QUALITY:

WARRANTY

This product is guaranteed to meet AOAC Use Dilution Confirmation Test vs. Salm. Choleraesuis, Staph. Aureus, when tested in accordance with AOAC official methods in stated use dilutions.

When tested in accordance with official AOAC methods for Phenol Coefficients, this product is equally non-selective and has shown the following phenol coefficients:

Staph Aureus AOAC 15

Salm. Typhosa AOAC 8

CONTAINER DISPOSAL:

Rinse empty container with water and discard it.

Net Contents:

Gal.

DIRECTIONS:

For use in Hospitals, Hotels, Motels, Restaurants, Institutions, Schools, and Factories where Positive Disinfection and Deodorizing is required on floors, walls, woodwork, desks and work tables. In food handling areas, remove food from area, disinfect and then rinse surface with potable water before re-use. Dilute this concentrate with water, using 2 oz. per gallon of water. Mop or wipe over areas to be disinfected and allow 10 minutes contact time to disinfect.

This disinfectant is non-selective and is equally effective against Salmonella Typhosa, Staphylococcus aureus, Salmonella choleraesuis and Pseud. Aeruginosa organisms representative of gram positive and gram negative pathogens.

Where maximum deodorizing effect is to be obtained, leave solution for extended periods of contact time before mopping up.

EPA Reg. No. 3367-73
August 1973

ACCEPTED
Aug. 8, 1973