## RIGHT PANEL

## METHYL BROMIDE

TECHNICAL

FOR FORMULATION INTO END USE PRODUCTS INTENDED FOR USE ONLY AS A FUMIGANT

Active Ingredient:

Methyl Bromide 12 pt KEEP OUT OF REACH OF CHILDREN 18pt in red DANGER SON 18pt in red SEND FOR A DOCTOR IMMEDIATELY IN CASE OF EXPOSURE STATEMENT OF PRACTICAL TREATMENT IF INHALED --- Carry Patient To Fresh Air. Call Physician At Once. Make Sure Polient Can Breathe Freely, Keep Patient Warm, Give Artificial Respiration If Breating Has Stopped, Oxygen Should Be Administered Only By Qu. 33 Personnel. IF ON SKIN - Immediately Remove All Contaminated Skin Covering Including Shoes, Clothing And Adhesive Or Other Bandages. Wash Skin Thoroughly With Soap And Water. If Irritation Or Blisters Develop, Get Medical Attention, Jo Not Reuse Shoes Or Clothing Until Free Of All Contamination. IF IN EYES - Flush Immediately With Plenty Of Water For At

ACCE

14 - + 1 S 1983

Least 15 Minutes And Get Medical Attention.

NOTE TO PHYSICIAN ~ Keep Patient At Rest And Under Observation For 24 To 48 Hours

Mfg. by Ethyl Corporation 451 Florida Street Baton Rouge, LA 70801

EPA EST No. 337' AR-1 EPA Reg. No. 3377-9

Net Contents:

1

i.

LEFT PANEL PRECAUTIONARY STATEMENTS -12 pt HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER-18 pt THIS IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR DEALER REPRESENTATIVE OR ETHYL CORPORATION FOR CORRECT PROCEDURE. BEFORE USING, READ AND FOLLOW ALL LABEL DIRECTIONS AND PRODUCT LITERATURE SPECIFIC TO YOUR PARTICULAR REQUIREMENTS. EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE INHALATION MAY BE FATAL OR CAUSE  $12\rho^+$ DELAYED LUNG INJURY LIQUID AND VAPOR CAUSE BURNS WHICH MAY BE DELAYED **OBSERVE THE FOLLOWING PRECAUTIONS:** DO NOT BREATH VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. RESPIRATORY PROTECTION A full face gas mask with an air supply (tank or airline) is recommended or wear a full face gas mask with black canister meeting specifications jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 30 CFT, PART II, where the vapor concentration is known to be under 2% by volume (5 lbs per 1000 cu. ft.). Read and follow the gas mask manufacturers recommendations, note carefully those regarding canister use periods. Destroy used canisters by crushing.

STORAGE AND DISPOSAL -12 pt-

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, of the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Return empty drums or containers for reuse.