



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 15 2008

Ms. Ann M. Oxford Albermarle Corp. 451 Florida St. Baton Rouge, LA 70801

Dear Ms. Oxford:

Subject: Methyl BromideTechnical

EPA Reg. No. 3377-9

Your Submission of June 25, 2008

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. A stamped copy of the label is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment.

Sincerely yours,

Mary L. Waller

Product Manager (21)

Fungicide Branch

Registration Division (7505P)

Enclosure

7505P:CGrable:cg:8/14/08

METHYL BROMIDE TECHNICAL

A NEMATICIDE, INSECTICIDE, HERBICIDE FOR FORMULATION INTO END-USE PRODUCTS INTENDED FOR INDOOR FOOD/FEED USES OR WHEN COMBINED WITH CONCENTRATIONS OF 0.25% OR GREATER CHLOROPICRIN, TERRESTRIAL, GREENHOUSE, DOMESTIC OUTDOOR AND INDOOR FOOD AND NON-FOOD USES

ACTIVE INGREDIENT:		
Methyl Bromide		99.8%
INERT INGREDIENTS		
TOTAL	•	100.09

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO



POISON

Si Usted no entiende la etiqueta, busque a alquien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN

Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait and mental imbalance, with probable recovery after period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic. See the product MSDS for additional information.

ALBEMARLE CORPORATION 451 Florida Street Baton Rouge, LA 70801

	Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended, for the pesticide	
NET CONTENTS	AUG 15 2008	
EPA Reg. No. 3377-9 EPA Est.		
In case of an emergency endangering life or property involving this produce	ACCEPTED	47

34

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE. DO NOT BREATHE VAPOR. INHALATION MAY BE FATAL OR CAUSE SERIOUS ACUTE ILLNESS OR DELAYED LUNG, NERVE OR BRAIN INJURY. LIQUID OR VAPOR CAN CAUSE SERIOUS SKIN OR EYE INJURY WHICH MAY HAVE A DELAYED ONSET. DO NOT GET LIQUID ON SKIN, IN EYES OR ON CLOTHING.

METHYL BROMIDE VAPOR IS ODORLESS AND NON-IRRITATING TO SKIN AND EYES DURING EXPOSURE. EXPOSURE TO TOXIC LEVELS MAY OCCUR WITHOUT WARNING OR DETECTION BY THE USER.

PERSONAL PROTECTIVE EQUIPMENT

Wear loose-fitting or well ventilated long-sleeved shirt and long pants, shoes and socks, full-face shield or safety glasses with brow and temple shields when handling liquid product. (Do NOT wear goggles.) A respirator is required if the acceptable air concentration level (5 ppm) for methyl bromide is exceeded at any time. The respirator must be one of the following types: (a) a supplied air respirator (MSHA/NIOSH approved number prefix TC-19C), (b) a self-contained breathing apparatus (SCBA) (MSHA/NIOSH) approved number prefix TC-13F). Do not wear jewelry, gloves, goggles, rubber protective clothing, or rubber boots when handling. Methyl bromide is heavier than air and can be trapped inside clothing and cause skin injury. If liquid spills or splashes on clothing, shoes or socks, remove them immediately. Do not reuse until the clothing is thoroughly aerated or ventilated and cleaned. Discard clothing and shoes that have been heavily contaminated with this product.

ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

Methyl Bromide Technical is nonflammable. There is no danger from fire or explosion in use concentrations. Do not apply gas directly to metal surfaces because of possible corrosive effect on certain metals. Do not use containers or equipment made of magnesium, aluminum or their alloys.

WARNING: Contains Methyl Bromide, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in any manner inconsistent with its labeling. Methyl Bromide Technical may be used only for repacking or formulating in end-use products intended for uses stated on the front panel of the label. Registration by the U.S. Environmental Protection Agency is required before a new product can be lawfully distributed in interstate commerce.

SPILL AND LEAK PROCEDURES

Evacuate everyone from the immediate area of the spill or leak. For entry into affected area to correct problem, wear the personal protective equipment (including prescribed respirators) specified in the Hazards to Humans section of this labeling. Move leaking or damaged containers outdoors or to an isolated location. Observe strict safety precautions. Work upwind, if possible. Allow spilled fumigant to evaporate. Only correctly trained and PPE-equipped handlers are permitted to perform such cleanup. Do not permit entry into the spill or leak area by any other person until the air concentration level of methyl bromide is measured to be less than 5 ppm.

4/4

Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND HANDLING

Store in secure manner either outdoors under ambient conditions or indoors in a well ventilated area. Post as a pesticide storage area.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

When a tank car or iso tank is unloaded, close all valves and install and securely tighten the plugs in the valve outlets. Close and secure the dome cover on the railcar or iso tank.

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent allowable under State Law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.