

32

(Label Panel) 3377-27

134

M-B-R 98 TECHNICAL


A HEMATICIDE, INSECTICIDE, HERBICIDE FOR FORMULATION INTO
END-USE PRODUCTS INTENDED FOR USE ONLY AS A SOIL FUMIGANT


ACTIVE INGREDIENT:
METHYL BROMIDE.....98%
INERT INGREDIENT:
CHLOROPICRIN.....2%

KEEP OUT OF REACH OF CHILDREN

DANGER

PELIGRO





IN ALL CASES OF OVER EXPOSURE, GET MEDICAL
ATTENTION IMMEDIATELY. TAKE PERSON TO A DOCTOR
OR EMERGENCY TREATMENT FACILITY.

IF INHALED-Get exposed person to fresh air. Keep warm. Make sure person
can breathe freely. If breathing has stopped, apply artificial respiration.
Do not give anything by mouth to an unconscious person.


IF ON SKIN-Immediately remove contaminated clothing, shoes, and any other
item on skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES-Hold eyelids open and flush with a steady, gentle stream of
water for at least 15 minut

ACCEPTED
3377-27
14 SEP 1988

BY THE FEDERAL INSECTICIDE
AND FUNGICIDE AGENCY
U.S. ENVIRONMENTAL PROTECTION AGENCY
SUBJECT

ETHYL CORPORATION
451 Florida Street
Baton Rouge, LA 70801



In case of an emergency endangering life or property
involving this product, call collect (504) 344-7147

EPA EST. No. 3377-AR-1
EPA Reg. No. 3377-

BEST AVAILABLE COPY

NET CONTENTS.....LBS.

3377-27
DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

M-B-R 98 Technical may be used only for repackaging or formulating into an economic poison. Registration by the U.S. Environmental Protection Agency is required before the new product can be lawfully distributed in interstate commerce.

STORAGE AND DISPOSAL

STORAGE AND HANDLING

Store in dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage.

Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, lings or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured.

Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use.

CONTAINER DISPOSAL

When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinders.

When tank car is unloaded, close all valves, and replace plugs or caps securely on valve outlets. Close and secure dome cover. Prior to shipment of emptied car back to shipper, reverse placard.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

SPILL OR LEAK PROCEDURE

Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied/SCBA respirator for entry into affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until concentration of methyl bromide is determined to be less than 5 ppm.

Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity is exceeded.

8/1000 lbs

ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.


CHEMICAL HAZARD

M-B-R 98 TECHNICAL is nonflammable. There is no danger from fire or explosion in use concentrations. However, flame can change the chemical to produce some corrosive damage to items in the space being fumigated. Pilot lights and glowing wire heaters should be turned off.

Do not apply gas directly to metal surfaces because of possible corrosive effect on certain alloys. Do not use containers or application equipment made of magnesium, aluminum or their alloys.

BEST AVAILABLE COPY

**METHYL BROMIDE
LIQUID
UN 1062**



BEST AVAILABLE COPY

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER

EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE. DO NOT BREATHE VAPOR. INHALATION MAY BE FATAL OR CAUSE SERIOUS ACUTE ILLNESS OR DELAYED LUNG, NERVE OR BRAIN INJURY. LIQUID OR VAPOR CAN CAUSE SERIOUS SKIN OR EYE INJURY WHICH MAY HAVE A DELAYED ONSET. DO NOT GET LIQUID ON SKIN, IN EYES OR ON CLOTHING.

This product contains chloropicrin as a warning odorant. Chloropicrin may be irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the eyes, producing tearing. If these symptoms occur, leave the fumigation area immediately.

NOTE TO PHYSICIAN

Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities, these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait and mental imbalance, with probable recovery after period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic. See the product MSDS for additional information

PROTECTIVE CLOTHING

Wear loose cotton long sleeve shirts and pants, shoes and socks that are cleaned after each wearing. Do not wear jewelry, gloves or boots when handling. Methyl bromide is heavier than air and may be trapped inside clothing and cause skin injury. If full-face respiratory protection is not required, wear goggles or full face shield for eye protection when

handling liquid. After ~~handling~~ *handling*, immediately remove clothing, shoes and socks. Do not reuse contaminated clothing or shoes until cleaned. Drenched clothing cannot be adequately decontaminated.

