

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC
ANIMALS**

CAUTION: Wait at least 1 hour before entering pool or spa after treatment with this product. Harmful if absorbed through the skin. Avoid contact with skin and clothing. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not get into eyes.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

SANIBROM 202 Algicide is not flammable. Do not allow this product to come into contact with acids or oxidizing agents under conditions other than as described in the directions for use. Add this product to water only. Negligent mixing of this product with acids or oxidizing agents may cause release of poisonous corrosive hydrogen bromide or bromine gas. Reducing Agent.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by the use, storage, or disposal of this product.

STORAGE: Store in original container. Store in a cool, dry place away from the reach of children. Keep container closed when not in use.

DISPOSAL:

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these waste can not be disposed of by use in accordance to label instructions, contact you Regional Office of EPA for guidance.

Container Disposal: Do not reuse container. Rinse thoroughly and securely wrap empty container in several layers of newspaper before discarding in trash.

WARRANTY

Seller makes no warranty expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**SANIBROM® 202
ALGICIDE**

**FOR USE TO CONTROL AND PREVENT ALGAE GROWTH
AND TO MAINTAIN CLEAR WATER IN SWIMMING POOLS,
SPAS, AND FOUNTAINS**

ACTIVE INGREDIENT:

Sodium Bromide 40%

INERT INGREDIENTS: 60%

TOTAL 100%

**KEEP OUT OF REACH OF
CHILDREN
CAUTION**

Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.
Prolonged eyes and skin contact may cause severe irritation.

STATEMENT OF PRACTICAL TREATMENT
In case of contact, immediately flush eyes or skin with plenty of water. If on skin, wash with plenty of soap and water. Get medical attention.
See side panel for additional precautionary statements.

EPA REG. NO. 3377-54
EPA EST. NO. 3377-AR-1



451 Florida Street
Baton Rouge, LA 70801

In case of emergency endangering life or property involving this product, call collect (225) 344-7174.

ALBEMARLE and SANIBROM are registered trademarks of Albemarle Corporation.
Baquacil is a registered trademark of Zeneca, Inc.
Softswim is a registered trademark of Bio-Lab, Inc.

Net Contents _____

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SANIBROM 202 Algicide is used to control and prevent algae growth and to maintain clear water in swimming pools, spas, and fountains using chlorine systems:

INITIAL TREATMENT for pools, spas, and fountains using chlorine disinfection systems

Use to start a preventative treatment program with SANIBROM 202 Algicide: For each 10,000 gallons of water in swimming pool, spa, or fountain, add 6 fluid ounces of SANIBROM 202 Algicide directly to the water. Follow the Initial Treatment directions on the chlorine product label. Do not mix SANIBROM 202 Algicide directly with chlorine products.

Size of Pool, Spa, or Fountain	Amount of SANIBROM 202 Algicide
10,000 gallons	6 ounces
15,000 gallons	9 ounces
20,000 gallons	12 ounces

Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.

MAINTENANCE TREATMENT for pools, spas, and fountains using chlorine disinfection systems

Add chlorine as directed on product label for appropriate size of swimming pool, spa, or fountain. Add the following amount of SANIBROM 202 Algicide when adding a chlorine source.

Amount of chlorine source added	Amount of SANIBROM 202 Algicide to Add
1 gallon of sodium hypochlorite (liquid chlorine) 10-12%	5 fluid ounces
2 gallons of sodium hypochlorite (liquid chlorine) 5.25%	5 fluid ounces
1 lb of dry chlorine (calcium hypochlorite or dichloroisocyanurate)	5 fluid ounces
2 lb lithium hypochlorite (35%)	5 fluid ounces
two 3-in tablets trichloro-s-triazinetriene	6 fluid ounces
1 lb chlorine produced by chlorine generator	5 fluid ounces

Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.

SANIBROM 202 Algicide is used to control and prevent algae growth and to maintain clear water in swimming pools, spas, and fountains using Biguanide, Baquacil®, or Softswim® systems:

INITIAL TREATMENT for pools, spas, and fountains using biguanide disinfection systems

Use to start a preventative treatment program with SANIBROM 202 Algicide: For each 10,000 gallons of water in swimming pool, spa, or fountain, add 6 fluid ounces of SANIBROM 202 Algicide directly to the water. Follow the Initial Treatment directions on the hydrogen peroxide product label. Do not mix SANIBROM 202 Algicide directly with hydrogen peroxide.

Size of Pool, Spa, or Fountain	Amount of SANIBROM 202 Algicide
10,000 gallons	6 ounces
15,000 gallons	9 ounces
20,000 gallons	12 ounces

Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.

MAINTENANCE TREATMENT for pools, spas, and fountains using biguanide disinfection systems

Add hydrogen peroxide as directed on product label for appropriate size of swimming pool, spa, or fountain. Separately, add 1 fluid ounce SANIBROM 202 Algicide for each 4 fluid ounces of hydrogen peroxide added.

Amount of hydrogen peroxide Added	Amount of SANIBROM 202 Algicide to add
8 fluid ounces	2 fluid ounces
12 fluid ounces	3 fluid ounces
16 fluid ounces	4 fluid ounces

Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.

SANIBROM 202 Algicide is used to control and prevent algae growth and to maintain clear water in swimming pools, spas, and fountains using potassium monopersulfate (alternatively, we may use a trade name such as Oxone) as an activator.

INITIAL TREATMENT for pools, spas, and fountains using potassium monopersulfate to activate SANIBROM 202 Algicide

Use to start a preventative treatment program with SANIBROM 202 Algicide: For each 10,000 gallons of water in swimming pool, spa, or fountain, add 6 fluid ounces of SANIBROM 202 Algicide directly to the water. To activate, add 1 pound of potassium monopersulfate (alternatively, we may use a trade name such as Oxone) per 10,000 gallons of water.

Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.

MAINTENANCE TREATMENT

Separately, add 6 oz. of SANIBROM 202 Algicide and 1 pound of potassium monopersulfate (alternatively, we may use a trade name such as Oxone) per 10,000 gallons of water per week.


Wait at least 1 hour after SANIBROM 202 Algicide treatment before entering pool or spa or follow the required waiting period for a product used with SANIBROM 202 Algicide if greater than 1 hour.

WINTERIZING AND SPRING STARTUP TREATMENT

1. Add 12 oz. of SANIBROM 202 Algicide per 10,000 gallons of water.
2. Activate by adding one of the following: 1 1 pound dry chlorine (calcium hypochlorite or dichloroisocyanurate), 2 pounds lithium hypochlorite (35%), 1 gallon sodium hypochlorite (liquid chlorine) 10-12%, 2 gallons sodium hypochlorite (liquid chlorine) 5.25%, or 1 pound potassium monopersulfate (alternatively, we may use a trade name such as Oxone) per 10,000 gallons of water.
3. Allow the pump to circulate the water for several hours after chemical additions for good mixing.

Follow dealers normal winterizing procedures for your pool. Before using chlorine or oxygen shock, read the Directions for Use and Precautionary Statements specific to that product.

To aid in quicker and easier opening of the pool in the spring, repeat above application upon start-up.



3377-54 5-8-2000