ACCEPTED

MAR 2 1 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENT CIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO343217 TO ATTACKED COOLENTS.

To Calculate Capacity of Pool

For Rectangular Pools: Average depth x length x width (all in feet) x 7.5 = gallons.

For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet x 5.9 = gallons.

An Algaecide. For use in the control of Algae in Swimming Pools.

Has controlled sudsing action. Effective in hard water.



CONTENTS I GAL.

EPA Reg. No. 3432-7

Active ingredient:

n-alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride10%

WARNING: KEEP OUT OF REACH OF CHILDREN See Side Panel for Additional Cautions.

THIS PRODUCT IS MEANT TO CON-TROL AND PREVENT ALGAE IN SWIM-MING POOLS.

Contains:

Quaternary Ammonium Chloride ... 10%

DIRECTIONS FOR USE

When first filling pool or if no algae is visible add algaecide at rate of 1 gallon per 50,000 gallons of pool water (app.

1 oz. per 390 gallons).
If algae are visible treat pool water by adding algaecide at the rate of 1 gallon per 20,000 gallons (1 oz. per 150 gallons). Next day remove settled and add a second described. 1 gellon es

To Calculate Capacity of Pool

For Rectangular Pools: Average depth x ength x width (all in feet) x 7.5 = gallons

For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet $x \cdot 5.9 = gallons$

An Algaecide For use in the control of Algae in Swimming Pools

Has controlled sudsing action Effective in hard water

DANGER: Keep out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

if swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed



Active Ingredient:

n-alkyl (50% C14, 40% C12, 10% C16)

dimethyl benzyl ammonium chloride

linert Ingredient:

water

WARNING: KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

THIS PRODUCT IS MEANT TO CONTROL AND PREVENT ALGAE IN SWIMMING POOLS

Contains:

Quaternary Ammonium Chloride 10% Water 90%

DIRECTIONS FOR USE

When first filling pool or if no algae is visible add algaecide at rate of 1 gallon per 50,000 gallons of pool water (app 1 oz per 390 gallons).

If algae are visible treat pool water by adding algaecide at the rate of 1 gallon per 20,000 gallons (1 oz. per 150 gallons). Next day remove settled algae and add a second dose if necessary of 1 gallon per 20,000 gallons pool water. Thereafter follow up with maintenance dose of 1 gal. algaecide per 50,000 gallons every 5 to 7 days (1 oz. per 400 gallons).

Add directly to pool or dilute with water and add to pool.

DO NOT MIX WITH OTHER POOL CHEMICALS.

DO NOT RE-USE CONTAINER; DESTROY WHEN EMPTY

THIS PRODUCT IS TOXIC TO FISH.
TREATED EFFLUENT SHOULD NOT BE
DISCHARGED WHERE IT WILL DRAIN
INTO LAKES, STREAMS OR PONDS.