

Algae-l

FOR PREVENTING AND TRI ALGAE IN SWIMMING PS

ACTIVE INGREDIENT

n-alkyl (50% C14, 40% C12, 10% dimethyl benzyl ammonium chloride.....

OTHER INGREDIENTS...

TOTAL

EPA REG. NO. 3432-7 EPA EST. NO. 3432-PA-1

KEEP OUT OF REACH OF CHILDRE DANGER

See side panel for tarthe during

NET CONT. 1 QT.

ACCEPTED

Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

FEB 0 6 2002

Under the Foderzi Incecticide, Fungicide, and Rodenticide Act as same ased, for the pesticide, registered under EPA Reg. No. 3 4432 - 7

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye and skin burns. Do not get in eyes, or on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
	NOTE TO PHYSICIAN
	robable mucosal damage may contraindicate the use of gastric layage.

11 -12 13

15

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. When first filling pool or when no algae are visible use this product at a rate of 32 fluid oz. to each 12,500 gallons of pool water. If algae growth is visible apply 32 fluid oz. to each 5,000 gallons. Vacuum pool after 24 hours to remove dead algae. If algae is still visible repeat dose as necessary until pool is free of visible algae. Thereafter follow up with maintenance dose of 32 fluid oz. per 12,500 gallons pool water every 5 to 7 days or as needed. Add this product to pool water in front of the pool return while filter is on, for best results allow filter to run for at least 24 hours after adding this product. This product is effective over all normal pool balance values. Bathers should not be in the pool when this product is added and should not re-enter for at least 15 minutes. The above directions should be followed even when the pool is not in use. Do not use water containing residue from this product to irrigate crops used for food or feed.

Do not mix this product with other pool chemicals, especially chlorine. Do not re-use container.

STORAGE: Store in original containers and place in locked storage area. Keep from freezing. Small spills may be mopped up or flushed away with water or absorbed on some material and incinerated. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Do not reuse container. Rinse thoroughly before discarding in trash.

TO CALCULATE GALLONAGE FOR ROUND OR OVAL POOLS: Multiply diameter x diameter x average depth (all in feet) x 5.9 = gallons.

FOR RECTANGULAR POOLS: Multiply length x width x average depth (all in feet) x 7.5 = gallons.

