
DIRECTIONS

For pool water that has never been treated or when refilling pool, add. CHLORINE STABILIZER (BOOST-ER) following package directions. An alternative method for start-up would be to add 11 ozs. of Maxi-Clor per 10,000 gallons of water as a shock dose to satisfy the chlorine demand of water. This dose should be repeated until a chlorine residual of 1-2 ppm is obtained. Then a dosage of 1.5-2.0 ozs. per 10,000 gals. of water (1 teaspoonful per 1000 gallons) should be added daily or as needed to maintain a 1-2 ppm chlorine residual. Use a good test kit at least once a day and add sufficient Maxi-Clor to maintain a residual of 1-2 ppm. pH must be maintained at 7.2-7.8. Errequency of application will depend upon number of people swimming, water temperature and other conditions.

Superchlorisation. At least once a week and at times of great use, an extra quantity in the amount of 11 ozs. per 10,000 gallons of Maxi Clor should be added to help keep water sparkling clean.



Cameraman's Note

Poor Copy



AND CONTROL BACTERIA AND POOLS.

THIS PRODUCT IS

Sodium Dichloro-s-

New Concept in Poly soluble granules contains no scale-foed off by the sun; d

TO CALCULA

For Rectangular pool x width x ave 7.5

For Round Pools diameter of pool feet) x 5.9.

May be fatal or hi cause eye injury severe irritation thoroughly after he Antidote: if taken cooked cereal, fo

COOKING OII.

DANGER: Oxidizing the contamination of the contamination o

Moleture contami result in the liberat toxic and irritating

KEEP OUT OF P


RINGE AND DE WHEN EMPTY.
SOLVE IN WATE RECTLY TO POOP WITH OTHER PERSON IN THE PROPERTY OF THE PROPERTY OF RIVERS SUPPOSED IN THE PROPERTY OF THE PERSON IN THE PERSON IN

3432-12

ONS

has never been filling pool, add. LIZER (BOOSTe directions. An br start-up would of Maxi-Clor per vater as a shock chlorine demand should be repeatresidual of 1-2 hen a dosage of 100 gals of water 1000 gallons) ily or as needed ppm chlorine test kit at least I sufficient Maxiresidual of 1.2 maintained at f application will of people swimature and other

At least once a of great use, and ie amount of 11 ons of Maxi Clor help keep water



THIS PRODUCT IS MEANT TO DESTROY AND CONTROL THE GROWTH OF BACTERIA AND ALGAE IN SWIMMING POOLS.

Contains:

Sodium Dichioro-s-triazinetrione 100%

New Concept in Pool Sanitation: Completely soluble granules that: leaves no residue; contains no scale-forming lime; is not burned off by the sun; does not upset the pH.

TO CALCULATE GALLONAGE

For Rectangular Pools: Multiply length of pool x width x average depth, (all in feet) x 7.5

For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9.

May be fatal or harmful if swallowed. May cause eye injury and will cause burns or severe irritation on broken skin. Wash thoroughly after handling.

Antidote: if taken internally, feed gruel or cooked cereal, followed by olive oil or cooking oil.

DANGER: Oxidizing material — avoid contact with other pool chemicals especially organic matter such as algocides, as fire can result. Store in a cool dry place.

Moisture contamination or burning may result in the liberation of chlorine or equally toxic and irritating gases.

DANGER

KEEP OUT OF REACH OF CHILDREN.

RINGE AND DESTROY THIS BOTTLE WHEN EMPTY. DO NOT REUSE. DISSOLVE IN WATER ONLY OR ADD DIRECTLY TO POOL WATER. DO NOT MIX WITH OTHER POOL CHEMICALS. EFFLUENT FROM POOL SHOULD NOT BE DISCHARGED INTO STREAMS, PONDS OR RIVERS SUPPORTING WILD LIFE.

Cameraman's Note


Poor Copy



- CCXO12

ppm. pH must be maintained at 7.2-7.8. Frequency of application will depend upon number of people swimming, water temperature and other conditions.

Superchlorination: At least once a week and at times of great use, an extra quantity in the amount of 11 ozs. per 10,000 gallons of Maxi Clor should be added to help keep water sparkling clean.



3432-12

3432-12

BEST DOCUMENT AVAILABLE

DIRECTIONS

For pool water that has never been treated or when refilling pool, add. CHLORINE STABILIZER (BOOST-ER) following package directions. An alternative method for start-up would be to add 11 ozs, of Maxi-Clor per 10,000 gallons of water as a shock dose to satisfy the chloring demand of water. This dose should be repeated until a chlorine residual of 1-2 ppm is obtained. Then a dosage of 1.5-2.0 ozs. per 10,000 gals of water (1 teaspoonful jar 1000 gallons) should be added daily or as needed to maintain a 1-2 ppm chlorine residual. Use a goral test ki**t at least** orce a day and aits sufficient Maxi-Clor to maintain a residual of 1.2 ppm, pH imist be maintained at 7.2-7.8. From its confapplication with depend upon insurtien of people swim | ming, water temperature and other conditions.

Superchioral stark. At least ince at week and at times of great use, an extra quantity in the amount of 11 ozs, per 10,006 gallons of Maxi Clor should be added to help keep water



CERTIFIED NET WT. 1 LBS. EPA Reg. No. 3432-12

Sodium Dichloro-s-triazinetrione . . . 100% Available chiorine 64%

DANGER: KEEP OUT OF REACH OF CHILDREN.

See side panel for precautions in handling.

ACTIVE INGREDIENT

THIS PRODUCT IS MEANT TO DESTROY AND CONTROL THE GROWTH OF SACTERIA AND ALGAE IN SWIMMING POOLS.

Sodium Dichtoro-s-triazinetrione 100%

New Concept in Pool Sanitation: Completely soluble granules that: leaves no residue; cuntains no scale-forming lime; is not burned off by the sun; does not upset the pH.

TO CALCULATE GALLONAGE

For Rectangular Peois: Multiply length of pool \times width \times average depth (all in feet) \times 7.5

for Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9. halicable

May be fatat or narmful if swallowed. May cause eye injury and will cause burns or sweec tritation on broken skin. Wash thoroughly after handling.

Antidote: If taken internally, feed gruel or conked coreal, followed by olive oil or cooking oil.

DANGER: Oxidizing material — avoid contact with other pool chemicals especially organic matter such as signecides, as fire can result. Store in a cool dry place.

result. Store in a cool dry place.

Molature contamination or Enraing may result in the liberation of contamine of equally toxic and irritating gases.

DANGER!

KEEP OUT OF REACH OF CHILDREN.

RINSE AND DESTROY THIS BOTTLE WHEN EMPTY, DO NOT REUSE, DISSOLVE IN WATER ONLY OR ADD DIRECTLY TO POOL WATER, DO NOT MIX WITH OTHER POOL CHEMICALS, EFFLUENT FROM POOL SHOULD NOT BE DISCHARGED INTO STREAMS, PONDS OR RIVERS TUPPORTING WILD LIFE.



- CCLO12 -

Monsento

3433-12