

3432-12

1-10-2002

1/2

J-111199-OnGuardChlor. Powder 10/26/01 2:12 PM Page 1

OnGuardTM

MAXI-CLOR[®]

Chlorinating Powder

CONCENTRATE

FOR SPARKLING AND CRYSTAL WATER
SWIMMING POOL ALGAECIDE AND GERMICIDE
NO SCALE FORMING MINERALS OR INSOLUBLES
CONVENIENT COMPLETE POOL CARE

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione .. 97%
OTHER INGREDIENTS 3%
Available Chlorine....64% Total...100%

KEEP OUT OF REACH OF CHILDREN**DANGER**

See side panel for additional precautions.

NET WT. 5 LBS.

Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

ACCEPTED

JAN 10 2002

Under The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
products registered under

3432-12

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor center for treatment advice.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.

New Concept in Pool Sanitation: Completely soluble granules that leaves no residue; contains no scale forming lime; is not burned off by the sun; does not upset the pH.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For pool water that has never been treated or when refilling pool, add CHLORINE STABILIZER (BOOSTER) following package directions. An alternative method for start-up would be to add 11 ozs. of this product per 10,000 gallons of water as a shock dose to satisfy the chlorine demand of water. This dose should be repeated until a chlorine residual of 1-2 ppm is obtained. Then a dosage of 1.5-2.0 ozs. per 10,000 gallons of water (1 teaspoonful per 1,000 gallons) should be added daily or as needed to maintain a 1-2 ppm chlorine residual. Use a good test kit at least once a day and add sufficient amounts of this product to maintain a residual of 1-2 ppm. pH must be maintained at 7.4-7.6. Frequency of application will depend upon number of people swimming, water temperature and other conditions. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

SUPERCHLORINATION: At least once a week and at times of great use, an extra quantity in the amount of 11 ozs. per 10,000 gals of this product should be added to help keep water sparkling clean.

STORAGE AND DISPOSAL: Keep product dry in a tightly closed container when not in use. Store in a cool dry well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

TO CALCULATE GALLONAGE: For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gallons. For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9. = gallons.

