PLEASE NOTE

This image contains more than one label approved for this product on this date.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR | 5 2002

Al Pastore N. Jonas & Co., Inc. 4520 Adams Circle Bensalem, PA 19020

Subject:

Maxi-Clor Stabilized Chlorine Powder Concentrate

EPA Registration No. 3432-12 Notification Per PR Notice 98-10

Dear Mr. Pastore:

This will acknowledge receipt of your notification for the alternate brand names listed below (ILLINI POOLS CHLORINATING POWDER), submitted under the provisions of FIFRA Section 3(c)9. Based on a review of the submitted material the following comments apply.

This notification is acceptable and has been made a part of the file for this product.

Sincerely,

Wanda Y. Mitchell Product Reviewer - Team 32 Regulatory Management Branch II Antimicrobials Division (7510C)

			CONCURRENC	25		
SYMBOL	7570C				• • • • • • • • • • • • • • • • • • • •	
SURNAME		,				
DATE	3-15-02					


Application for Pesticide - Section I Company/Product Number 3452-12 Company/Product Name \$3. Proposed_ identification \$4. Size(a) Retail Container \$3. Proposed_ identification \$4. Product Name \$4. Product	⊘E A	United States Environmental Protection Age Washington, DC 20460			x	Registratio Amendmen Other	· · ·				
Section - III Section Section III Section Section III III Section III III Section III		Δ	pplication	for Pesticide -	Section	Î.					
Amendment - Explain below. Final printed labels in repsones to Agency letter dated Notification - Explain below. Product Name Produ	. Company/Product Nu			2. EPA Product	Manager						
Name and Address of Applicant (include 2/P Code) N. JONAS & C6 . INC 1520 ADAMS CIRCLE BENSALEM: PA. 19020 Check if this is a new address Product Name		0.00.61.50		PM#			X Name Restricted				
Section - II Amendment - Explain below. Resubmission in response to Agency letter dated	5. Name and Address of N. JONAS 4520 ADAM	of Applicant <i>(Include ZIP Cod</i> & CB., INC IS CIRCLE		(b)(i), my pro to:	(b)(i), my product is similar or identical in composition and labeling to:						
Amendment - Explain balow. Resubmission in response to Agency letter dated Resubmission in response to Agency letter dated Resubmission in response to Agency letter dated Mee Too" Application. Other - Explain below. Other - Explain below. Dianation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 98-10 COMPANY NAME: ILLINI POOLS PRODUCT NAME: CHLORINATING POWDER Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Ves No Cortification must Countined Container Cortification must Label Container Lithograph A. Size(s) Retail Container Container Lithograph Paper glied Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contected, if necessary, to process this application.) Name AL PASTORE Telephone No. (Include Area Code Telephoration Cortification I certify that the statements I have made on this form and all statechments thereto are true, securete and complete. I secknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment of . (Stamped)	Check	if this is a new address		Product Na	me						
Resubmission in response to Agency letter dated "Me Tox Application. Notification - Explain below. Dither - Explain below. Other - Explain below. Other - Explain below. Other - Explain below. NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 98-10 COMPANY NAME: ILLINI POOLS PRODUCT NAME: CHLORINATING POWDER Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes Yes Yes No. per Unit Packaging Water Soluble Packaging 2. Type of Container Packaging Paper Unit Packaging Will Paper Unit Packaging Water Soluble Packaging Other (Specify) **Certification must be submitted Other (Specify) **Label Container	•			Section - II							
NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 98-10 COMPANY NAME: ILLINI POOLS PRODUCT NAME: CHLORINATING POWDER Section - III 1. Material This Product Will Be Packaging Unit Packaging Water Soluble Packaging Yes Metal No Show No	Resubmission is	n response to Agency letter	dated	Agen	Agency letter dated "Me Too" Application.						
1. Material This Product Will Be Packaged In: Child-Resistant Packaging							. 4				
Child-Resistant Packaging Ves				Cantina III							
Label Container 6. Manner in Which Label is Affixed to Product Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name AL PASTORE Telaphone No. (Include Area Code TECHNICAL DIRECTOR (215) 659~8071 Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. (Stamped)	1. Material This Produ	gt Will Se Packaged In:		Section - III							
Section - IV 1. Contact Point Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name AL PASTORE Title Telaphone No. (Include Area Code TECHNICAL DIRECTOR (215) 639-2071 Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment of (Stamped)	Child-Resistant Packa X Yes No * Certification me	Unit Peckaging Yes X No If "Yes"		Water Soluble Packag Yes X No If "Yes" N	o. per		Metal Plastic Glass Paper				
1. Contact Point Complete items directly below for identification of Individual to be contacted, if necessary, to process this application.) Name AL PASTORE Title TECHNICAL DIRECTOR (215) 639-2071 Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment of (Stamped)	Child-Resistant Packa X Yes No * Certification me be submitted * Location of Net Con	Unit Peckeging Yes X No If "Yes" Unit Packeging wgt.	container	Water Soluble Packag Yes No If "Yes" N Package wgt o	o. per ontainer	Location of Label	Metal Plastic Glass Paper Other (Specify) Directions				
Name AL PASTORE TECHNICAL DIRECTOR (215) 639-8071 Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment of (Stamped)	Child-Resistant Packar X Yes No * Certification me be submitted 2 Location of Net Cor Label	Unit Peckeging Yes X No If "Yes" Unit Packeging wgt. Intents information Container	4. Size(s) Retai	Water Soluble Packag Yes No If "Yes" N Package wgt of	o. per pontainer	Location of Label	Metal Plastic Glass Paper Other (Specify) Directions				
AL PASTORE TECHNICAL DIRECTOR (215) 6'39-2071 Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment of (Stamped)	Child-Resistant Packa, X Yes No * Certification me be submitted 2 Location of Net Co. X Label	Unit Peckeging Yes X No If "Yes" Unit Packeging wgt. Intents information Container	4. Size(s) Retai	Water Soluble Packag Yes No If "Yes" No Package wgt of	o. per pontainer	Location of Label	Metal Plastic Glass Paper Other (Specify) Directions				
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment of the complete. (Stamped)	Child-Resistant Packa X Yes No * Certification must be submitted 2 Location of Net Con X Label 6. Manner in Which L	Unit Peckaging Yes X No If "Yes" Unit Packaging wgt. Tents information Container abel is Affixed to Product	4. Size(s) Retai	Water Soluble Package Yes No If "Yes" Package wgt Container Inph Lued d Section - IV	o. per ontainer	Location of Label	Metal Plastic Glass Paper Other (Specify) Directions B E L				
A A 3 F4 72 " F " " "	Child-Resistant Package X Yes No * Certification may be submitted 2 Location of Net Con X Label 6. Manner in Which L 1. Contact Point (Con Name	Unit Peckaging Yes X No If "Yes" Unit Packaging wgt. Tents information Container Shell is Affixed to Product Toplete items directly below:	4. Size(s) Retai	Water Soluble Package Yes X No If "Yes" No Package wgt of Container Sph ued d Section - IV of Individual to be contitle	o. per ontainer 5. Cother	Location of Label X ON LA	Metal Plastic Glass Paper Other (Specify) Directions B E L Pass this application.)				

AL PASTORE
TECHNICAL DIRECTOR
EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

4. Typed Name

Yellow - Applicant Copy

Pools Bools



Mfg. by: N. JONAS & CO., INC. • Bensaiem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled, Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF SWALLOWED: Drink promptly large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Get medical attention. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge eliment containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensits. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.

New Concept in Pool Sanitation: Completely soluble granules that leaves no residue; contains no scale forming time; is not burned off by the sun; does not upset the pH.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For pool water that has never been treated or when refilling pool add CHLORINE STABILIZER (BOOSTER) following package directions. An alternative method for start-up would be to add 11 ozs. of this product per 10,000 gallons of water as a shock dose to satisfy the chlorine demand of water. This dose should be repeated until a chlorine residual of 1-2 ppm is obtained. Then a dosage of 1.5-2.0 ozs. per 10,000 gallons of water (1 teaspoonful per 1,000 gallons) should be added daily or as needed to maintain a 1-2 ppm chlorine residual. Use a good test kit at least once a day and add sufficient amounts of this product to maintain a residual of 1-2 ppm. pH must be maintained at 7.4-7.6. Frequency of application will depend upon number of people swimming, water temperature and other conditions.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

SUPERCHLORINATION: At least once a week and at times of great use, an extra quantity in the amount of 11 ozs. per 10,000 gals, of this product should be added to help keep water spanking clean.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

TO CALCULATE GALLONAGE: For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gallons For Round Pools: Diarmeter of pool x diameter of pool x average depth (all in feet) x 5.9. = gallons



Ø

 $\frac{1}{\omega}$

NEXT

LABEL

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR | 5 2002

Al Pastore
N. Jonas & Co., Inc.
4520 Adams Circle
Bensalem, PA 19020

Subject:

Maxi-Clor Stabilized Chlorine Powder Concentrate

EPA Registration No. 3432-12 Notification Per PR Notice 98-10

Dear Mr. Pastore:

This will acknowledge receipt of your notification for the alternate brand names listed below(LEISURE POOLS CHLORINATING POWDER), submitted under the provisions of FIFRA Section 3(c)9. Based on a review of the submitted material the following comments apply.

This notification is acceptable and has been made a part of the file for this product.

Sincerely,

Wanda Y. Mitchell Product Reviewer - Team 32 Regulatory Management Branch II Antimicrobials Division (7510C)


			CONCURRENC	25		
SYMBOL	75/cc					
SURNAME	Uiteres	*************				************
DATE)	3-1502					

V

lease read instructions	on reverse before completing	ra form.		Form Appro	oved. OME	Na. 207	0-0060.	Approval expires 2-28-9
ŞEPA	Environmental	ited States Protection Agaton, DC 20460	gency			istratio endme er	"	OPP Identifier Number
	Α	pplication fo	r Pesticid	e - Secti	on l			1
. Company/Product Nu	mber, 3432-12		2. EPA Pr	oduct Mana	ger		\	osed Massification
. Company/Product (N	ame) STABILIZED		PM#				X_ ^	lone Restricted
N. JONAS 4520 ADAM BENSALEM,	f Applicant (Include ZIP Cod & CO., INC S CIRCLE PA. 19020 If this is a new address	•)	(b)(i), my to: EPA Re		similar o	r identica	l in com	IFRA Section 3(c)(3) position and labeling
•		S	ection - II				——————————————————————————————————————	
Notification - Ex	response to Agency letter			Final printed Agency lette "Me Too" A Other - Expl	er dated pplication.	·	>	
		RINATING PO	owder ection - II	 I				1
 	ot Will Be Packaged In:					Type of C		
Child-Resistant Packag X Yes No * Certification mu be submitted	Yes X No	No. per If	Yes No "Yes" ackage wgt	No. per contains			Metal Metal Plastic Glass Paper Other (S	pecify)
2 Location of Net Co.	ntents information	4. Size(s) Retail C	ontainer		5. Locatio	n of Labe		ns
	abel is Affixed to Product	Lithograph Paper glue Stenciled	d ., .	Othe	or			
			ection - l'	V				_
1. Contact Point /Con	mplete items directly below :	for identification of	individual to b	e contacted,	if necessa	ry, to pro	ceas this	application.)
Name AL PAS	TORE	Title	TECHNI	CAL D	IRECTO		•	No. (Include Area Code
I certify that th	e statements I have made of that any knowlinglly false of		n attachments th	nereto are tru	io, accurat	and com		6. Cate Application Received (Stamped)
2. Signature	1) on to	Э 3. Т	itle			<u> </u>		
4. Typed Name		5. D	ate ,					7


AL PASTORE TECHNICAL DIRECTOR

1/22/02



Leisure Pools, Inc.

EXCELLENCE nothing less...



Mfg. by: N. JONAS & CO., INC. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth, Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Drink promptly large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Get medical attention. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensits. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools. New Concept in Pool Sanitation: Completely soluble granules that leaves no residue; contains no scale forming lime; is not burned off by the sun; does not upset the pH.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For pool water that has never been treated or when refilling pool add CHLORINE STABILIZER (BOOSTER) following package directions. An alternative method for start-up would be to add 11 ozs. of this product per 10,000 gallons of water as a shock dose to satisfy the chlorine demand of water. This dose should be repeated until a chlorine residual of 1-2 ppm is obtained. Then a dosage of 1.5-2.0 ozs. per 10,000 gallons of water (1 teaspoonful per 1,000 gallons) should be added daily or as needed to maintain a 1-2 ppm chlorine residual. Use a good test kit at least once a day and add sufficient amounts of this product to maintain a residual of 1-2 ppm. pH must be maintained at 7.4-7.6. Frequency of application will depend upon number of people swimming, water temperature and other conditions.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

SUPERCHLORINATION: At least once a week and at times of great use, an extra quantity in the amount of 11 ozs. per 10,000 gals. of this product should be added to help keep water sparking clean.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

TO CALCULATE GALLONAGE: For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gallons For Round Pools: Diarneter of pool x diameter of pool x average depth (all in feet) x 5.9. = gallons



3/6



CONCENTRATE

STABILIZED

CHLORINATING POWDER

SWIMMING POOL ALGAECIDE AND GERMICIDE
NO SCALE FORMING MINERALS OR INSOLUBLES
CONVENIENT COMPLETE POOL CARE

ACTIVE INOISE DE NA

SACHER THERE IN THE NEW CONTROLLER

EPA ESE NO 3632-PA-1 EPA Neg No. 3432-12

KEEP OUT OF REACH OF CHILDREN.

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

NET WT. 10 LBS.

Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through sidn. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

IF ON SKIN; Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Drink promptly large quantities of water. Avoid alcohol, NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Get medical attention, ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuar-les, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sawage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water, Use

clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moleture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary

This product is meant to help keep bacteria and algee under control in swimming pools. New Concept in Pool Sanitation: Completely soluble granules that leaves no residue; contains

no scale forming time; is not burned off by the sun; does not upset the pH.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For pool water that has never been treated or when refitting pool add CHLORINE STABILIZER (BOOSTER) following package directions. An alternative method for start-up would be to add 11 ozs, of this product per 10,000 gallons of water as a shock dose to satisfy the chlorine demand of water. This dose should be repeated until a chlorine residual of 1-2 ppm is obtained. Then a dosage of 1.5-2.0 ccs. per 10,000 gallons of water (1 teaspoontful per 1,000 gallons) should be added daily or as needed to maintain a 1-2 ppm chlorine residual. Use a good test kit at least once a day and add sufficient amounts of this product to maintain a residual of 1-2 ppm. pH must be maintained at 7.4-7.6. Frequency of application will depend upon number of people swimming, water temperature and other conditions.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

SUPERCHLORINATION: At least once a week and at times of great use. an extra quantity in the amount of 11 ozs. per 10,000 gals, of this product should be added to help keep water sparking clean.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

TO CALCULATE GALLONAGE: For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gations. For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9. = gailons

