

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE


keep chlorine at 1-1.5  
residual approximately  
1.0 ppm. Tablets should be  
added. Make sure there  
are no dangerous fumes  
in pool when treating  
swimmers can return after  
2 ppm. as measured



# SUPER CHLORINATOR

FOR QUICK INCREASE OF FREE CHLORINE  
RESIDUAL IN SWIMMING POOLS

Contains 8-8 oz. Packets



Active Ingredient: Trichloro-s-triazinetrione 56%  
Inert Ingredient: Sodium Carbonate 44%  
Available Chlorine—50%

EPA Reg. No. 3432-21  
EPA EST. No. 3432 PA-1

**DANGER: Keep Out of Reach of Children**  
See side panels for first aid & precautions in handling.  
NET WT. (64 OZS.) 4 LB.

This product is meant to yield a quick increase in free chlorine residual, and for burning out or oxidizing iron and organic matter in swimming pools.

**DANGER!** Be sure Chlorine Residual is below 2 ppm. before swimmers are allowed in pool.

Active Ingredient: Trichloro-s-triazinetrione 56%  
Inert Ingredient: Sodium Carbonate 44%  
Available Chlorine—50%

**DANGER!** Can be fatal if tablets are swallowed. Do not get dust in eyes. May cause eye damage. Can cause irritation to broken skin. Avoid breathing dust or fumes. Open jar in well ventilated area.

### FIRST AID

External or in eyes: Flush with cold water for at least 15 minutes. For eyes or if irritation develops, see physician.

Internal: Do not induce vomiting. Feed rice gruel or cooked cereal followed by cooking oil. Take to physician or hospital.

To Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

Rinse and destroy bottle when empty. **DO NOT REUSE.**

Product may be harmful to fish, birds and wildlife. Do not put effluent from pool into streams, lakes, ponds, rivers, etc.

Apply this product only as specified on this label.

49

50

W

## DIRECTIONS

Use suitable test kit to determine and keep chlorine at 1-1.5 ppm. and pH at 7.2-7.6 at all times.

2 tablets will increase the chlorine residual approximately 2.5 ppm. for 12,000 gal. of pool water. Tablets should be placed in skimmer basket and lid replaced. Make sure there is sufficient water flowing into skimmer or dangerous fumes could result. Swimmers should not be in pool when treating water with "super chlorinator". Swimmers can return after chlorine residual has returned to below 2 ppm. as measured by a good test kit.

NOTE: If more than 2.5 ppm. is desired, then increase the number of tablets used; see chart. If more than one tablet is used, wait until the first is dissolved before putting in the next.

**DANGER!** This product is a powerful oxidizer. Avoid contamination from any source especially organic matter such as algaecides. Fire can result.

Store in a cool dry place away from heat and open flames.

*To Calculate Pool Size:*

For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5.



For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9.

MFG. BY

**N. JONAS & CO., INC., Cornwells Mts. Pa.**

### USE CHART

Gallons Pool Water	2 Tablets (1 Packet)	4 Tablets (2 Packets)	6 Tablets (3 Packets)	8 Tablets (4 Packets)
-----------------------	-------------------------	--------------------------	--------------------------	--------------------------



Cameraman's Note


Poor Copy




# SUPER CHLORINATOR

FOR QUICK INCREASE OF FREE CHLORINE  
RESIDUAL IN SWIMMING POOLS

Contains 8-8 oz. Packets



EPA Reg. No. 3432-21  
EPA EST. No. 3432-PA-1



Active Ingredient:  
Trichloro-s-triazinetriene ..... 56%  
Inert Ingredient:  
Sodium Carbonate ..... 44%  
Available Chlorine—50%

**DANGER: Keep Out of Reach of Children**

See side panels for first aid & precautions in handling.

NET WT. (64 OZS.) 4 LB.

This product is meant to yield a quick increase in free chlorine residual, and for burning out or oxidizing iron and organic matter in swimming pools.

**DANGER!** Be sure Chlorine Residual is below 2 ppm. before swimmers are allowed in pool.

Active Ingredient:  
Trichloro-s-triazinetriene ..... 56%

Inert Ingredient:  
Sodium Carbonate ..... 44%  
Available Chlorine—50%

**DANGER!** Can be fatal if tablets are swallowed. Do not get dust in eyes. May cause eye damage. Can cause irritation to broken skin. Avoid breathing dust or fumes. Open jar in well ventilated area.

### FIRST AID

External or in eyes: Flush with cold water for at least 15 minutes. For eyes or if irritation develops, see physician.

Internal: Do not induce vomiting. Feed rice gruel or cooked cereal followed by cooking oil. Take to physician or hospital.

To Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

Rinse and destroy bottle when empty. **DO NOT REUSE.**

Product may be harmful to fish, birds and wildlife. Do not put effluent from pool into streams, lakes, ponds, rivers, etc.

Apply this product only as specified on this label.

**DIRECTIONS**

Use suitable test kit to determine chlorine concentration in ppm. and pH at 7.2-7.6 at all times.  
2 tablets will increase the chlorine concentration to 2.5 ppm. for 12,000 gal. of pool water placed in skimmer basket and is sufficient water flowing into pool. Swimmers should not be in pool with "super chlorinator" chlorine residual has returned to normal by a good test kit.

**NOTE:** If more than 2.5 ppm chlorine is used, wait until the first is dissolved.

**DANGER!** This product is highly flammable. Contamination from any source such as algaecides. Fire can occur. Store in a cool dry place away from flames.

**To Calculate Pool Size:**  
For Rectangular Pools: Multiplied length by width by average depth (all in feet)  
For Round Pools: Diameter squared by average depth (all in feet)

**MFG. BY**  
**H. JOHNS & CO., INC.**

**USE CHART**

Gallons Pool Water	2 Tablets (1 Packet)	4 Tablets (2 Packets)	6 Tablets (3 Packets)	8 Tablets (4 Packets)
6,000	5.0 ppm.	10.0 ppm.		
9,000	3.75 ppm.	7.50 ppm.		
12,000	2.5 ppm.	5.0 ppm.	7.5 ppm.	10.0 ppm.
15,000	2.25 ppm.	4.5 ppm.	6.75 ppm.	9.0 ppm.
21,000	1.50 ppm.	3.0 ppm.	4.5 ppm.	6.0 ppm.
25,000	1.25 ppm.	2.5 ppm.	3.75 ppm.	5.0 ppm.
30,000	1.0 ppm.	2.0 ppm.	3.0 ppm.	4.0 ppm.

Cameraman's Note

Poor Copy

BEST DOCUMENT AVAILABLE

**DIRECTIONS**

Use suitable test kit to determine and keep chlorine at 1-1.5 ppm. and pH at 7.2-7.6 at all times.

2 Tablets will increase the chlorine residual approximately 2.5 ppm. for 12,000 gal. of pool water. Tablets should be placed in skimmer basket and lid replaced. Make sure there is sufficient water flowing into skimmer or dangerous fumes could result. Swimmers should not be in pool when treating water with "super chlorinator". Swimmers can return after chlorine residual has returned to below 2 ppm. as measured by a good test kit.

**USE CHART**

Gallons Pool Water	2 Tablets (1 Packet)	4 Tablets (2 Packets)	6 Tablets (3 Packets)	8 Tablets (4 Packets)
6,000	5.0 ppm.	10.0 ppm.		
9,000	3.75 ppm.	7.50 ppm.		
12,000	2.5 ppm.	5.0 ppm.		
15,000	2.25 ppm.	4.5 ppm.	7.5 ppm.	
21,000	1.50 ppm.	3.0 ppm.	4.5 ppm.	9.0 ppm.
25,000	1.25 ppm.	2.5 ppm.	3.75 ppm.	5.0 ppm.
30,000	1.0 ppm.	2.0 ppm.	3.0 ppm.	4.0 ppm.

NOTE: If more than 2.5 ppm. is desired, then increase the number of tablets used, see chart. If more than one tablet is used, wait until the first is dissolved before putting in the next.

**DANGER!** This product is a powerful oxidizer. Avoid contamination from any source especially organic matter such as algaecides. Fire can result. Store in a cool dry place away from heat and open flames.

**To Calculate Pool Size**  
 For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5.  
 For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9.

MFG. BY  
**H. JOHNS & CO., INC., Cornwells Cts. Pa.**



**SUPER CHLORINATOR**

FOR QUICK INCREASE OF FREE CHLORINE RESIDUAL IN SWIMMING POOLS

Contains 8-8 oz. Packets

ACCEPTED  
 3432-21  
 MAY 13 1975

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO.



Active Ingredient: Trichloro-s-triazinetrione 10%  
 Inert Ingredients: Sodium Chloride 45%  
 Available Chlorine—55%

**DANGER: Keep Out of Reach of Children**

See side panels for first aid & precautions in handling.

NET WT. (64 OZS.) 4 LB.

This chlorine iron...  
 DANGER: Keep Out of Reach of Children...  
 See side panels for first aid & precautions in handling...  
 NET WT. (64 OZS.) 4 LB.