

3432-23

1-10-2002

4/1

OnGuard™

Mfg. by: N. JONAS & CO. INC. • Bensalem, PA 19020

EPA Est No. 3432-PA-1 EPA Reg No. 3432-23

PUNCH HOLE FOR GALLONS INDICATED

Low - 5000	High - 30-35,000	NO6 - 25,000	Or whichever hole is needed
NO2 - 10,000	NO4 - 20,000	NO7 - 25,000	maintain 1-2ppm.
NO3 - 15,000	NO5 - 20,000		

ACCEPTED
 JAN 10 2002
 Under The Federal Insecticide, Fungicide and
 Rodenticide Act, as amended, for the
 pesticide registered under
 EPA Reg. No. 3432-23

CONTINUOUS CHLORINATOR AND REFILL CARTRIDGE • Fits E-Z Chlor™ and Sun Chlorinators

NET WT. 4 lb. KEEP OUT OF REACH OF CHILDREN

Active ingredients: Trichloro-s-Triazinetrione99%
 Other Ingredient1%
 Approximately 90% available chlorine TOTAL..100%

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breath dust, vapor, or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor center for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other products. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Float in pool, or place in skimmer, or chlorinator only. Do not attempt to remove tablets or refill when empty. Rinse and destroy unit when empty. Dissolve in water only or add directly to pool water. Do not mix with other pool chemicals.

TO CALCULATE POOL CAPACITY: Rectangular Pools: Multiply length of pool by width of pool by average depth (all in feet) by 7.5 = gallons. Round Pools: Multiply diameter of pool by diameter of pool by average depth (all in feet) by 5.9 = gallons.

1. Superchlorinate with CONCENTRATED Chlorinating GRANULES or equivalent product at rate of 1 lb. per 10,000 gal. or until a free chlorine residual of 4 to 5 ppm is established as determined by a suitable test kit. Next day add chlorine stabilizer at a rate of 1 lb. per 4,000 gal. of water (Note: Needs to be done only once a season to either fresh water or previously untreated water).
2. Adjust and keep pH at 7.3-7.6.
3. Punch appropriate hole on side of bottle that corresponds to nearest size of pool. If this proves insufficient punch next higher hole.
4. Punch exit hole on opposite side of bottle.
5. Punch all holes on bottom of canister where indicated.
6. Place in skimmer basket with narrow side down, or in chlorinator unit, or can be tied under ladder in pool.
7. Periodic checks of chlorinator should be made and replaced immediately when empty.
8. Pool should be tested at least once a day for chlorine and additional added if needed (as indicated by test kit) to maintain 1-2 chlorine residual.

IMPORTANT: Keep filter running as long as possible (24 hours a day is best) and keep skimmer basket free of debris.

NOTE: During heavy bathing loads, very hot weather, rain, etc., and at least once a week, chlorine residual should be raised to 3.5-5.0- ppm with granular chlorine (superchlorinated). It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-2 ppm before swimmers go back in next day. Reentry into treated swimming pools is prohibited above levels of 3ppm of chlorine. **ONCE IN USE DO NOT REMOVE CANISTER FROM POOL UNTIL EMPTY.**

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.