

**THIS PRODUCT IS MEANT TO REDUCE AND CONTROL THE GROWTH OF BACTERIA AND ALGAE IN SWIMMING POOLS.**

**- DANGER: KEEP OUT OF REACH OF CHILDREN**

**FAST AID:** If taken internally, do not induce vomiting. Feed grain or soaked cereal followed by olive or cooking oil. Call a physician or take person to Hospital. Causes skin irritation and eye damage. Do not get in eyes, on skin or on clothing.

**FOR EYES:** Flush with water for 15 minutes, call physician.

**PRECAUTIONS:** Keep in cool, dry place. Keep away from heat and open flame. Frost or dry foreign matter may cause the loss of lubrication of bearings and gears.

1. **Preparation of the solution:** Weigh 1.0000 g of the sample and dissolve it in 100 mL of distilled water. Add directly to your water.

Don't let money be the only thing empty. Do not

**MAXI-CLOR**  
**GIANT**  
**STABILIZED**  
**Chlorine**  
**CONCENTRATE**  
**Tablets**  
**SLOW DISSOLVE**

**SUPER CHLORINE TABLETS FOR WATER DISINFECTION.  
24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK  
ACTIVITY.**

**COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD-UP.**

**NET WT. 20 LBS.**

### Active Ingredient

### Trichloro-s-Triazinetrione

**Inert Ingredient**

**Approximately 90% Available Chlorine**

EPA REG. NO. 3432-35

EPA EST. NO. 3472-PA-1

**DANGER: KEEP OUT OF REACH OF CHILDREN!**

**See side panel for First Aid and additional precautions**

**DIRECTION**

1. Before using Giant M... that there is a sufficient ppm) in the swimming... Next day add 1 lb. Ch... for each 4,000 gallons of...
2. Place approximately 1... water per week either... float it in the pool or di... if one is available. In... brown directly into or... ing will result.
3. A good pool water tes... once a day to check bo... pH should be between... necessary. Chlorine sho... If chlorine level is too... there is enough to mainti... This product can be u... uses Chlorine Concentra... not be mixed with any... an explosion could resu...

**NOTE:** During heavy rain, etc., and at least once should be raised to 3.0-5.0 (super-saturated). It is possible that you will find plants that do not seem to float for several days, depending upon the water with which they are placed. A 1 lb. jar will cover 10-15 gal. dependent on how much water is in

ACCEPTED  
3432-35  
SEP 29 1975

UNDER THE FEDERAL BUREAU OF INVESTIGATION  
FOR THE DEPARTMENT OF JUSTICE  
FOR THE DEPARTMENT OF JUSTICE  
AND UNDER NO. SUBJECT  
TO ATTACHED COMMENT.

# MAXI-CLOR GIANT STABILIZED Chlorine CONCENTRATE Tablets SLOW DISSOLVE

SUPER CHLORINE TABLETS FOR WATER DISINFECTION.  
24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK  
ACTIVITY.

COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD-UP.

NET WT. 20 LBS.

Active Ingredient

Trichloro-s-Triazinetrione

Inert Ingredient

Approximately 90% Available Chlorine

EPA REG. NO. 3432-15

EPA EST. NO. 3432-PA-1

99%

1%

**DANGER: KEEP OUT OF REACH OF CHILDREN!**

See side panel for First Aid and additional precautions.

## DIRECTIONS FOR USE

1. Before using Giant Maxi-Clor Tablets make sure that there is a sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
2. Place approximately 1 giant tablet for 5000 gal. water per week either into a tablet dispenser and float it in the pool or directly into skimmer basket if one is available. In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.
3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-2 ppm. If chlorine level is too low add more tablets until there is enough to maintain the 1-2 ppm. This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. Should not be mixed with any other kind of chlorine as an explosion could result.

**NOTE:** During heavy bathing loads, very hot weather, rain, etc. and at least once a week, chlorine residual should be raised to 3.5-5 ppm with granular chlorine (superchlorination). It is preferable to do this after swimming day so that pool will have a shock to come back to the 1-2 ppm before swimming starts in next day. Giant tablets will last approximately 4-7 days depending upon temperature and amount of water flow since there are approximately 3 tablets in the pound. A 1 lb. jar will last a 10,000 gal. pool 10 days, 10,000 gal. pool approximately 20 days.

ATED  
CHARGED  
REAMS,  
ONTAMI-  
DIRPMENT.  
FIED ON

CE AND  
IA AND

LDREN

on which  
y all's or  
AYIN to  
Gang.

ATED  
2-35  
1975

PESTICIDE  
FICIDE ACT  
N RISTER-  
JECT  
ENIS

23

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

THIS PRODUCT IS MEANT TO REDUCE AND CONTROL THE GROWTH OF BACTERIA AND ALGAE IN SWIMMING POOLS.

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:** If taken internally, do not induce vomiting. Feed gruel or cooked cereal followed by olive or cooking oil. Call a physician or take person to Hospital. Causes skin irritation and eye damage. Do not get in eyes, on skin or on clothing.

**FOR EYES:** Bathe with water for 15 minutes, call physician.

**PRECAUTIONS:** Keep in cool, dry place. Keep away from heat and open flame. Heat or any foreign matter may cause fire and the liberation of hazardous gases. Do not breathe dust.

Dissolve in water only or add directly to pool water. Do not mix with other pool chemicals.

Rinse and destroy this bottle when empty. Do not reuse.



SUPER CH  
24 HR. C  
ACTIVITY  
COMPLET  
NET WT. 20 L  
Active Ingr  
Trichlor  
Inert Ingre  
Approx

**DANGE**

2432-35

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

THIS PRODUCT IS MEANT TO REDUCE AND CONTROL THE GROWTH OF BACTERIA AND ALGAE IN SWIMMING POOLS.

DANGER: KEEP OUT OF REACH OF CHILDREN



**MAXI-CLOR**  
**GIANT**  
**STABILIZED**  
**Chlorine**  
**CONCENTRATE**  
**Tablets**  
**SLOW DISSOLVE**

SUPER CHLORINE TABLETS FOR WATER DISINFECTION.

24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK ACTIVITY.

COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD-UP.

NET WT. 20 LBS.

Active Ingredient

Trichloro-s-Triazinetrione . . . . . 99%

Inert Ingredient . . . . . 1%

Approximately 90% Available Chlorine

**DANGER: KEEP OUT OF REACH OF CHILDREN!**

See side panel for First Aid and additional precautions.

N. JONAS & CO., INC.

ACCEPTED  
2432-35

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

THIS PRODUCT IS MEANT TO REDUCE AND CONTROL THE GROWTH OF BACTERIA AND ALGAE IN SWIMMING POOLS.

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:** If taken internally, do not induce vomiting. Feed gruel or cooked cereal followed by olive or cooking oil. Call a physician or take person to Hospital. Causes skin irritation and eye damage. Do not get in eyes, on skin or on clothing.

**FOR EYES:** Bathe with water for 15 minutes, call physician.

**PRECAUTIONS:** Keep in cool, dry place. Keep away from heat and open flame. Heat or any foreign matter may cause fire and the liberation of hazardous gases. Do not breathe dust.

Dissolve in water only or add directly to pool water. Do not mix with other pool chemicals.

Rinse and destroy this bottle when empty. Do not reuse.



# MAXI-CLOR GIANT STABILIZED *Chlorine* CONCENTRATE *Tablets* SLOW DISSOLVE

SUPER CHLORINE TABLETS FOR WATER DISINFECTION.

24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK ACTIVITY.

COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD UP.

NET WT. 20 LBS.

Active Ingredient

Trichloro-s Triazinetrione

Inert Ingredient

Approximately 90% Available Chlorine

EPA REG. NO. 3432-35

EPA EST. NO. 3432 PA 1

99%

**DANGER: KEEP OUT OF REACH OF CHILDREN!**

See side panel for First Aid and additional precautions

Manufactured by:

NO  
rai  
she  
(su  
sw  
co  
in  
da  
wa  
the  
day  
gal



# MAXI-CLOR GIANT

STABILIZED

## Chlorine

CONCENTRATE

## Tablets

SLOW DISSOLVE

### DIRECTIONS FOR USE

1. Before using Giant Maxi-Clor Tablets make sure that there is a sufficient chlorine residual (3.5–5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
2. Place approximately 1 giant tablet for 5000 gal. water per week either into a tablet dispenser and float it in the pool or directly into skimmer basket if one is available. In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.
3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2–7.6 and adjusted as necessary. Chlorine should be between 1–2 ppm. If chlorine level is too low add more tablets until there is enough to maintain the level. This product contains 90% available chlorine.

ACCEPTED WITH COMMENTS

N. JONAS & CO.

SUPER CHLORINE TABLETS FOR WATER DISINFECTION.

24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK ACTIVITY.

COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD-UP.

NET WT. 20 LBS.

EPA REG. NO. 3432-35  
EPA EST. NO. 3432-PA-1

Active Ingredient

Trichloro-s-Triazinetrione . . . . . 99%

Inert Ingredient . . . . . 1%

Approximately 90% Available Chlorine

**DANGER: KEEP OUT OF REACH OF CHILDREN!**

See side panel for First Aid and additional precautions.



# MAXI-CLOR

# GIANT

STABILIZED

# Chlorine

CONCENTRATE

# Tablets

SLOW DISSOLVE

## DIRECTIONS FOR USE

1. Before using Giant Maxi-Clor Tablets make sure that there is a sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
  2. Place approximately 1 giant tablet for 5000 gal. water per week either into a tablet dispenser and float it in the pool or directly into skimmer basket if one is available. In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.
  3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-2 ppm. If chlorine level is too low add more tablets until there is enough to maintain the 1-2 ppm.
- This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. Should not be mixed with any other kind of chlorine as an explosion could result.

**NOTE:** During heavy bathing loads, very hot weather, rain, etc. and at least once a week, chlorine residual should be raised to 3.5-5 ppm with granular chlorine (superchlorinated). It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-2 ppm before swimmers go back in next day. Giant tablets will last approximately 5-7 days depending upon temperature and amount of water flow since there are approximately 3 tablets to the pound. A 1 lb. jar will last a 5000 gal. pool 21 days; 10,000 gal. approximately 10 days; 30,000 gal. pool approximately 3½ days.

Manufactured by:

SUPER CHLORINE TABLETS FOR WATER DISINFECTION.  
24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK  
ACTIVITY.

COMPLETELY SOLUBLE. NO MINERAL SCALE BUILD-UP.

NET WT. 20 LBS. EPA REG. NO. 3432-35  
EPA EST. NO. 3432-PA-1

Active Ingredient Trichloro-s Triazinetriop 99%  
Inert Ingredient 1%  
Approximately 90% Available Chlorine

**DANGER: KEEP OUT OF REACH OF CHILDREN!**

See side panel for First Aid and additional precautions

