

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

THIS PRODUCT IS MEANT TO REDUCE AND CONTROL THE GROWTH OF BACTERIA AND ALGAE IN SWIMMING POOLS.

FIRST AID: If taken internally, do not induce vomiting. Feed gruel or cooked cereal followed by olive or cooking oil. Call a physician or take person to Hospital. Causes skin irritation and eye damage. Do not get in eyes, on skin or on clothing.

FOR EYES: Bathe with water for 15 minutes, call physician.

PRECAUTIONS: Keep in cool, dry place. Keep away from heat and open flame. Heat or any foreign matter may cause fire and the liberation of hazardous gases. Do not breathe dust.

Dissolve in water only or add directly to pool water. Do not mix with other pool chemicals.

STORAGE & DISPOSAL: Do not reuse container. Triple rinse with water to remove traces of chemical. Discard in a suitable trash collection system.

ACCEPTED
28 JUN 1977
3432-36

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
EPA REG. NO.



maxi-clor



CONCENTRATE

STABILIZED

chlorinating sticks

SLOW DISSOLVE

SUPER CHLORINATING STICKS FOR WATER DISINFECTION. 24 HR. CHLORINE RESIDUAL FOR ROUND THE CLOCK ACTIVITY. COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD-UP.



NET WT. 25 LBS.

EPA REG. No. 3432-36
EPA EST. No. 3432-PA-1

Active Ingredients
Trichloro-s-Triazinetrione 99%
Inert Ingredient 1%
Approximately 90% available chlorine.

DANGER KEEP OUT OF REACH OF CHILDREN!

Mfg. by N. JONAS & CO., INC., Cornwells Heights, Pa. 19020

DIRECTIONS FOR USE

1. Before using Sticks make sure that there is a sufficient chlorine residual (4.0-5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
2. Place approximately 1 Stick for 3000 gal. water per week either into a Stick dispenser and float it in the pool or directly into a skimmer basket if one is available. In no case should Sticks be thrown directly into or on a vinyl liner as bleaching will result.
3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-2 ppm. If chlorine level is too low add more Sticks until there is enough to maintain the 1-2 ppm. This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. Should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc. and at least once a week, chlorine residual should be raised to 3.5-5 ppm with granular chlorine (superchlorinated). It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-2 ppm before swimmers go back in next day. Sticks will last approximately 5-7 days depending upon temperature and amount of water flow since there are approximately 5 Sticks to the pound. A 1 lb. jar will last a 5000 gal. pool 21 days; 10,000 gal. approximately 10 days; 30,000 gal. pool approximately 3 1/2 days.

3432-36

06/28/1977

22

1/1