

FRONT PANEL:

POW SUPER CHLORINATOR

Long term chlorinating protection
Designed for all swimming pools.

ACTIVE INGREDIENT:
Sodium dichloro-s-triazinetriene.....100%

Available Chlorine 62%


KEEP OUT OF REACH OF CHILDREN
DANGER

See first aid statement and other precautions on back panel.

MANUFACTURED BY:
N. JONAS & CO., INC. BENSLEM, PA. 19020

EPA # 3432-37 EPA EST # 3432-PA-1

NET WEIGHT: 2 LBS.



BACK PANEL:

The use of this product will help avoid costly spring opening problems such as algae, stains, cloudy water, and high chlorine demand. This product destroys organic wastes, protects the pool water and helps keep the pool surfaces clean during the winter months.

DIRECTIONS

IT IS A VIOLATION TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH IT'S LABELING.

For WHITE PLASTER POOLS only, broadcast the product directly into the pool water. Pre dissolve the recommended dose of this product for all other pools, VINYL, FIBERGLASS, PAINTED AND all COLORED PLASTER POOLS. To pre dissolve, add one pound of POW SUPER CHLORINATOR to 2-3 gallons of water in a clean plastic bucket. REMEMBER that the shock should be added to the water, NEVER add water to dry product. Use one pound to treat each 10,000 gallons of water. Do not mix more than one pound at a time and never add any other chemicals or products to the solution in this bucket.

Before treating, the pool should be chemically balanced. The pH should be adjusted to 7.4-7.6. The alkalinity and calcium hardness should also be measured to insure that they are in the proper range.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
DANGER

CORROSIVE. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

PRACTICAL TREATMENT (FIRST AID):

BEST AVAILABLE COPY

If swallowed drink large quantities of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately. If on skin: wash skin thoroughly with cold water for at least 15 minutes. If irritation persists, see a physician. If in eyes: flush with cold water for at least 15 minutes. Get medical attention.

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of contaminations or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or

BACK PANEL CONTINUED:

other chemicals may start a chemical reaction with generation of heat. Liberation of hazardous gases, and possible generation of fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of the EPA.

SPECIAL PRECAUTION (PLEASE READ):

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint.
3. When adding this product make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.

BEST AVAILABLE COPY