

3432-37

01/10/2002

1/2

POW

**SUPER CHLORINATOR
FOR QUICK INCREASE OF FREE CHLORINE
RESIDUAL IN SWIMMING POOLS**

ACTIVE INGREDIENT:
Sodium Dichloro-s-Triazinetrione97%
OTHER INGREDIENTS.....3%
TOTAL...100%
Available Chlorine.....64%

KEEP OUT OF REACH OF CHILDREN

DANGER

See right panel for other precautions and First Aid

NET WT. 5 LBS.

Mfg by: **N. Jonas & Co., Inc.** • Bensalem, PA 19020

ACCEPTED
JAN 10 2002
Under The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
purpose of certifying under
3432-37

This product is meant to yield a quick increase in free chlorine residual for oxidizing organic matter and metals such as iron in swimming pools.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor, or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor center for treatment advice.
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

An easy, convenient and quick method for increasing chlorine residual in swimming pools. Contains completely soluble chlorine granules.

Directions for use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use suitable test kit to determine exact chlorine residual. Each one ounce of POW will increase the chlorine residual approximately 2.5 ppm for approximately 2,000 gal. of pool water. Swimmers should not be in pool when super-chlorinating. Swimmers can return after chlorine residual has returned to below 2 ppm as measured by a good test kit. After super-chlorinating, add your regular swimming pool chlorine product according to package directions to maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times.

If more than 2.5 ppm is desired then increase the amount of POW used, i.e. for 5 ppm, 2 oz. POW/2000 gals.; 10 ppm, 4 oz. POW/2,000 gals. pool water, etc.

Be sure chlorine residual is below 3 ppm before swimmers are allowed in pool.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

TO CALCULATE GALLONAGE: For Rectangular Pool: Multiply length of pool by width of pool by average depth (all in feet) by 7.5 = gallons. For Round Pools: Multiply diameter of pool by diameter of pool by average depth (all in feet) by 5.9 = gallons.

