
JAN 22 2002

ider the Federal Insecticide, Fungicide, and democide Act as amended, for the



ALGAECIDE

EFFECTIVE AGAINST GREEN, BLACK & MUSTARD ALGAE

- No Foaming
- No Staining
- No Discoloration
 No Metals

Active Ingredient: Poly (oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride] 60% Other ingredient 40%

This product contains 5.76 lbs. of active ingredient per gallon and weighs 9.6 lbs. per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautions



EPA REG. NO. 3432-42 EPA EST. NO. 3432-PA-1

NET CONTENTS: 1 QT.

Mfg. by: N. Jonas & Co., Inc. 4520 Adams Circle Bensalem, PA USA 19020

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or

FIRST AID	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Gall a poison control center or doctor for treatment advice.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is used to kill and control the growth of algae, including so called "black algae", in swimming pools. For maximum effectiveness, pools containing heavy growth of algae, should be cleaned prior to using this product. For pools having visible growth of algae, add an initial dose of 12 to 18 oz. per 10,000 gal, water (approx. 1 1/2 to 1000 gal.) and remove settled algae debris by cleaning (vacuuming). For treatment of freshly cleaned and filled pool, add initial dose 7 to 12 oz. per 10,000 gal. pool water. (approx. 1 oz. per 1000 gal.) To maintain pools free of visible algae growth, subsequent additions of 2 1/2 ozs. per 10,000 gal. (aprox. 1 oz. per 5000 gal.) should be used every 5-7 days after initial treatment. Uniform distribution is necessary. Pour this product all around pool and throughout the pool water for maximum effectiveness. This product is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. This product can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix this product with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal, PESTICIDE STORAGE: Keep container closed and in cool place when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Mop up spills with clear water. All pesticides should be kept out of reach of children and stored away from food. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. PESTICIDE
CONTAINER: Do not reuse container. Rinse throroughly before discarding in trash discarding in trash.

TO CALCULATE GALLONAGE FOR ROUND OR OVAL POOLS: Multiply diameter x diameter x average depth (all in feet) x 5.9 = gallons. FOR RECTANGULAR POOLS: Multiply length x width x average depth (all in feet) x 7.5 = callons.

