

DANGER: Highly corrosive Causes skin and eye damaya May be fatal if swallowed. Do not get in eyes, on skin or on clothing Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse

PRACTICAL TREATMENT: (FIRST AID): If swallowed feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately

on skin. Brush off excess chemical and flush skin with cold water or at least 15 minutes. If irritation persists, get medical attention If in Eyes Flush with cold water for at least 15 minutes. Get medical

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isotate container in open air or well ventilated area. Flood with large volumes of water, if necessary

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible and flood with large amounts of water to dissolve all material before liseartical Place in trash collection or dispose in or the above state ource)

Ar 1. . - 1901 **SUPER 90** Chlorina Powder BACTERIACIDE ALGAECIDE

J

STABILIZED CHLORINATING POWDER COMPLETELY SULUBLE, NO MINERAL SCALE BUILD UP.

ACTIVE INGREDIENT: Trichforo-S-Triazinetrione inert Ingredient . Available Chlorine

DANGER: KEEP OUT OF REACH OF CHILDREN See side panels for first aid and additional precautions in handling.

NET WT. 20 LBS.

EPARES NO. 3432-44 EPAREST NO. 3432-PA 1

as amended, for the periori to redistered nudet EPA Reg. No.

ONARY STATEMENTS ANS AND DOMESTIC ANIMALS

rrosive. Causes skin and eye damaya o not get in eyes, on skin or on clothing and rubber gloves when handling. Irritaold breathing dust. Remove and wash

(FIRST AID): If swallowed feed bread live oil or cooking oil. Call a physician

chemical and flush skin with cold water tation persists, get medical attention ater for at least 15 minutes. Get medical

35: This product is toxic to fish. Do not ens, ponds, or public waters unless in ES Permit. For guidance contact the

HAZARDS STRCNG OXIDIZING AGENT:

only with water. Use clean dry utensils, any dispensing device containing suct. Such use may cause a violent redosion. Contamination with moisture, micals may start a chemical reaction. ation of hazardous gases, and possible on. In case of contamination or decomainer if possible isolate container in ea. Flood with large volumes of water.

Keep product dry in tightly closed conin a cool dry, well ventilated area away ase of decomposition isolate container. arge amounts of water to dissolve all frash collection or dispose in Safe Stace

SUPER 90 ide Chlorinati Powder BACTERIACIDE ALGAECIDE

STABILIZED CHLORINATING POWDER

COMPLETELY SOLUBLE, NO MINERAL SCALE BUILD UP.

ACTIVE INGREDIENT:

Trichloro-S-Triazinetrione Inert Ingredient Available Chlorine

DANGER: KEEP OUT OF REACH OF CHILDREN See side panels for first aid and additional

NET WT. 20 LBS.

precautions in handling

A. C. C. E. P. T. E. NO. 3432-74

This product is meant to help keep bacteria and algae under control in swimming pools.

DIRECTIONS FOR USE:

It is a violation of federal few to use this product in a manner inconsistent with its labeling.

SUPER 90 CHLORINATING POWDER should never be thrown directly into a vinyl liner pool as staining can result. Should be added through skimmer a little at a time until dissolved. Add approximately 1 oz./1,000 gal. pool water of SUPER 90 CHLORINATING POWDER. Next day add chlorine stabilizer (Booster) following package directions. Note: Above need be done only for new pools or when opening for season. Thereafter ado at rate of 11/2 oz /10,000 gals, or as much as is needed to maintain a chlorine residual of 1.2 ppm as indicated by a suitable test kit. pH should be maintained at 7.2-7.6 and adjusted as necessary. During heavy bathing loads, very hot weather, rain, etc. and at feast once a week, additional amounts of "SUPER 90" should be added (1 oz/1,000 gals.) so that chlorine residual increases to 3.5-5.0 ppm (superchlorination). This should be done when no swimmers are present and pool should be kept out of service until chlorine level falls back into range of 1-2 ppm.

TO CALCULATE POOL SIZE: For rectangular pools-Multiply length of pool by width by average depth (at in feet) by 75 = gallons. For round pools-Multiply diameter of pool by diameter of pool by average depth (all in feet) by 5.9 = gallons.

> 🛶 n. jonas & co., inc. Bensalem, PA 19020

3432 41

as amended, for the peancide registered under EPA Reg. No.

34