

On Guard

Super 90

Chlorinating Powder

Bactericide Algacide

Stabilized Chlorinating Powder

Completely Soluble, No Mineral Scale Build-Up

Active ingredients:

Trichloro-s-Triazinetrione.....99%

Inert Ingredient.....1%

Approximately 90% available chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER


See side panel for first aid and additional precautions in handling.

EPA Reg. No. 3432-44

EPA Est. No. 3432-PA-1

Net Wt. 2 lbs.

Mfg by: N. Jonas & Co., Inc. / Bensalem, PA 19020



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicated the use of gastric lavage

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary

This product is meant to help keep bacteria and algae under control in swimming pools.

Directions for use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product should never be thrown directly into a vinyl liner pool as staining can result. Should be added through skimmer a little at a time until dissolved. Add approximately 1 oz/1,000 gals. pool water of this product. Next day add chlorine stabilizer (Booster) following package directions.

NOTE: Above need be done only for new pools or when opening for season. Thereafter add at rate of 1/2 oz./10,000 gals. or as much as is needed to maintain a chlorine residual of 1-2 ppm as indicated by a suitable test kit. pH should be maintained at 7.2-7.6 and adjusted as necessary. During heavy bathing loads, very hot weather, rain, etc. and at least once a week, additional amounts of this product should be added (1 oz./1,000 gals.) so that chlorine residual increases to 3.5-5.0 ppm (superchlorination). This should be done when no swimmers are present and pool should be kept out of service until chlorine level falls back into range of 1-2 ppm.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

TO CALCULATE POOL SIZE: For rectangular pools - Multiply length of pool by width by average depth (all in feet) by 7.5 = gallons. For round pools - Multiply diameter of pool by diameter of pool by average depth (all in feet) by 5.9 = gallons.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.