

OnGuard™

Super 90

Chlorinating Powder

**Bactericide Algaecide
Stabilized Chlorinating Powder
Completely Soluble
No Mineral Scale Build-Up**

ACTIVE INGREDIENT:

Trichloro-s-Triazinetrione 99%

OTHER INGREDIENT 1%

TOTAL 100%

Approximately 90% available chlorine

EPA Reg. No. 3432-44 EPA Est. No. 3432-PA-1

KEEP OUT OF REACH OF CHILDREN
DANGER

See back panel for first aid and additional precautions in handling.

NET WT. 2 LBS.

Mfg. by: N. Jonas & Co., Inc. / Bensalem, PA 19020

ACCEPTED
JAN 15 2002
For The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
purpose of sale
3432-44

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<p>NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product should never be thrown directly into a vinyl liner pool as staining can result. Should be added through skimmer a little at a time until dissolved. Add approximately 1 oz/1,000 gals. pool water of this product. Next day add chlorine stabilizer (Booster) following package directions.

NOTE: Above need be done only for new pools or when opening for season. Thereafter add at rate of 1 1/2 oz./10,000 gals. or as much as is needed to maintain a chlorine residual of 1-2 ppm as indicated by a suitable test kit. pH should be maintained at 7.2-7.6 and adjusted as necessary. During heavy bathing loads, very hot weather, rain, etc. and at least once a week, additional amounts of this product should be added (1 oz./1,000 gals.) so that chlorine residual increases to 3.5-5.0 ppm (superchlorination). This should be done when no swimmers are present and pool should be kept out of service until chlorine level falls back into range of 1-2 ppm.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

TO CALCULATE GALLONAGE:

For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5 = gallons.

For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9 = gallons.

3432-44

1-15-2002

11