pope.

3432-44 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

January 31, 2007

1/31/2007

Georgia Anastasiou Agent for N. Jonas & Co. c/o Lewis & Harrison 122 C St., NW Suite 740 Washington, DC 20001

Super 90 Chlorinating Powder Subject: EPA Registration No. 3432-44 Application Date: January 4, 2007 Receipt Date: January 4, 2007

Dear Ms. Anastasiou:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

Addition of marketing text "FOR USE IN WHITE PLASTER POOLS ONLY"

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

	·····	CONCURRENC	225	 	
MBOL 75100	7510P				
THAME 6. B. C. Q.	Henson				
TE 1/31/07	1/31/07			·	•
34 Ecr 1220 14 (100)		Palassof and David	· P		

Please read instructions on reverse	before comple form.		Form Approv	red, C 19 No. 2070-00	160 2 8 9
	United States			stration	OPP Identifier Number -
EPA	Environmental Protectior	n Agency		ndment	
	Washington, DC 2046		_		
				-Notification	
4. Community/Deduct Number	Аррисатю		ticide - Secti		2 Deserved Observices
1. Company/Product Number 3432-44		Emily Mi	oduct Manager itchell		3. Proposed Classification
4. Company/Product (Name)		PM#			None Restricted
Super 90 Chlorinating Pov		Team 32			
 Name and Address of Applican N. Jonas & Co., Inc. 	tt (Include ZIP Code)				FIFRA Section 3(c)(3) composition and labeling
4520 Adams Circle		to:	productia anni		somposition and idocining
Bensalem, PA 19020		EPA Re	g. No.		
NOTE: PLEASE SEND ALL					
Check if this is a ne	<u>"LISTED BELOW</u>	Product	Name		
	W BUDIOSS	Section		· · · · · · · · · · · · · · · · · · ·	·····
		Section	<u></u>		
Amendment - Explain below.	Agency letter dated		"Me Too" Appl	-	gency letter dated
Notification – Explain below.		_	Other – Expla		
Explanation: Use additiona	al page(s) if necessary. (Fo	r section I			
	Notification is to ac	ld optio	nal marketi	ing language.	
	Notification	Accordance 14	Vith PR Notice 98-10		
This natification is consistent with the prov	visions of PR Notice 98-10 and EPA regular	tions at 40 CFR.	152.46, and no other ch	anges have been made to the	e labeling or the confidential statement of
formula of this product. I understand that terms of PR Notice 98-10 and 40 CF	it is a violation of 18 U.S.C. Sec. 1001 to w R 152 46, this product may be in violation				
	11				
Signature:	Her anats		Date:	1/4/07	
	V	Section	1 - 11		
1. Material This Product Will Be P			· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging	Unit Packaging	1	Water Soluble Pack		Type of Container Metal
			Yes		
		lo. per li	f "Yes"	No. per	Glass
*Certification must	Unit Packaging wgt. c	ontainer F	Package wgt	container	Paper
be submitted					Other (Specify)
3. Location of Net Contents Inform		Container		5. Location of La	bel Directions
	Container 1	quart and 1	callon	On Label	
6. Manner in Which Label is Affixe			Other		ig accompanying product
	Paper glu	ued - or-			
Stenciled – or-					
		Section		·····	
1. Contact Point (Complete item Name Georgia Anastasiou, Lewi	s directly below for identification o s & Harrison Title	r individual to	be contacted, if ne		his application) ephone No. (Include Area Code)
122 C Street, NW Ste. 740 - Washington DC 20001		Agent for N. Jonas & Co., Inc.		., Inc.	202-393-2903 ext. 19
Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received				 Date Application Received 	
I acknowledge that any knowingly false or misleading statement may be pu					
both under applicable law. (Stamped)				(Stamped)	
2. Signature	3. Tit	Agent for N. Jonas & Co., Inc.			
Acon anant	2	-	UT IN. JUITAS &	co., mc.	
4. Typed Name Georgia Anastasiou, Lewi	5. Da		Januani A. 200	7	
Sevigia Aliastasiou, Lewi		•	January 4, 200	1	
EDA Es 0570 4 (Days 9 04) Deave	ous editions are obsolete		Mibito	- EPA File Copy (orig	ginal) Yellow- Applicant Copy

EPA	Form	8570-1	(Rev.	8-94)	Previous	editions	are	obsolete
-----	------	--------	-------	-------	----------	----------	-----	----------

3 7 9



122 C Street, N.W., Suite 740 Washington, D.C. 20001 telephone 202.393.3903 fax 202.393.3906

Consultants in Government Affairs

January 4, 2007

BN

HAND DELIVERED

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency One Potomac Yard 277 S. Crystal Drive Arlington, VA 222021

ATTENTION:	Emily Mitchell Product Manager (32)
SUBJECT:	N. Jonas & Co., Inc. Super 90 Chlorinating Powder (EPA Reg. No. 3432-44) Notification Per PR Notice 98-10

Dear Ms. Mitchell:

On behalf of N. Jonas & Co., Inc., we are submitting an application for Pesticide Notification for the product **Super 90 Chlorinating Powder (EPA Reg. No. 3432-44)**. The purpose of this notification is to add optional marketing language that is consistent with the current use sites.

Enclosed please find the following documents in support of this submission:

- 1. Application for Pesticide Notification;
- 2. One (1) copy of the label with changes highlighted; and,
- 3. Two (2) copies of the labeling.

If you have any questions, or require any additional information, please feel free to contact me by phone at 202-393-3903 ext. 19, by fax at 202-393-3906, or by email at georgia@lewisharrison.com.

٦

Sincerely,

Anaster

Georgía Anastasiou Agent for, Lonza, Inc.

cc: Al Pastore (Jonas)

ON GUARD Super 90 Chlorinating Powder

BACTERIACIDE ALGAECIDE STABILIZED CHLORINATING POWDER COMPLETELY SOLUBLE NO MINERAL SCALE BUILD-UP [FOR USE IN WHITE PLASTER POOLS ONLY]

Active Ingredient:	
Trichloro-s-Triazinetrione	99%
OTHER INGREDIENT	1%
TOTAL	
Approximately 90% available chlorine	

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice.
	• Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center
	or doctor.
	• Do not give anything by mouth to an unconscious person.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing eye.
	• Call a poison control center or doctor center for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING	• Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center or doctor for treatment advice.
IF INHALED	• Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to-mouth, if possible.
	• Call a poison control center or doctor for further treatment advice.
Have the product co	ntainer or label with you when calling a poison control center or doctor, or
going for treatment.	
Note to Physician: F	robable mucosal damage may contraindicate the use of gastric lavage.

See back panel for [first aid and] additional precautions in handling.

EPA. Reg. No. 3432-44 EPA. Est. No. 3432-PA-1 Net Wt. 25 lbs. Mfg. by: N. Jonas & Co., Inc. • Bensalem, PA 19020 4 29

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary. This product is meant to help keep bacteria and algae under control in swimming pools.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product should never be thrown directly into a vinyl liner pool as staining can result. Should be added through skimmer a little at a time until dissolved. Add approximately 1 oz/1,000 gals. pool water of this product. Next day add chlorine stabilizer (Booster) following package directions.

NOTE: Above need be done only for new pools or when opening for season. Thereafter add at rate of 1 1/2 oz./10,000 gals. or as much as is needed to maintain a chlorine residual of 1-2 ppm as indicated by a suitable test kit. pH should be maintained at 7.2-7.6 and adjusted as necessary. During heavy bathing loads, very hot weather, rain, etc. and at least once a week, additional amounts of this product should be added (1 oz./1,000 gals.) so that chlorine residual increases to 3.5-5.0 ppm (superchlorination). This should be done when no swimmers are present and pool should be kept out of service until chlorine level falls back into range of 1-2 ppm. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container(if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

TO CALCULATE GALLONAGE:

For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gallons. For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9. = gallons.

ON GUARD Super 90 Chlorinating Powder

BACTERIACIDE ALGAECIDE STABILIZED CHLORINATING POWDER COMPLETELY SOLUBLE NO MINERAL SCALE BUILD-UP [FOR USE IN WHITE PLASTER POOLS ONLY]

KEEP OUT OF REACH OF CHILDREN **DANGER**

FIRST AID

IF SWALLOWED• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.IF IN EYES• Hold eye open and rinse slowly and gently with water for 15-20 minutes		
 Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes 		
or doctor. • Do not give anything by mouth to an unconscious person. IF IN EYES • Hold eye open and rinse slowly and gently with water for 15-20 minutes		
 Do not give anything by mouth to an unconscious person. IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes 		
IF IN EYES • Hold eye open and rinse slowly and gently with water for 15-20 minutes		
• Remove contact lenses, if present, after the first 5 minutes, then continue		
rinsing eye.		
 Call a poison control center or doctor center for treatment advice. 		
IF ON SKIN OR · Take off contaminated clothing.		
CLOTHING • Rinse skin immediately with plenty of water for 15-20 minutes.		
 Call a poison control center or doctor for treatment advice. 		
IF INHALED • Move person to fresh air.		
• If person is not breathing, call 911 or an ambulance, then give artificial		
respiration, preferably by mouth-to-mouth, if possible.		
• Call a poison control center or doctor for further treatment advice.		
Have the product container or label with you when calling a poison control center or doctor, or		
going for treatment.		
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.		

See back panel for [first aid and] additional precautions in handling.

EPA. Reg. No. 3432-44 EPA. Est. No. 3432-PA-1 Net Wt. 25 lbs. Mfg. by: N. Jonas & Co., Inc. • Bensalem, PA 19020 29

6

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary. This product is meant to help keep bacteria and algae under control in swimming pools.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product should never be thrown directly into a vinyl liner pool as staining can result. Should be added through skimmer a little at a time until dissolved. Add approximately 1 oz/1,000 gals. pool water of this product. Next day add chlorine stabilizer (Booster) following package directions.

NOTE: Above need be done only for new pools or when opening for season. Thereafter add at rate of 1 1/2 oz./10,000 gals. or as much as is needed to maintain a chlorine residual of 1-2 ppm as indicated by a suitable test kit. pH should be maintained at 7.2-7.6 and adjusted as necessary. During heavy bathing loads, very hot weather, rain, etc. and at least once a week, additional amounts of this product should be added (1 oz./1,000 gals.) so that chlorine residual increases to 3.5-5.0 ppm (superchlorination). This should be done when no swimmers are present and pool should be kept out of service until chlorine level falls back into range of 1-2 ppm. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container(if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

TO CALCULATE GALLONAGE:

For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gallons. For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9. = gallons.

ON GUARD Super 90 Chlorinating Powder

BACTERIACIDE ALGAECIDE STABILIZED CHLORINATING POWDER COMPLETELY SOLUBLE NO MINERAL SCALE BUILD-UP [FOR USE IN WHITE PLASTER POOLS ONLY]

Active Ingredient:	
Trichloro-s-Triazinetrione	.99%
OTHER INGREDIENT	<u>. 1%</u>
TOTAL	
Approximately 90% available chlorine	

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice.	
	• Have person sip a glass of water if able to swallow.	
	• Do not induce voraiting unless told to do so by the poison control center	
	or doctor.	
	• Do not give anything by mouth to an unconscious person.	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	• Call a poison control center or doctor center for treatment advice.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING	• Rinse skin immediately with plenty of water for 15-20 minutes.	
	• Call a poison control center or doctor for treatment advice.	
IF INHALED	• Move person to fresh air.	
	• If person is not breathing, call 911 or an ambulance, then give artificial	
	respiration, preferably by mouth-to-mouth, if possible.	
	• Call a poison control center or doctor for further treatment advice.	
Have the product container or label with you when calling a poison control center or doctor, or		
going for treatment.		
Note to Physician: P	robable mucosal damage may contraindicate the use of gastric lavage.	

See back panel for [first aid and] additional precautions in handling.

EPA. Reg. No. 3432-44 EPA. Est. No. 3432-PA-1 Net Wt. 25 lbs. Mfg. by: N. Jonas & Co., Inc. • Bensalem, PA 19020 879

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary. This product is meant to help keep bacteria and algae under control in swimming pools.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product should never be thrown directly into a vinyl liner pool as staining can result. Should be added through skimmer a little at a time until dissolved. Add approximately 1 oz/1,000 gals. pool water of this product. Next day add chlorine stabilizer (Booster) following package directions.

NOTE: Above need be done only for new pools or when opening for season. Thereafter add at rate of 1 1/2 oz./10,000 gals. or as much as is needed to maintain a chlorine residual of 1-2 ppm as indicated by a suitable test kit. pH should be maintained at 7.2-7.6 and adjusted as necessary. During heavy bathing loads, very hot weather, rain, etc. and at least once a week, additional amounts of this product should be added (1 oz./1,000 gals.) so that chlorine residual increases to 3.5-5.0 ppm (superchlorination). This should be done when no swimmers are present and pool should be kept out of service until chlorine level falls back into range of 1-2 ppm. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container(if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

TO CALCULATE GALLONAGE:

For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5. = gallons. For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9. = gallons.