

# SCORCH II

**FOR BURNING UP ORGANIC MATERIAL IN  
SWIMMING POOLS  
COMPLETELY SOLUBLE  
DOES NOT CONTAIN CALCIUM**

Active ingredient: Lithium hypochlorite..... 29%

Other ingredients..... 71%

Contains 35% available chlorine

CAS No 13840-33-0

EPA Reg. No 3432-56

EPA EST No 3432-PA-1

## DANGER

Keep out of reach of children

See back panel for first aid and  
additional precautions in handling.

ACCEPTED

MAR 25 1999

Fungicide Act, as amended, (FIFRA)  
This product is registered under  
Reg. No 3432-56

**Hazards to humans and domestic animals**

**PRECAUTIONARY STATEMENTS**

Corrosive: Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Wear goggles or face shield, protective clothing and rubber gloves when handling. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS**


This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

Strong oxidizing agent. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

**STORAGE AND DISPOSAL**

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal or cleaning of equipment.



**PRACTICAL TREATMENT (First Aid)**

**IF SWALLOWED:** Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, eggwhites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

**IF ON SKIN:** Wash with plenty of soap and water. **Get medical attention.**

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. **Get medical attention.**

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. **Get medical attention.**

**NOTE TO PHYSICIAN**

Lithium hypochlorite is corrosive to eyes, skin and mucous membranes with chemical burns (caustic). Treatment is dilution/flushing of site with copious amounts of water with controlled removal of exposure followed by symptomatic and supportive care to maintain life functions. Consideration should be given to careful endoscopy as stomach or esophageal burns, perforations or strictures may occur. Probable mucosal damage may contraindicate the use of gastric lavage. Careful gastric lavage with an endotracheal tube in place should be considered. Observation may be warranted. Medical advice - 303 595 9048 (collect)

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


Before initiating daily chlorine use, superchlorinate (Shock treat) the pool water by broadcasting across the surface of the pool, 2.0 oz of this product per 1,000 gallons of water. Superchlorinate in the evening when the pool is no longer in use. Check the chlorine residual the following morning with a suitable test kit. If the chlorine residual is above 3.0 ppm, refrain from swimming until the residual has decreased.

During the summer months, when the temperature is below 80 F, superchlorinate every two weeks. When temperatures exceed 80 F and/or high bather use, superchlorinate weekly.

For normal pool maintenance, add chlorinating sanitizer according to package directions to maintain 1.0 to 3.0 ppm at all times.

**Emergency Telephone Numbers (24 hours)**

**Medical** 303 595 9048 (collect)  
**Transportation** Chemtrec 800 424 9300



**Lithium hypochlorite, dry  
(UN No. 1471)**

**SPECIAL PRECAUTIONS ( PLEASE READ ) :**

1. This product has a powerful Chlorine odor. Hold away from face when opening package to avoid breathing fumes.
2. Prolonged contact between this product in it's undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint.
3. When adding this product to skimmer or feeder make sure that there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed per instructions on label. Do not take advice from others or experiment by your self.

**ACCEPTED**

MAR 25 1999

Under the provisions of the  
Pesticide Act, as amended, by the  
Pesticide Regulations  
R.R. 15 3432-56