

SCORCH II



FOR BURNING UP ORGANIC MATERIAL IN SWIMMING POOLS
COMPLETELY SOLUBLE DOES NOT CONTAIN CALCIUM

EPA Est. No. 3432-PA-1
EPA Reg. No. 3432-56

SPECIAL PRECAUTIONS (PLEASE READ)

1. This product has a powerful Chlorine odor. Hold away from face when opening package to avoid breathing fumes.
2. Prolonged contact between this product in it's undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint.
3. When adding this product to skimmer or feeder make sure that there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed per instructions on label. Do not take advice from others or experiment by yourself.

ACTIVE INGREDIENT:

Lithium Hypochlorite.....29.0%
OTHER INGREDIENTS.....71.0%
TOTAL.....100.0%

Contains 35% available chlorine

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for first aid and additional precautions in handling.

Net Wt. 4 lbs.



Mfg. by: **n. jonas & co., inc.** Bensalem, PA 19020

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Wear goggles or face shield, protective clothing and rubber gloves when handling. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor center for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-303-595-9048 (collect) for emergency treatment information or 800-424-9300 (CHEMTREC) for transportation or spills information.	
NOTE TO PHYSICIAN	
Lithium hypochlorite is corrosive to eyes, skin and mucous membranes with chemical burns (caustic). Treatment is dilution/flushing of site with copious amounts of water with controlled removal of exposure followed by symptomatic and supportive care to maintain life functions. Consideration should be given to careful endoscopy as stomach or esophageal burns, perforations or strictures may occur. Probable mucosal damage may contraindicate the use of gastric lavage. Careful gastric lavage with an endotracheal tube in place should be considered. Observation may be warranted.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Before initiating daily chlorine use, superchlorinate (shock treat) the pool water by broadcasting across the surface of the pool, 2 oz. of this product per 1,000 gallons of water. Superchlorinate in the evening when the pool is no longer in use. Check the chlorine residual the following morning with a suitable test kit. If the chlorine residual is above 3.0 ppm, refrain from swimming until the residual has decreased. During the summer months, when the temperature is below 80° F, superchlorinate every two weeks. When temperatures exceed 80° F and/or high bather use, superchlorinate weekly. For normal pool maintenance, add chlorinating sanitizer according to package directions to maintain 1.0 to 3.0 ppm at all times.

STORAGE AND DISPOSAL: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, and well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area. Do not reuse empty container. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ACCEPTED
 JAN 10 2002
 U.S. Dept. of Agriculture, Forest Service
 National Forest System
 3432-56

3432-56

01/10/2002

11