

PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**

3432-61

3-15-2002

V4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 15 2002

Al Pastore
N. Jonas & Co., Inc.
4520 Adams Circle
Bensalem, PA 19020

Subject: On Guard 3" Super Chlorinating Tablets
EPA Registration No. 3432-61
Notification Per PR Notice 98-10

Dear Mr. Pastore:

This will acknowledge receipt of your notification for the alternate brand names listed below (LEISURE POOLS 3" SUPER CHLORINATING TABLETS), submitted under the provisions of FIFRA Section 3(c)9. Based on a review of the submitted material the following comments apply.

This notification is acceptable and has been made a part of the file for this product.

Sincerely,

Wanda Y. Mitchell
Product Reviewer - Team 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL	7510C						
SURNAME	Mitchell						
DATE	3-15-02						



☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

COPY

Application for Pesticide - Section I

1. Company/Product Number 3432-61	2. EPA Product Manager	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ON GUARD 3" SUPER CHLORINATING TABLETS	PM#	
5. Name and Address of Applicant (Include ZIP Code) N. JONAS & CO., INC 4520 ADAMS CIRCLE BENSALEM, PA. 19020 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

planation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 98-10

COMPANY NAME: LEISURE POOLS

PRODUCT NAME: 3" SUPER CHLORINATING TABLETS


Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 5, 10, 15, 20, 45 LBS		5. Location of Label Directions <input checked="" type="checkbox"/> ON LABEL	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point: (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name AL PASTORE		Title TECHNICAL DIRECTOR		Telephone No. (Include Area Code) (215) 639-8071	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title			
4. Typed Name AL PASTORE		5. Date 1/22/02			

3/4



Leisure Pools, Inc.

EXCELLENCE
nothing less...

Mfg. by: **N. JONAS & CO., INC.** • Bensalem, PA 19020

EPA Est. No. 3432-PA-1 • EPA Reg. No. 3432-61-

Super 3" Chlorinating Tablets


• CONCENTRATE • STABILIZED • SLOW DISSOLVE • COMPLETELY
SOLUBLE • NO MINERAL SCALE BUILD-UP • SUPER CHLORINATING
TABLETS FOR WATER DISINFECTION • 24-HR. CHLORINE RESIDUAL
FOR ROUND THE CLOCK PROTECTION

Active ingredients:

Trichloro-S-triazine, 99%
Sodium Dichloro-S-triazine, 1%

KEEP OUT OF REACH OF CHILDREN

DANGER



PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.


DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Before using this product make sure there is sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
2. Place approximately 1 super tablet for 8,000 gallons of water per week either into a tablet dispenser and float it in the pool or directly into a skimmer basket if one is available. In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.
3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-2 ppm. If chlorine level is too low, add more tablets until there is enough to maintain the 1-2 ppm. This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. Should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc. and at least once a week, chlorine residual should be raised to 3.5-5.0 ppm with granular chlorine (superchlorinated). It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-2 ppm before swimmers go back in next day. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine. Super tablets will last approximately 5-7 days depending upon temperature and amount of water flow. A 20 lb. pail will last a 10,000 gal. pool approximately 30 weeks; 30,000 gal. pool approximately 10 weeks. Each tablet weighs approximately 7.3 oz.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.



NEXT

LABEL

3432-061

3-15-2002

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 15 2002

Al Pastore
N. Jonas & Co., Inc.
4520 Adams Circle
Bensalem, PA 19020

Subject: On Guard 3" Super Chlorinating Tablets
EPA Registration No. 3432-61
Notification Per PR Notice 98-10

Dear Mr. Pastore:

This will acknowledge receipt of your notification for the alternate brand names listed below (ILLINI POOL 3" SUPER CHLORINATING TABLETS), submitted under the provisions of FIFRA Section 3(c)9. Based on a review of the submitted material the following comments apply.

This notification is acceptable and has been made a part of the file for this product.

Sincerely,

Wanda Y. Mitchell
Product Reviewer - Team 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL	7510C							
SURNAME	Mitchell							
DATE	3-15-02							



32

United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

COPY

Application for Pesticide - Section I

1. Company/Product Number 3432-61	2. EPA Product Manager PM#	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ON GUARD 3" SUPER CHLORINATING TABLETS		
5. Name and Address of Applicant (Include ZIP Code) N. JONAS & CO., INC 4520 ADAMS CIRCLE BENSALEM, PA. 19020 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

planation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 98-10

COMPANY NAME: ILLINI POOL

PRODUCT NAME: SUPER 3" CHLORINATING TABS

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 5, 10, 15, 20, 45 LBS		5. Location of Label Directions <input checked="" type="checkbox"/> ON LABEL	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name AL PASTORE	Title TECHNICAL DIRECTOR	Telephone No. (Include Area Code) (215) 639-8071
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title	
4. Typed Name AL PASTORE TECHNICAL DIRECTOR	5. Date 1/22/02	

3/4



Mfg. by: N. JONAS & CO., INC. • Bensalem, PA 19020
EPA Est. No. 3432-PA-1 • EPA Reg. No. 3432-61-


Super 3" Chlorinating Tablets

• CONCENTRATE • STABILIZED • SLOW DISSOLVE • COMPLETELY
SOLUBLE • NO MINERAL SCALE BUILD-UP • SUPER CHLORINATING
TABLETS FOR WATER DISINFECTION • 24-HR. CHLORINE RESIDUAL
FOR ROUND THE CLOCK ACTIVITY

KEEP OUT OF REACH OF CHILDREN

DANGER

Active ingredient:
Trichloro-s-triazine 99%
Total weight 3.00 lbs.
Net weight 2.97 lbs.



4/4

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Before using this product make sure there is sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
2. Place approximately 1 super tablet for 6,800 gallons of water per week either into a tablet dispenser and float it in the pool or directly into a skimmer basket if one is available. In no case should tablets be thrown directly into or on a vinyl liner as bleaching will result.
3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-2 ppm. If chlorine level is too low, add more tablets until there is enough to maintain the 1-2 ppm. This product can be used in any dispenser that uses Chlorine Concentrate tablets or sticks. Should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc. and at least once a week, chlorine residual should be raised to 3.5-5.0 ppm with granular chlorine (superchlorinated). It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-2 ppm before swimmers go back in next day. Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

Super tablets will last approximately 5-7 days depending upon temperature and amount of water flow. A 20 lb. pail will last a 10,000 gal. pool approximately 30 weeks; 30,000 gal. pool approximately 10 weeks. Each tablet weighs approximately 7.3 oz.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

