
# ACCEPTED

DEC 14-2001

Under the Enderst Inconticide, Fungicide, and and for the

Rodenticitie a second and the second se





# EFFECTIVE AGAINST GREEN, BLACK, MUSTARD ALGAE, AND ALGAL SLIME

### • EXTREMELY LOW FOAMING • NON-METALLIC

#### ACTIVE INGREDIENT:

Didecyl dimethyl	
Didecyl dimethyl ammonium chloride	50%
OTHER INGREDIENTS:	50%
TOTAL	100%

EPA REG. NO. 3432-63

EPA REG. NO. 3432-PA-1

## **KEEP OUT OF REACH OF CHILDREN** DANGER

See side panel for additional precautionary statements



## NET CONTENTS: 1 QT.

Mig by: N. Jonas & Co., Inc. 4520 Adams Circle Bensalem, PA USA 19020

# PA Reg. No. 3432 63

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: CORROSHE: Causes severe eye and skin damage. Do not get in eyes, on skin, or clothing. Remove contaminated clothing and wash before reuse. Wear goggles or face shield, and rubber gloves when handling. Wash thoroughly with soap and water after handling. Harmful or fatal if swallowed. Avoid contamination of food.

	FIRST AID
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING	Take off contaminated clothing.     Rinse skin immediately with plenty of water for 15-20 minutes.     Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF INHALED	Move person to fresh air.     If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.     Call a poison control center or doctor for further treatment advice.
	Have the product container or label with you when calling a poison control center ${\rm er}$ doctor, or going for treatment.
	NOTE TO PAYSICIAN
Pro	bable mucosal damage may contraindicate the use of gastric lavage

PHYSICAL OR CHEMICAL HAZARDS: This Algicide is cationic. Do not mix with soap or anionic materials, Do not use or store near heat or orsen flame. **DIRECTIONS FOR USE** 

#### It is a violation of federal law to use this product in a manner inconsistent with its labeling. SWIMMING POOLS

INITIAL DOSE: Add 5 1/4 fluid ounces of product to 10,000 gallons of pool water. MAINTENANCE DOSE: Add 1 1/4 fluid ounces of product to 10,000 gallons of pool water.

If pool has a visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If visible algae are still present or re-appear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.

Maintenance dose should be added weekly. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

Maintenance dose should be added after a heavy or prolonged rainfall.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 1/2 fluid ounce of product for each 1000 gailons of tresh make-up water added.

When swimming season is over, add maintenance dose prior to closing pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

When this product is used as directed, it is effective against Chlorella pyrenoidosa (green algae), Phormidium luidum (black algae), Lyngbya versicolor (blue-green algae), and Pleurochloris meiringensis (mustard algae), and other swimming pool algae and slime producing microorganisms.

For persistent algae or slime producing microorganisms growth, add 5-7 1/2 ounces of this product into the skimmer with the filter pump running. After one minute, shut off the pump and allow the system to remain off over night. The following day, re-start the filter pump and add 5-7 1/2 ounces of this product to the pool. Run the filter continuously for 24-48 hours, brushing the sides and bottom of the pool frequently.

STORAGE: Keep container closed and in a cool place when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Mop up spills with clear water. Keep pesticides out of reach of children and stored away from food. PESTICIDE DISPOSAL: Securely wrap original contaner in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

oot/

0

UJ.

D