
1/2



Contains 2.67 oz. Silver Oxide II, equivalent to 2.33 Silver as elemental per gallon.

EPA REG. NO. 3432-64

EPA EST. NO. 3432-PA-1

TOTAL.....100.0%


## KEEP OUT OF REACH OF CHILDREN CAUTION

Other Ingredients......98.0%

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONT. 2 QUARTS (64 fl. oz.) Mfg. by: N. Jonas & Co., Inc. • Bensalem, PA • 19020





J-21898-Sildate Disinfetant 3/8/02 9:17 AM Page 1

SILDATE® DISINFECTANT is compatible with those chemicals normally used to treat swimming pools. It is effective at both acid and alkaline ph. SILDATE® DISINFECTANT can be used in swimming pools treated with chlorinating or brominating products. However, do not mix SILDATE® DISINFECTANT with concentrated dry or liquid chlorinating products.

THIS PRODUCT IS USED TO KEEP BACTERIA UNDER CONTROL IN SWIMMING POOLS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after han-

FIRST AID	
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF INHALED	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

a poison control center or doctor, or going for treatment. PHYSICAL AND CHEMICAL HAZARDS: Mix only with water. Do not add this product to any dispensing device containing remnants of any other product. Do not allow contact with any reducing agents, organic matter, or ammonia.

DIRECTIONS FOR USE IN SWIMMING POOLS: It is a violation of federal law to use this product in a manner incon-

sistent with its labeling. To note the swimming PUOLS: It is a violation of federal law to use this product in a manner inconsistent with its labeling. To start up a new pool or when refilling a pool, add 2 Ots. SILDATE® DISINFECTANT per 10,000 gallons water. Add SILDATE® DISINFECTANT to the pool through the skimmer. After SILDATE® DISINFECTANT has circulated for 15 min. add ENGERGIZE at the rate of 1 b. per 10,000 gallons swimming pool water. ENERGIZE is a necessary product for the complete activation of SILDATE® DISINFECTANT.

TANT.

There is no pretreatment required for a pool previously treated with chlorinating products. Add 2 Qts. SILDATE® DISINFECTANT and one pound ENERGIZE for each 10,000 gallons of swimming pool water.

The addition of 2 Qts. SILDATE® DISINFECTANT and one pound ENERGIZE per 10,000 gallons pool water will establish a SIL-DATE® DISINFECTANT residual of approximately 1.0 ppm. If the pool volume is not known add enough SILDATE® DISINFECTANT to establish a 1.0 ppm. residual. Your professional pool dealer will be able to test for this residual.

Have the pool tested each week to insure that the proper amount of SILDATE® DISINFECTANT is present. If it should fall below 1.0 ppm add enough SILDATE® DISINFECTANT to adjust the level to 1.0 ppm.

Each week and after rain or heavy use, add one pound ENERGIZE for each 10,000 gallons of water.

STORAGE AND DISPOSAL: PESTICIDE STORAGE: Store in a cool dry place. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly

Sefore discarding in trash.

TO CALCULATE GALLONAGE: For Rectangular Pools: Multiply length of pool x width x average depth (all in feet) x 7.5= gallons.

For Round Pools: Diameter of pool x diameter of pool x average depth (all in feet) x 5.9= gallons.

SILDATE® is a registered trademark of N. Jonas & Co.,Inc. CODE: 008
This product is protected under one or more of the following U.S. Patent Nos...5,098,782;5,089,275;5,078,902;5,073,382 MADE IN U.S.A.

CCEPTED MAR 28 2002 Under the Federal Insecticide, Fungicide, and denticide Act as amended, for the es. ride, registered under