3432-65

HENRY JACOBY 301 865 4333

The face of the face of

09/09/04 11:09am P. 004

# **COPPER 5 ALGAECIDE**

# SWIMMING POOL FORMULA NON-FOAMING FORMULA

AC.	T۱	JE.	II	V	GI	₹	ΕI	וכ	E	N	T	•
, , , —				Α.	~	•	_	_	-			٠

TOTAL 100.00%

This product contains 0.81 ounces (23 grams) of copper Per gallon from Copper Triethanolamine Complex

# KEEP OUT OF REACH OF CHILDREN

# CAUTION

See Back Panel for additional precautionary statements

NET CONTENTS: 1 gallon (128 fl.oz.)

ACCEPTED

. SEP 1 0 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under

EPA Reg. No. 3432-65

#### **BACK PANEL**

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INITIAL DOSE: For every 10,0 00 gallons of pool water add 48 ounces ( 1 1/2 quarts) of this ALGAECIDE.

MAINTENANCE DOSE: When filling pool at beginning of swimming season add 24 ounces of this ALGAECIDE per 10,000 gal to the pool water. If pool has visible algae growth, add initial as indicated above, to remove algae debris, vacuum pool after 24 hours. If visible algae reappear or are still present, repeat this treatment as required to free pool of algae. When all signs of algae are gone from the pool, use recommended maintenance dose.

Maintenance dose is to be added every 2 weeks. After heavy Rain, or extended high temperatures or unusually heavy use, add maintenance dose more frequently. If weekly make-up water is equal to 10% or more of the pool capacity, add 8 ounces of this ALGAECIDE far each 2,500 gallons of new water added.

#### HOW TO ESTIMATE GALLON CAPACITY OF YOUR POOL

For Square or Rectangular Pools: Multiply length X width X average depth X 7.5 = Gallons.

For Circular or Elliptical Pools:

Multiply length X width X average depth X 5.9 = Gallons.

This ALGAECIDE is compatible with those chemicals normally used to treat pools. Do not mix with any other chemicals.

#### BACK PANEL CONTINUED

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if swallowed. Avoid contact with skin, eyes, or clothing.

	FIRST AID						
ALGAECID							
if in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center of doctor for treatment advice.</li> </ul>						
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>						
if inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>						
HOT LINE NUMBER ALGAECIDE							
Have the product container or label with you when calling a poison control							

center or doctor, or going for treatment. You may also contact Chemtrec at 1-800 -424-9300 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PESTICIDE STORAGE: Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:. Do not reuse empty bottle. Rinse thoroughly before discarding in trash...

E.P.A. Reg. No.: 3432-65 E.P.A. Est. No.: 3432-PA-1

Manufactured by N. Jonas & Co., Inc. Bensalem PA .:.19020