

3432-69

11-29-2006

1/22

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

November 29, 2006

Al Pastore
Technical Director
N. Jonas & Co., Inc.
4525 Adams Circle
Bensalem, PA 19020

Subject: Maxi-Chlor II
EPA Registration No. 3432-69
Application Date: November 6, 2006
Receipt Date: November 9, 2006

Dear Mr. Pastore:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

addition of 18 alternate brand names:

- "AQUA DOCTOR BRAND..... CHLORX GRANULES"
- "BROWNING POOLS & SPAS BRAND..... CHLORINATING GRANULES"
- "LEISURE TIME POOLS & SPAS BRAND..... CHLORINATING GRANULES"
- "ENGLISH POOLS BRAND..... CHLORINATING GRANULES"
- "LEISURE POOLS, INC. BRAND..... CHLORINATING GRANULES"
- "ILLINI POOLS BRAND..... CHLORINATING GRANULES"
- "A20 BRAND..... CHLORINATING GRANULES"
- "CLEARX #2 BRAND..... CHLORINATING GRANULES"
- "TARGET BRAND..... CONCENTRATED CHLORINATING GRANULES"
- "RELAX BRAND..... CHLORINATING GRANULES"
- "POOLS & SPA UNLIMITED BRAND..... CHLORINATING GRANULES"
- "POOL STUFF BRAND..... BOOST"
- "NATURE'S WAY POOL BRAND..... CHLORINATING GRANULES"
- "MARATHON BRAND..... GRANULAR"
- "TROPICAL SUN BRAND..... CHLORINATING GRANULES"
- "WATER WORKS BRAND..... CHLORINATING GRANULES"
- "AMERIPOOL BRAND..... CHLORINATING GRANULES"
- "ON GUARD MAXI-CLOR..... CHLORINATING GRANULES"

General Comments

Based on a review of the material submitted, the following comments apply:

CONCURRENCES							
MBOL	7570P						
NAME	Jonas						
TE	11/29/06						

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES							
MBOL							
RNAME							
TE							



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
☒ Other

OPP Identifier Number

214396

Application for Pesticide - Section I

1. Company/Product Number 3432-69	2. EPA Product Manager PM# 32	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) MAXI-CHLOR II		
5. Name and Address of Applicant (include ZIP Code) N. Jonas & Co. Inc. 4520 Adams Circle Bensalem, PA 19020 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.
☒ Notification - Explain below.	☐ Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.) This notification is consistent with provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

PROPOSED ALTERNATE BRAND NAMES FOR 18 COMPANIES ON ATTACHED PAGE:

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging ☒ Yes ☐ No	Unit Packaging ☐ Yes ☒ No	Water Soluble Packaging ☐ Yes ☒ No		☐ Metal	☒ Plastic
* Certification must be submitted				☐ Glass	☐ Paper
If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	Other (Specify) _____	
3. Location of Net Contents Information ☒ Label ☐ Container		4. Size(s) Retail Container 1 to 25 lbs		5. Location of Label Directions ☒ On Label	
6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled			☐ Other _____		

Section - IV

1. Contact Point: (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Al Pastore	Title Technical Director	Telephone No. (include Area Code) 215-559-8071
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Technical Director	
4. Typed Name Al Pastore	5. Date 11/06/06	

NOTIFICATION OF ALTERNATE BRAND NAMES PER PR NOTICE 98-10

THE PROPOSED ALTERNATE BRAND NAMES ARE:

- 1) **AQUA DOCTOR BRANDCHLORX GRANULES**
- 2) **BROWNING POOLS & SPAS BRANDCLORINATING GRANULES**
- 3) **LEISURE TIME POOLS & SPAS BRAND..... CHLORINATING GRANULES**
- 4) **ENGLISH POOLS BRAND..... CHLORINATING GRANULES**
- 5) **LEISURE POOLS, INC. BRAND..... CHLORINATING GRANULES**
- 6) **ILLINI POOLS BRAND..... CHLORINATING GRANULES**
- 7) **A2O BRAND..... CHLORINATING GRANULES**
- 8) **CLEARX #2 BRANDCHLORINATING GRANULES**
- 9) **TARGET BRAND..... CONCENTRATED CHLORINATING GRANULES**
- 10) **RELAX BRAND..... CHLORINATING GRANULES**
- 11) **POOLS & SPA UNLIMITED BRAND..... CHLORINATING GRANULES**
- 12) **POOL STUFF BRAND..... BOOST**
- 13) **NATURE'S WAY POOL BRAND..... CHLORINATING GRANULES**
- 14) **MARATHON BRAND..... GRANULAR**
- 15) **TROPICAL SUN BRAND..... CHLORINATING GRANULES**
- 16) **WATER WORKS BRAND.....CHLORINATING GRANULES**
- 17) **AMERIPOOL BRAND.....CHLORINATING GRANULES**
- 18) **ON GUARD MAXI-CLOR.....CHLORINATING GRANULES**

5/22



CHLOR_x **GRANULES**

**FOR SPARKLING AND CRYSTAL CLEAR WATER
SWIMMING POOL ALGAECIDE
NO SCALE FORMING MINERALS OR INSOLUBLES
CONVENIENT COMPLETE POOL CARE**

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate... 99%

OTHER INGREDIENTS1%

Available Chlorine....55% Total100%

EPA Est. No. 3432-PA-1 • EPA Reg. No. 3432-69

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for
additional precautionary
statements.

NET WT. 50 LBS.

Mfg. by: **N. Jonas & Co. Inc.** • Bensalem, PA 19020

Premium

B

Browning
POOLS & SPAS

Chlorinating Granules

FOR SPARKLING AND CRYSTAL CLEAR WATER
SWIMMING POOL ALGAEICIDE
NO SCALE FORMING MINERALS OR INSOLUBLES
CONVENIENT COMPLETE POOL CARE

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazinetriene Dihydrate... 99%
INERTS 1%
Total..... 100%

KEEP OUT OF REACH OF CHILDREN


EPA Est. No. 3432-PA-1
EPA Reg. No. 3432-69

Net Wt. 25 lbs.

Browning INC. • Bensalem, PA 19020

6/32

Leisure Time Pools & Spas



Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.


FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor center for treatment advice.
IF INHALED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DECOMPOSITION:** DO NOT reuse container. Neutralize material to a non-oxidizing state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 lbs) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L). combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residue in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams/1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solids (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 lbs), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Retain polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or dilute is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL PLASTIC PAIL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.



English Pools

Since 1970



Mfg. by: N. JONAS AND CO., INC. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS


DANGER, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor center for treatment advice.
IF INHALED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DECOMPOSITION:** DO NOT reuse container. Neutralize material to a non-oxidizing state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTANT:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 oz. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L) combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 oz. of this product per 10,000 gals. of water (1.5 grams / 1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Relate polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or dilute solution is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL, PLASTIC PAIL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or purchase and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.



cc/8



Leisure Pool, Inc.

EXCELLENCE
nothing less...

Mfg. by: **N. JONAS & CO., INC.** • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN Probable maximal dose may contraindicate the use of gastric lavage.	

WRITE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

[illegible][illegible]

9/22

Mini Pools

Mfg. by: **N. JONAS & CO., INC.** • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

JAWELT, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.


FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor center for treatment advice.
IF INHALED	• Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

[illegible][illegible]

12/22

0452-ClearX-CH1 Pow-25lbs 10/23/06 3:48 PM Page 1

Item #158





- FOR SPARKLING AND CRYSTAL CLEAR WATER
- SWIMMING POOL ALGAEICIDE
- NO SCALE FORMING
- MINERALS OR INSOLUBLES
- CONVENIENT COMPLETE POOL CARE

POOL SUPPLIES

CONCENTRATED CHLORINATING GRANULES

EPA Est. No. 3432-PA-1
EPA Reg. No. 3432-69

ITEM NO. 10002

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate... 99%

OTHER INGREDIENTS

Available Chlorine... 95% Total... 100%

KEEP OUT OF REACH
OF CHILDREN

DANGER

See back panel for additional
precautionary
statements.

NET WT. TWO POUNDS

Mfg. by: N. JONAS & CO., INC. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor center for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor center for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor center immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water, soil, fertilizers, herbicides, and other chemicals containing gases. Decomposes at temperatures above 254°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self-contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers as there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DECOMPOSITION:** DO NOT reuse container. Recycle material to a non-hazardous waste for safe disposal. **DIRECTIONS FOR USE:** This is a violation of Federal law to use this product in a manner not consistent with labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams/1,000 l) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 3 ozs. of this product for each 10,000 gals. of water (22.5 grams/1,000 l) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 0.5 ppm (mg/L). Combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily, or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs of this product per 10,000 gals. of water (1.5 grams/1,000 l) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage affect sanitizer levels. In addition some oils, vapors, fragrances, chlorides, etc. may cause staining or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solids (TDS) reach 2,000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. When the water is clear and clean, apply 16 ozs. of this product for each 10,000 gallons of water (12 grams per 1,000 liters) while the filtration system is running. This will increase the available chlorine by approximately 1 ppm (mg/L). Clean pool, prepare heater, filter and heater components for winter by following manufacturer's instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or misstate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or wastewater. Containers which are accepted for recycling or other reuse must be properly cleaned before reuse. Do not transport, sell or store materials in a non-hazardous waste container for safe disposal. **CONTAINER DISPOSAL:** PLASTIC PAIL: Triple rinse (or equivalent) and offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If incinerated, it must stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding as trash. Securely wrap container in several layers of newspaper and discard as trash.

Target Pool supplies™ is a trademark of the Target Buying Group. All rights reserved. IS THIS THE RIGHT ONE??

10/23/06 3:45 PM Page 1

10/23/06 3:45 PM Page 1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER-CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, mist or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor center for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor center for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS-STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry vessels. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **DO NOT USE IN PROXIMITY OF FLAMING SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with abundant amounts of water. **DO NOT USE ABC or other dry chemical extinguishers** since there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DISCOMFORT DO NOT ATTEMPT TO REMOVE MATERIAL TO A SAFE DISPOSAL.** **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP-Downs:** Using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been treated to its normal clarity, repeat the shock treatment described above. Do not enter water until the available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is returned to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams / 1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. **Weather and usage effect sanitizer levels.** In addition, some oils, lotions, fragrances, cleaners, etc. may cause曇ur or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solids (TDS) reach as 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WARNING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 10 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine by approximately 1 ppm (mg/L). Cover pool, pump, heater, filter and heater components for winter by following manufacturers' instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (50°C) for 24 hours. Retie polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste container. Contact with incompatible materials could cause a reaction and fire. **DO NOT** transport, use or dump material. **HAZARDOUS MATERIAL:** A non-oxidizing solid for safe disposal. **CONTAINER DISPOSAL-PLASTIC PAUL:** Triple ream for equivalent. Then offer for recycling or reconditioning of puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.

Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

Relax

Chlorinating Granules

- FOR SPARKLING AND CRYSTAL CLEAR WATER
- SWIMMING POOL ALGAEICIDE
- NO SCALE FORMING MINERALS OR INSOLUBLES
- CONVENIENT COMPLETE POOL CARE

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate... 99%

OTHER INGREDIENTS

Available Chlorine...55% Total.....100%

EPA. Reg. No. 3432-69

EPA. Est. No. 3432-PA-1

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements.

Net Wt. 2 lbs.

cc/141

C



Chlorinating Granules

FOR SPARKLING AND CRYSTAL CLEAR WATER • SWIMMING
POOL ALGAECIDE • NO SCALE FORMING MINERALS OR
INSOLUBLES • CONVENIENT COMPLETE POOL CARE

KEEP OUT OF REACH
OF CHILDREN
DANGER

See back panel for complete
precautionary
statements

ITEM# 157

ITEM# 710880

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazinetriene Dihydrate... 99%
OTHER INGREDIENTS 1%
Available Chlorine... 55% Total..... 100%

EPA REG. NO. 3432-69
EPA EST. NO. 3432-PA-1

Net WT: 2 Lbs.

Mfg. by: N. JONAS AND CO., INC. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 484°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat. Liberation of hazardous gases, and possible fire and explosion. IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT re-seal container. Neutralize material to a non-oxidizing state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 lbs) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 lbs) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L) combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams / 1,000 lbs) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 15 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 lbs), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Retie polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray medium, or mixture is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste-to-energy incinerator. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL: PLASTIC PAIL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or purchase and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.

For questions, visit www.natureswaywaterchem.com

17/32

Marathon

Granular

**FOR SPARKLING AND CRYSTAL CLEAR WATER
SWIMMING POOL ALGAECIDE
NO SCALE FORMING MINERALS OR INSOLUBLES
CONVENIENT COMPLETE POOL CARE**

ACTIVE INGREDIENT:**Sodium Dichloro-s-triazinetriene Dihydrate... 99%****OTHER INGREDIENTS1%****Available Chlorine....55% Total.....100%**

**KEEP OUT OF
REACH OF
CHILDREN
DANGER**

See back panel for additional precautionary statements.

EPA REG. NO. 3432-69

EPA EST. NO. 3432-PA-1

Item #710160**NET WT: 2 LBS.**

Mfg. by N. JONAS & CO., INC. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. **DO NOT** use AEC or other dry chemical extinguishers since there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT** reuse container. Neutralize material to a non-oxidizing state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.8 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams/1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.8 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Relie polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or wastecompressor. Contact with incompatible materials could cause a reaction and fire. **DO NOT** transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL: PLASTIC PAUL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.

1/8/02
ecg



Mfg. by: N. JONAS & CO., INC. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.



FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry vessels. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT reuse container. Neutralize material to a non-oxidizing state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP-Before** using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 lbs) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs of this product per 10,000 gals. of water (1.5 grams / 1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 15 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 lbs), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Retie polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL: PLASTIC PAUL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.



cc/bel
10/23

WATER WORKS



Mfg. by: N. Jonas & Inc. • Bensalem, PA 19020


PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F. with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT** reuse container. Neutralize material to a non-oxidizing state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP-Before** using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.8 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams/1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.8 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container when temperatures do not exceed 125°F (52°C) for 24 hours. Pallet polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL PLASTIC PAIL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.





Ameripool

Chlorinating Granules

**FOR SPARKLING AND CRYSTAL CLEAR WATER
SWIMMING POOL ALGAEKILLER
NO SCALE FORMING MINERALS OR INSOLUBLES
CONVENIENT COMPLETE POOL CARE**

EPA EST. NO. 3432-PA-1

EPA REG. NO. 3432-69

ACTIVE INGREDIENT:**Sodium Dichloro-s-triazinetriene Dihydrate... 99%****OTHER INGREDIENTS1%****Available Chlorine.....55% Total.....100%****KEEP OUT OF REACH OF CHILDREN****DANGER****Net Wt. 2 lbs.**

See back panel for additional precautionary statements.

Mfg. by: **N. JONAS & CO., INC.** • Bensalem, PA 19020**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER CORROSIVE: Causes reversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray/mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 454°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to the product. Always add product to large quantities of water. Use clean dry vessels. Do not add the product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. **IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT** use container. Neutralize material to a non-oxidizing state for safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DISINFECTION:** This product is intended for use in controlling bacteria and algae in swimming pools. The product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 lbs) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 lbs) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs of this product per 10,000 gals. of water (1.5 grams / 1,000 lbs) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage affect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 lbs) while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Relieve polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste incinerator. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL, PLASTIC PAUL:** Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.

ed/16

OnGuardTM

MAXI-CLOR®

Chlorinating Granules

FOR SPARKLING AND CRYSTAL CLEAR WATER

SWIMMING POOL ALGAECIDE

NO SCALE FORMING MINERALS OR INSOLUBLES

CONVENIENT COMPLETE POOL CARE

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate... 99%

OTHER INGREDIENTS 1%

Available Chlorine.....55% Total.....100%

EPA Reg. No. 100-100-01
EPA Est. No. 100-100-01

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements.

NET WT. 2 LBS.

Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor center for treatment advice.
IF INHALED	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispersing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT reuse container. Neutralize material to a non-cooking state for a safe disposal. **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SWIMMING POOL WATER DECONTAMINATION:** This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. **START UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.8 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. **SHOCK TREATMENT:** The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L) based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 0.5 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. **MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams / 1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.8 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. **WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine level to approximately 5 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (50°C) for 24 hours. Relies polyethylene liner after each use and keep container tightly closed. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or waste container. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal. **CONTAINER DISPOSAL:** PLASTIC PAIL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **HOUSEHOLD CONTAINERS:** Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.

