08-06-2007

3432 - 69 United states environmental protection agency Washington, DC 20460

SEPA Antes States Office of Pesticide Programs

August 6, 2007

Georgia Anastasiou N. Jonas & Co., Inc. 4520 Adams Circle Bensalem, PA 19020

Subject: Maxi-Chlor II Pool Chlorinating Granules EPA Registration Number: 3432-69 Application Dated: July 19, 2007 Receipt Date: July 20, 2007

Dear Ms. Anastasiou:

This acknowledges receipt of your notification, Submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification

Add Environmental Hazards Statement

General Comment

Based on a review of the material submitted, the following comments apply:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely, Warle & O

Wanda Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

LEWIS & HARRISC

 \mathcal{V}

122 C Street, N.W., Suite 740 Washington, D.C. 20001

telephone 202.393.3903 fax 202.393.3906

Consultants in Government Affairs

July 19, 2007

HAND DELIVERED

Document Processing Desk [**NOTIF**] Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

ATTENTION:	Emily Mitchell Product Manager 32
SUBJECT:	Maxi-Chlor II [®] Pool Chlorinating Granules (EPA Reg. No. 3432-69) N. Jonas & Co., Inc. Notification per PR Notice 98-10

Dear Ms. Mitchell:

On behalf of N. Jonas & Co., Inc., I am submitting an application for notification for the product, Maxi-Chlor II[®] Pool Chlorinating Granules (EPA Reg. No. 3432-69). The purpose of this notification is to add the Environmental Hazards advisory statement which was mistakenly removed from the label in the 2002 amendment.

Enclosed, please find the following documents in support of this Notification:

- 1. Application for Pesticide Notification, which includes a signed statement certifying compliance with PR Notice 98-10;
- 2. One (1) copy of the product label with changes highlighted; and,
- 3. Two (2) copies of the final printed label.

If you have any questions, or require any additional information, please feel free to contact me by phone at 202-393-3903 ext.19 or by email at georgia@lewisharrison.com.

Thank you for your assistance with this submission.

Sincerely,

Georgia Anastasiou Agent for, N. Jonas & Co., Inc.

cc: Al Pastore (N. Jonas & Co., Inc.) Sheila Wexler (N. Jonas & Co., Inc.)

Please read instructions on reverse before completing form.	Form Approved, OMB No. 2070	0060, Approval expires 05-31-98		
O CDA United States	Rey aration	OPP Identifier Number		
EPA Environmental Protect		21		
Washington, DC 2		N -5/6		
Annlica	tion for Pesticide - Section I			
1. Company/Product Number	2. EPA Product Manager	3. Proposed Classification		
3432-69	Emily Mitchell			
4. Company/Product (Name)	PM#	None Restricted		
Maxi-Chlor II [®] Pool Chlorinating Granules 5. Name and Address of Applicant (<i>Include ZIP Code</i>)	Team 32			
Name and Address of Applicant (<i>Include 21P Code)</i> N. Jonas & Co., Inc.	 6. Expedited Review. In accordance w (b)(l), my product is similar or identical i 			
4520 Adams Circle	to:	r composition and labeling		
Bensalem, PA 19020	EPA Reg. No			
<u>PLEASE SEND ALL CORRESPONDENCE TO</u>	- 1			
<u>"CONTACT POINT" LISTED BELOW</u>	Product Name			
Check if this is a new address				
	Section - II			
Amendment – Explain below.	Final printed labels in response to	Agency letter dated		
Resubmission in response to Agency letter dated				
Notification - Explain below.	Other - Explain below			
Explanation: Use additional page(s) if necessary	. (For Section I and Section II.)			
	add Environmental Hazards statement w emoved in a previous amendment.	hich was		
This notification is consistent with the provisions of PR Notice 98-10 a the confidential statement of formula of this product. I understand that understand that if this notification is not consistent with the terms of F subject to enforcement action and penalties under sections 12 and 14 Signature:	nt it is a violation of 18 U.S.C. Sec. 1001 to willfully make any PR Notice 98-10 and 40 CFR 152.46, this product may be in v	false statement to EPA. I further		
	Section - III			
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Container		
Yes*	Yes	Metai		
No	No. per If "Yes" No. per			
*Certification must	container Package wgt. container	Glass		
be submitted		Paper Other (Specifiy)		
) Retail Container 5. Location of			
Label Container	On Label			
	On labeli	ng accompanying product		
	graph 🗌 Other			
☐ Pape ☐ Sten	er glued ciled	1000 G		
	Section - IV			
1. Contact Point (Complete items directly below for identificati	on of individual to be contacted, if necessary, to process	this application).		
Name Georgia Anastasiou, Lewis & Harrison, 122 C St. NW, #740, Washington DC 20001	Agent for N. Jonas & Co., Inc.	elephone No. (include Area Code) (202) 393-3903 x19		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete, [] 6. Date Application Acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both Under applicable law.				
2. Signature	3. Title Agent for N. Jonas & Co. Inc.			
2. Signature	 3. Title Agent for N. Jonas & Co., Inc. 5. Date 			

•

POOL CHLORINATING GRANULES

[Fast Dissolving][100% Soluble] [Disinfects][Kills Algae & Bacteria] [For Sparkling and Crystal Clear Water] [Swimming Pool Algaecide] [No Scale Forming Minerals or Insolubles] [Convenient Complete Pool Care]

ACTIVE INGREDIENT:	
Sodium Dichloro-s-triazinetrione Dihydrate	99%
OTHER INGREDIENTS	1%
TOTAL	100%

*AVAILABLE CHLORINE 55%

EPA. Reg. No. 3432-69 EPA. Est. No. 3432-PA-1

KEEP OUT OF REACH OF CHILDREN DANGER

NET WT. 5 LBS.

See back panel for additional precautionary statements

Mfg by: N. Jonas & Co., Inc. • Bensalem, PA 19020

Note To Reviewer: [Bracketed Text] denotes alternate marketing language

EPA Draft Label: 7/19/2007



5.5.7

ана (с. 1997) 1916 — К. А. А. А.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water-after handling. Remove contaminated clothing and wash before reuse.

FIRST AID		
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 	
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. NOTE TO PHYSICIAN		
Probable mucosal damage may contraindicate the use of gastric lavage.		

(If container size is less than 5 gallons, use the following Environmental Hazards statement) ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

(If container size is 5 gallons or larger, use the following Environmental Hazards statement)

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do no discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. IN CASE OF CONTAMINATION OR DECOMPOSITION. DO NOT reseal container. Neutralize material to a non-oxidizing state for a safe disposal.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOL WATER DISINFECTION: This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools of spas is prohibited above levels of 3 ppm of chlorine. START UP: Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine.

SHOCK TREATMENT: The pool water should be superchlorinated or shocked every 7 days or whenever the *combined* chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between *total* and *free* chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L), based on the test kit reading. The addition of 10 ozs. of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water until free available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity.

MAINTENANCE TREATMENT: Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams / 1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L).

When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge.

WINTERIZING: Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. STORAGE: Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Retie polyethylene liner after each use and keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put product, spilled or partially filled containers into the trash or wastecompactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal.

CONTAINER DISPOSAL: PLASTIC PAIL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. HOUSEHOLD CONTAINERS: Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash.