3432-69

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

1-17-2008



SEPA United States Christian Protocolistic Office of Pesticide Programs

## **FILE COPY**

## January 17, 2008

Al Pastore N. Jonas & Co., Inc. 4520 Adams Circle Bensalem, PA 19020

Subject: Maxi- Chlor II EPA Registration Number: 3432-69 Application Dated: January 03, 2008 Receipt Date: January 14, 2008

Dear Mr. Pastore:

This acknowledges receipt of your notification, Submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

**Proposed Notification** 

Addition Alternate Brand Name "RIVIERA Chlorinating Granules"

**General Comment** 

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely, er y M

Wanda Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

Application	for Pesticide - Section		
1. Company/Product Number	2. EPA Product Manager		3. Proposed Lassification
3432-69		. ·	X None Restrict
4. Company/Product (Name) MAXI-CHLOR II	PM#	- <u> </u>	
5. Name and Address of Applicant (Include ZIP Code) N. Jonas & Co. Inc. 4520 Adams Circle Bensalem, PA 19020 Check if this is a new address	1 -	milar or identical	with FIFRA Section 3(c)(3 in composition and labeling
	Section - II		
Amendment - Explain below.         Resubmission in response to Agency letter dated         X         Notification - Explain below.	Final printed lat Agency letter d "Me Too" Appli Other - Explain	cation.	
Explanation: Use additional page(s) if necessary. (For section I a and EPA regulations at 40 CFR 152.46, and no other changes have be I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully mak consistent with the terms of PR 98-10 and 40 CRF 152.46, this produc penalties under sections 12 and 14 of FIFRA. THE PROPOS RIVIERA Chlorinating Granule	een made to the labeling or the co ke any false statement to EPA. If t may be in violation of FIFRA and ED ALTERNATE BRAN	nfidential statemen urther understand t I I may be subject t	t of formula of this product. hat if this notification is not o enforcement action and
	Section - III	· · · ·	
1. Material This Product Will Be Paokaged In:			· · · · · ·
Child-Resistant Packaging     Unit Packaging       X     Yas       No     Yas       * Certification must     If "Yes"         No	Water Soluble Packaging Yes No If "Yes" No. per Package wgt container		Iteiner letal lastic lass aper ther (Specify)
Child-Resistent Packaging       Unit Packaging       I         X       Yes       Yes         No       X       No         * Certification must       If "Yes"       No. per         be submitted       Unit Packaging wgt. container       I	Yes X No If "Yes" No. per Package wgt container		letal lastic iless aper ther (Specify)
Child-Resistant Packaging       Unit Packaging         X       Yas         No       Yas         * Cartification must       If "Yas"         be submitted       No. per         3. Location of Net Contents Information       4. Size(s) Retail	Yes X No If "Yes" No. per Package wgt container Container 5.	Location of Label	letal lastic iless aper ther (Specify)
Child-Resistant Packaging       Unit Packaging         X       Yas         No       Yes         No       If "Yes"         Submitted       If "Yes"         3. Location of Net Contents Information       4. Size(s) Retail         X       Label       Container         6. Manner in Which Label is Affixed to Product       Lithograp	Yes X No If "Yes" No. per Package wgt container Container 5. 10:5 [] the Cother	Location of Label	letal lastic lass aper ther (Specify) Directions
Child-Resistant Packaging       Unit Packaging         X       Yas         No       Yas         No       Yas         * Cartification must       If "Yas"         be submitted       No. per         3. Location of Net Contents Information       4. Sizels) Retail         X       Label       Container         6. Manner in Which Label is Affixed to Product       Lithograp	Yes X No If "Yes" No. per Package wgt container Container 5. 10:5 [] the Cother	Location of Label	letal lastic lass aper ther (Specify) Directions
Child-Resistant Packaging       Unit Packaging         X       Yas         No       Yas         No       Yas         * Cartification must       If "Yas"         be submitted       No. per         3. Location of Net Contents Information       4. Sizels) Retail         X       Label       Container         6. Manner in Which Label is Affixed to Product       Lithograp	Yes X No If "Yes" No. per Package wgt container Container 5. 1bs hed Other Section - IV	Location of Label I	letal lastic ilass aper ther (Specify) Directions .abel
Child-Resistent Packaging       Unit Packaging         X       Yes         No       Yes         No       If "Yes"         No       If "Yes"         No       If "Yes"         S. Location of Net Contents Information       4. Size(s) Retail         X       Label       Container         S. Location of Net Contents Information       1 to 25         6. Manner in Which Label is Affixed to Product       Lithograp         Paper glu       Stenciled         1. Contact Point (Complete items directly below for identification of the stence items ditema ditema directly below for identification of the st	Yes X No If "Yes" No. per Package wgt container Container 5. 1bs hed Other Section - IV	Location of Label	letal lastic ilass aper ther (Specify) Directions .abel
Child-Resistant Packaging       Unit Packaging         X       Yas         No       Yes         No       If "Yes"         No       No. per         If "Yes"       No. per         Unit Packaging wgt.       No. per         If "Yes"       No. per         Unit Packaging wgt.       No. per         S. Location of Net Contents Information       4. Size(s) Retail         X       Label       Container         Container       1 to 25         6. Manner in Which Label is Affixed to Product       Lithograp         Paper glu       Stencilied         1. Contact Point /Complete items directly below for identification on         Name       Tit	Yes No If "Yes" No. per Package wgt container Container 5. 105 hed Other Section - IV of individual to be contacted, if n	Location of Label   On I BCESSARY, to process	letal lastic ilass aper ther (Specify) Directions .abel .ss this application.)
Child-Resistant Packaging       Unit Packaging         X       Yas         No       Yes         No       If "Yes"         No       No. per         If "Yes"       No. per         Unit Packaging wgt.       No. per         If "Yes"       No. per         Unit Packaging wgt.       No. per         S. Location of Net Contents Information       4. Size(s) Retail         X       Label       Container         Container       1 to 25         6. Manner in Which Label is Affixed to Product       Lithograp         Paper glu       Stencilied         1. Contact Point /Complete items directly below for identification on         Name       Tit	Yes No If "Yes" No. per Package wgt container Container 5. 105 hed Other Section - IV of individual to be contacted, if n de Technical Directo	A constant of Label I A constant of Label I	Itestal   Iastic   iass   aper   thier (Specify)   Directions abe1 Set this application. Image: a set of the set of t
Child-Resistent Packaging       Unit Packaging         X       Yes         No       Yes         No       If "Yes"         No       If the statements information         Name       If Complete items directly below for identification o         Name       If Cartification         I cartify that the statements I have made on this form and all I acknowledge that any knowlingly false or micleading statements both under applicable faw         2. Signature       If the statements I have made on this form and all I hac	Yes No If "Yes" No. per Package wgt container Container 5. 105 hed Other Section - IV of individual to be contacted, if n de Technical Directo	Location of Label I A On I Control I Cont	letal lastic lass aper ther (Specify) Directions .abel .abel lephone No. (Include Area Cod 15-639-8071 6. Date Application Received



FOR SPARKLING AND CRYSTAL CLEAR WATER SWIMMING POOL ALGAECIDE NO SCALE FORMING MINERALS OR INSOLUBLES CONVENIENT COMPLETE POOL CARE

## ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetrione Dihydrate	99%
OTHER INGREDIENTS	

Total 100%

EPA. Reg. No. 3432-69

EPA. Est. No. 3432-PA-1

Available Chlorine 55%



statements.

See back panel for additional precautionary

NET WT. 2 LBS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Hcmful if swallowed or alloorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or salely glassed. With the trough skin with sear and water after handling. Remove contaminated clothing and wash before reuse.

	FIRST AID _ 35 - 555 - 2
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor center for treatment advice.</li> </ul>
IF INHALED	Move person to fresh air.     Jerson is not breathing, call 911 or an ambulance, their give, artificial     so 5     respiration, preferably mouth-to-mouth, if possible.     So 5     Call a poison control center or doctor for further treatment advice.     So 5
IF ON SKIN OR CLOTHING	Take off contaminated clothing.     Take off contaminated clothing.     Rinse skin immediately with plenty of water for 15-20 minutes.     Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice.     Have person sip a glass of water if able to swallow.     Do not induce vomting unfess told to do so by the poison control center or doctor.     Do not give anything by mouth to an unconscious person.
Have th	e product container or label with you when calling a poison control center or doctor, or going for treatment.
	NOTE TO PHYSICIAN
	Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGEI Contact with water slowly liberates initiating and hazardous chlorine containing gases. Decomposes at temperatures above 454°F. with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use dean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction. IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT reseal container. Neutralize material to a non-oxidizing state for a safe disposal. DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SWIMMING POOL WATER DISINFECTION: This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine. START UP: Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit. reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals. of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine. SHOCK TREATMENT: The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L), based on the test kit reading. The addition of 10 post, of this product for each 10,000 gals. of water (7.5 grams / 1,000 L) will provide approximately 5 pont (mg/L) of available chorine. If the combined chlorine reading is not below 0.5 pont (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity. MAINTENANCE TREATMENT: Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 oz.sof this product per 10,000 gals. of water (1.5 grams/1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool.

Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge. WINTERIZING: Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions. STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. STORAGE: Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125F. (52C) for 24 hours. Retie polyethylene liner after each use and keep container tighthy closed. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or ninsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not put this product, spilled product, or filled or partially filled containers into the trash or wastecompactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal .CONTAINER DISPOSAL: PLASTIC PAIL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or it allowed by State and local authorities, by burning. If burned, stay out of smoke. HOUSEHOLD CONTAINERS: Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap container in several layers of newspaper and discard in trash

Mfg by: N. JONAS & CO., INC. • Bensalem, PA 19020

0