



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

MAR - 1. 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

**FILE COPY** 

Al Pastore N. Jonas & Co., Inc. 4525 Adams Circle Bensalem, PA 19020

Subject:

Maxi-Chlor II

EPA Registration No. 3432-69 Application Dated: February 4, 2011 Receipt Dated: February 9, 2011

Dear Mr. Pastore:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10. FIFRA section 3(c)9.

## **Proposed Notification:**

Addition of an alternate brand name (Flamingo Pool Supply Chlorinating Granules)

### **General Comments:**

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely,

Wanda Y. Henson

Acting Product Manager (32) Regulatory Management Branch II Antimicrobials Division (7510P)

<b>SEPA</b>	
-------------	--

#### United States Environme<sup>®</sup> Il Protection Agency

Registration

**OPP Identifier Number** 

	<u> </u>	pplication for	Paetinida -	Section 1		•	
0		Ahucanou 101				1000	
Company/Product Number 3432-69			2. EPA Produc	t Manager			d Classification
3432-69 Company/Product (Name)	····		PM#			_ X Non	Restricted
MAXI-CHLOR	11		* 1712				
Name_and_Address_of_App	licant (Include ZIP Cod	ie)			•		RA Section 3(c)(3)
N. Jonas & (		•	(b)(i), my pro	auct is SiMi	Alfinsor to teat	лагит сотро	sition and labeling
4520 Adams (			EPA Reg. I	No		<u> </u>	·
Bensalem, Pi	The first of the control of the cont	· · · · · · · · · · · · · · · · · · ·					şt
Check if this	is a new address		Product Na	me			
📞 alika (barisa kali sa	Popular Company	Se	ction - II				್ಯಾಟನ
Amendment - Explain	below.		1 1	printed lebels	s in repsonse	to	
Resubmission in respo	onse to Agency letter	dated		Too" Applica			
Notification - Evoluin I	to plake who e a fine of			r - Explain be			e e e e e e e e e e e e e e e e e e e
X Notification - Explain	·	\$ .	Utne	. <u></u>		<del></del>	
FL	AMINGO POOL	· · · · · · · · · · · · · · · · · · ·	ORINATING	GRANUL	ES		
. Material This Product Will	Be Packaged in:						
hild-Resistant Packaging	Unit Packaging	Wat	ter Solubie Packag	ing	2. Type of C	ontainer	
X Yes	Yes		Yes			Metal	
No	x No	Lx.	No		X	Plastic Glass	. · ·
· ·	if "Yes"			o, per ontainer		Paper	Section 2
Certification must	Unit Packaging wgt.		kage wgt co	ontainer	ا ا	Other (Spec	ify)
e submitted	Unit Packaging wgt.	container Pac			cation of lab		
e submitted Location of Net Contents	Unit Packaging wgt.	container Pac 4. Size(s) Retail Con	ntainer		cation of Labo	el Directions	ify)
e submitted Location of Net Contents Label	Unit Packaging wgt. Information	4. Size(s) Retail Cor	ntainer	5. Lo	77		
e submitted Location of Net Contents Label	Unit Packaging wgt. Information	4. Size(s) Retail Cor	ntainer		77	el Directions	
E submitted  Location of Net Contents  Label C  Manner in Which Label is	Unit Packaging wgt. Information	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled	ntainer	5. Lo	77	el Directions	
Location of Net Contents  Label Contents  Manner in Which Label is	Unit Packaging wgt. Information Container Affixed to Product	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled	hteiner Lbs	5. Lo	On	d Directions Label	
be submitted  Location of Net Contents  Label C  Manner in Which Label is  Contact Point (Complete	Unit Packaging wgt. Information Container Affixed to Product	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled	ntainer  bs  ction - IV  redividual to be con	5. Lo	On	el Directions  Label  Lacess this app	
Location of Net Contents Label Contents Manner in Which Label is Contact Point (Complete	Unit Packaging wgt. Information Container Affixed to Product	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled  Second Stenciled Stenciled Title	ection - IV	Other	On	Label  cess this app	hication,)
Label Contents  Manner in Which Label is  Contact Point (Complete	Unit Packaging wgt. Information Container Affixed to Product	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper dued Stenciled  Se  for identification of in	ntainer  bs  ction - IV  redividual to be con	Other	On	Label  Label  Coss this app  Telephone No.	olication.)  . ((No)ude Area Code
Label Contents Label Contents Manner in Which Label is Contact Point (Complete lame Al Pastore I certify that the state I acknowledge that ar	Unit Packaging wgt. Information Container Affixed to Product  items directly below to the second sec	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled  Se  Title  Cartification of in this form and all att	ection - IV	other	On On Cassary, to pro	Label  Coess this app Telephone No. 215-639	hication,)
Location of Net Contents  Label Contents  Label Contents  Manner in Which Label is  Contact Point   Complete    Lame  Al Pastore    certify that the state   acknowledge that ar both under applicable	Unit Packaging wgt. Information Container Affixed to Product  items directly below to the second sec	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled  Selection of interpretation of interpretation of the Title Telection and all attended statements	echnical Dachments thereto	other	On On	Label  Coess this app Telephone No. 215-639	olication.) (Include Area Code 0-8071 Data Application Received
Label Contents Label Contents Manner in Which Label is Contact Point (Complete lame Al Pastore I certify that the state I acknowledge that ar	Unit Packaging wgt. Information Container Affixed to Product  items directly below if  ments I have made only knowlingly false or law.	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled  Selection of interpretation of interpretation of the Title Telection and all attended statement of the Title Telection of the Title Telect	echnical Dachments thereto	Other	On On	Label  Coss this app Telephone No. 215-639	olication,) ([n.slude Area Code 0-8071 Data Application Received
Label C.  Label C.  Manner in Which Label is  Contact Point (Complete lame  Al Pastore  I certify that the state I acknowledge that arboth under applicable	Unit Packaging wgt. Information Container Affixed to Product  items directly below if  ments I have made only knowlingly false or law.	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled  Selection of in Title  Telection and all att misleading statements  3. Title	ection - IV  ection - IV  echnical D  echments thereto  et may be punished	Other	On On	Label  Coss this appropriate to the cost of the cost o	olication,) ([n.slude Area Code 0-8071 Data Application Received
Label Contents  Label Contents  Label Contents  Manner in Which Label is  Contact Point (Complete  ame  Al Pastore  I certify that the state I acknowledge that ar both under applicable	Unit Packaging wgt. Information Container Affixed to Product  items directly below if  ments I have made only knowlingly false or law.	4. Size(s) Retail Cor  1 to 25 1  Lithograph Paper glued Stenciled  Selection of interpretation of interpretation of the Title Telection and all attended statement of the Title Telection of the Title Telect	ection - IV  ection - IV  echnical D  echments thereto  et may be punished	Other	On On	Label  Coss this app Telephone No. 215-639	olication,) ([n.slude Area Code 0-8071 Data Application Received



# **Chlorinating Granules**

FOR SPARKLING AND CRYSTAL CLEAR WATER • SWIMMING POOL ALGAECIDE NO SCALE FORMING MINERALS OR INSOLUBLES CONVENIENT COMPLETE POOL CARE

FIRST AID: Have the product container or label with you when calling a poison control center or doctor or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call \$11 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for turber treatment advice. IF ON SKIN OR CLOHINO: Take off contaminated offining. Finise skin immediately with plenty of wheter for \$5-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor. On only one anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of astric lavage.

EPA Est. No. 3432-PA-1 • EPA Reg. 3432-69

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements.

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazir

Sodium Dichloro-s-triazinetrione
Dihydrate......99%

OTHER INGREDIENTS ..... 1%

Available Chlorine 55%

Total 100%

Net Wt: 15 Lbs.

Mfg. by: N. JONAS & CO., INC. • Bensalem, PA 19020

NOTIFICATION / Date Heviewald: 3/1/201/

(Black plate)

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never acd water to this product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. In CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. Do NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction.

IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT reseal container. Neutralize material to a non-oxidizing state for a safe disposal.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOL WATER DISINFECTION: This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Reentry into treated swimming pools of spas is prohibited above levels of 3 ppm of chlorine. START UP: Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on reading from a suitable test kit. The addition of 10 ounces of this product for each 10,000 gals, of water (7.5 grams / 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine.

SHOCK TREATMENT: The pool water should be superchlorinated or shocked every 7 days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit. Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L), based on the test kit reading. The addition of 10 czs. of this product for each 10,000 gals. of water (7.5 grams 7,1,000 L) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm (mg/L), combined abled is below 1.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above. bined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity.

MAINTENANCE TREATMENT: Add this product daily or as needed to maintain the free available chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. The addition of 2 ozs. of this product per 10,000 gals. of water (1.5 grams / 1,000 L) will provide approximately 1 ppm (mg/L) of available chlorine. Weather and usage effect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the ph 4 of 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). When the total dissolved solid (TDS) reaches 3000 ppm (mg/L) or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hrs. prior to discharge.

WINTERIZING: Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply 16 ounces of this product for each 10,000 gallons of water (12 grams per 1,000 liters), while the filtration system is running. This will increase the available chlorine by approximately 8 ppm (mg/L). Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal

STORAGE: Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F (52°C) for 24 hours. Retie polyethylene liner after each use and keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticio or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. On not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. DO NOT transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If Empty: Do not reuse this container, Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#0611-CHLOR POWDER - BACK















