FEB 28 2002

the Federal Insecticide, Fungicide, St. to destable Act as amended, for the



Bor-X

Intended to reduce algae growth. Improves the effectiveness of sanitizers. Compatible with all pool chemicals.

FOR USE IN SWIMMING POOLS

ACTIVE INGREDIENT:
Sodium Tetraborate Pentahydrate........... 100%

EPA REG. NO. 3432-72 EPA EST. NO. 3432-PA-1

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautionary statements on side panel

NET WT. 2 LBS.

MFG. BY: N. JONAS & CO., INC. • BENSALEM, PA 19020

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, CORROSIVE: Causes irreversible eye damage. Do not get in eyes or on clothing. Harmful if swallowed. Wear protective eye wear (goggles, face shield, or safety glasses.) Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or docto Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
	NOTE TO PHYSICIAN
Pro	bable mucosal damage may contraindicate the use of gastric lavage.

-10 11 -12 13 -14

15 . 16

17

-18

19

-20

21

22

23

- 24

25

-26

27

28

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its tabeling Initial Application:

- 1. While the fifter is running, broadcast two pounds of Bor-X per 1,000 gallons over the pool water surface, Divide the initial dose into two half doses and add each half dose to the pool 10 minutes apart. The initial application of Bor-X will raise the pH of the pool, to regulate this pH change add 3/4 lbs, pH Down (Sodium Bisulfate) for each pound of Bor-X. Dissolve the ph Down in a pail of water, one pound at a time. When fully dissolved add
- 2. Run the filter for approx, 4 hrs then test the pH. Adjust the pH, if needed, at this time. The pH must be maintained between 7.4 and 7.6. Correct water balance should be maintained, see your dealer for instruction.
- Once each month test Bor-X residual. It should be maintained at 30-50 ppm, Your professional dealer can test this for you. Only lifter backwashing and splash-out will result in the loss of Bor-X

WINTERIZATION: Bor-X will also enhance your winterizing program. Bor-X can be used with your regular winterizing kit. Test Bor-X level to insure that it is at the recommended value. Your professional dealer can test this for you.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. PESTICIDE STORAGE: Store in original container in a locked area, inaccessible to children and pets. Store in a cool, dry well-ventilated area. PESTIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Place container in trash collection or dispose in approved landfill area. Do not reuse empty container.



