

ACCEPTED
MAR 27 2002



FOR GREEN, BLACK AND YELLOW ALGAE CONTROL

ACTIVE INGREDIENT:

Poly [oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichloride].....20%

OTHER INGREDIENT80%

TOTAL.....100%

Contains: Poly-dimethyl dialyl ammonium chloride.....20%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautions



EPA REG. NO. 3432-74
EPA EST. NO. 3432-PA-1

NET CONTENTS: 1 QT.

Mfg. by: N. Jonas & Co., Inc. 4520 Adams Circle
Bensalem, PA USA 19020

oz. 3432-74

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

| | |
|------------------------|--|
| IF INHALED | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. |
| IF ON SKIN OR CLOTHING | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| IF IN EYES | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- INITIAL TREATMENT FOR PREVENTION OF ALGAE GROWTH IN CLEAR POOL WATER: Use 8 to 12 oz. of ALGICIL "2+2" for every 10,000 gallons of water.
- INITIAL TREATMENT FOR POOLS WITH VISIBLE ESTABLISHED ALGAE: Use 16 to 24 oz. of ALGICIL "2+2" for every 10,000 gallons of water. Remove dead, settled algae by vacuuming.
- BLACK ALGAE CONTROL: Apply 16 fluid oz. of ALGICIL "2+2" for every 10,000 gallons of water when algae first appears. Brush spots daily to remove dead algae. Vacuum out settled algae.
- TO MAINTAIN POOLS FREE OF VISIBLE ALGAE GROWTH: Use 4 to 8 oz. of ALGICIL "2+2" per 10,000 gallons of water weekly.

STORAGE AND DISPOSAL


STORAGE: Do not contaminate water, food, or feed by storage or disposal. Keep container closed and in a cool place when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Mop up spills with clear water. All pesticides should be kept out of reach of children and stored away from food.

DISPOSAL INSTRUCTIONS: If empty: Do not reuse this container. Do not rinse unless required for recycling. Place in trash. If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

SHAKE WELL BEFORE USING

TO CALCULATE GALLONAGE FOR ROUND OR OVAL POOLS: Multiply diameter x diameter x average depth (all in feet) x 5.9 = gallons.

FOR RECTANGULAR POOLS: Multiply length x width x average depth (all in feet) x 7.5 = gallons.



3432-74

3/27/2002

1/1