

### 1. POST-EMERGENCE BROADLEAVED WEED CONTROL

Kills most broadleaved weeds including dandelion, plantain, buckhorn and similar non-grass weeds.

### 2. NATURE'S RATIO\* LAWNFOOD

A scientific balance of the major plant foods formulated in the ratio used by turf grasses as recommended by leading turf authorities.

### 3. IRON ADDED

Promotes vigorous growth, darker green color and prevents lawn yellowing (iron chlorosis).

### APPLICATION RECOMMENDATIONS

Apply in the spring before dandelions bloom and again in late summer or early fall for best results. Apply when grass blades are damp and allow the material to remain on the plants for 24 hours; then water the treated area thoroughly. New lawns can be treated after the second mowing. Do not apply to shrubs and ornamentals. 22 lbs. covers 5,000 sq. ft.

SPREADER	SETTING
Golf Brand Lawnspreeder	No. 5
Greenfield	No. 8
Scott's	No. 6 1/2
Cyclone	No. 4

### HELPFUL HINTS

Susceptible plants usually die and disappear in about two weeks. Longer if the soil is dry and weather is cool. Some hard to kill weeds may require one or more repeat applications. Do not use on bentgrass, Dichondra, St. Augustine grass, carpetgrass or clover lawns.

### CAUTION

Keep out of the reach of children. Avoid contact with skin, eyes, or clothing. Do not inhale the dust. Wash hands with soap and water immediately after using. Avoid contamination of feed and foodstuffs. Do not store near seeds, fertilizer, insecticides or fungicides. Do not apply within 100 feet of desirable trees and shrubs. Avoid drift to susceptible plants as this product may injure cotton, beans, peas, grapes, ornamentals, etc. Vapors from this product may injure susceptible plants in the immediate vicinity.

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on this label. Do not reuse container. Destroy by burying in a safe place away from water supplies. Do not burn.

SOLD BY:



**NORTHROP, KING & CO.**

MINNEAPOLIS, MINN. 55412 • BO SE (DANC 4375) • FRESNO, CALIF. 93716

# Preventer

USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED DOSAGE.  
This product is designed for the pre emergence control of annual weeds such as smooth and hairy crabgrass, green and yellow foxtail, common chickweed, Florida pusley, lambsquarters, purslane and weeds in lawns. When used as recommended, it will not harm established grass and will control crabgrass for an entire season by killing plants as seeds germinate.

## DIRECTIONS FOR APPLYING

**WHEN TO APPLY:** This product must be applied in early spring before above weeds germinate. With the exception of common chickweed, these weeds may germinate any time there is damp rainy weather with night temperatures above 65° F. for 3 to 6 days.

**SEEDING:** The ideal time to sow lawn seed is in the fall. If spring seeding is necessary, sow seed sufficiently early so there is a noticeable green stand of grass before deadline for applying the pre emergence control. As an alternative, apply this product as soon as the frost is out of the ground and after seeding for approximately 60 days. The shorter the waiting period, the more grass seed must be sown to insure a desirable stand. Delay of less than 30 days is not recommended.

**COMMON CHICKWEED:** This weed thrives in cool weather. In some areas, it is a problem in the fall and spring; in others, depending on the weather, it grows anytime. To control this weed, it is suggested that you use this product to prevent new plants from developing for a season.

**HOW TO APPLY:** Use a fertilizer spreader per guide shown below:

## SPREADER SETTING GUIDE

Spreader settings are approximate and are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

Make	Setting
Wards 1091, 1093, 1095	7-1/2
Wards 1080, 1081	5-1/2
Central (Recessed Wheel)	7-1/2
Jackson & Sears	6-1/2
Lawn Beauty	8
Scott	7-1/2

## CAUTION


Do not take internally. Avoid inhalation or contact with eyes. Do not contaminate feed or foodstuffs. Wash after handling or using. Do not use on dichondra.

## NOTICE

USS Agri Chemicals, Inc. can accept no responsibility for injury to persons or animals, for loss or damage to lawns, soil, or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Licensed for use under U. S. Patent Number 2,923,624

USDA Reg. No. 3442-559



# Crabgrass Preventer

# Crabgrass Preventer

grass  
enter

grass Preventer

#### READ FOLLOWING CAREFULLY BEFORE APPLICATION

#### USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED DOSAGE

This product is designed for the pre-emergence control of annual weeds such as smooth and hairy crabgrass, green and yellow foxtail, common chickweed, Florida pusley, lambquarters, purslane and witch grass in lawns. When used as recommended, it will not harm established grass and will control above weeds for an entire season by killing plants as seeds germinate.

#### DIRECTIONS FOR APPLYING

**WHEN TO APPLY:** This product must be applied in early spring before above weeds germinate. With the exception of common chickweed, these weeds may germinate any time there is damp rainy weather with night temperatures above 65° F. for 3 to 6 days.

**SEEDING:** The ideal time to sow lawn seed is in the fall. If spring seeding is necessary, sow seed sufficiently early so there is a noticeable green stand of grass before deadline for applying the pre-emergence control. As an alternative, apply this product as soon as the first is cut of the ground and delay seeding for approximately 60 days. The shorter the waiting period, the more grass seed must be sown to insure a desirable stand. Delay of less than 30 days is not recommended.

**COMMON CHICKWEED:** This weed thrives in cool weather. In some areas, it is a problem in the fall and spring; in others, depending on the weather, it grows anytime. To control this weed, it is suggested that you use this product to prevent new plants from developing for a season.

**HOW TO APPLY:** Use a fertilizer spreader per guide shown below:

#### SPREADER SETTING GUIDE

Spreader settings are approximate and are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

Make	Setting
Wards 1091, 1093, 1095	7-1/2
Wards 1080, 1081	5-1/2
Central (Recessed Wheel)	7-1/2
Jackson & Sears	6-1/2
Lawn Beauty	8
Scott	7-1/2

#### CAUTION


Do not take internally. Avoid inhalation or contact with eyes. Do not contaminate feed or foodstuffs. Wash after handling or using. Do not use on dichondra.

#### NOTICE

USS Agri-Chemicals, Inc. can accept no responsibility for injury to persons or animals or for loss or damage to lawns, soil, or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Licensed for use under U. S. Patent Number 2,923,634

USDA Reg. No. 3442-559



ACCEPTED

11-5-69

3442-55

Crabgrass Preventer