

Net Wt

USS

\$6.95

PER FECT QUART

Vertagreen

Crabgrass



Mop



Produced by
Agri-Chemicals, Inc.
A Division of Agri-Bio, Inc., and Agri-
Chemical Company, Inc.

READ FOLLOWING CAREFULLY BEFORE APPLICATION

CAUTION

EX-100-7



100-1000-1000-1000-1000

ACTIVE INGREDIENT
Sidoron [1-(2-methylcyclohexyl)-
phenylurea]
INERT INGREDIENTS

By Weight
0.4%
93.6%
1.0%
100.0%



Distributed by
Agri-Chemicals, Inc.
Subsidiary of United States Steel Corp.
P.O. Box 5808
Akron, Ohio 44308

READ FOLLOWING CAREFULLY BEFORE APPLICATION

USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED DOSAGE

This product is designed for the pre-emergence control of annual weeds, grasses, such as smooth and hairy crabgrass, foxtail, and broadleaf weeds, in newly selected or established plantings of the following grasses only: bluegrass, fescue, ryegrass, winter rye, perennial ryegrass, tall fescue, and the following strains of bentgrass: PennCross, Kentucky Bluegrass, Agrostis, Kentucky 31, C-7 and C-19. Do not use on other bentgrass strains nor on fine fescues, or injury to turf may result.

Effect on golf course grasses may vary with turf management practices and environmental conditions. Therefore, its use on golf courses is not recommended, as injury to turf may result. Treatment will not affect annual ryegrass, Pennsylvania, clover, or most broadleaf weeds.

This product may be applied at any stage of turf development, including new seedlings.

A 1/2" inch of water must be provided by rainfall or irrigation within 3 days after treatment in order to move the chemical into the root zone of germinating weeds.

DIRECTIONS FOR APPLYING

WHEN TO APPLY: Use in the spring before crabgrass germinates.

AMOUNT TO APPLY:

BARE GROUND SEEDINGS: In starting a new lawn or filling in open areas in established lawns in the spring, apply 9 lbs. per 2500 sq. ft. (3.6 lbs. per 1000 sq. ft.) as the last operation over newly seeded areas. When overseeding to thicken an existing lawn, follow directions for established lawns. Follow regular watering practices for good seed germination.

ESTABLISHED LAWNS: Apply 9 lbs. per 2500 sq. ft. (3.6 lbs. per 1000 sq. ft.)

HOW TO APPLY: Use a fertilizer spreader per guide shown below.

SPREADER SETTING GUIDE

Spreader settings are approximate and are based on an average walking speed. Reduce setting for lower speed; raise setting for higher speed.

Model	New Seeded Area Setting	Established Lawn Setting
Wards 1091, 1093, 1095	6 1/4	7 1/2
Wards 1080, 1081	4 1/2	5 1/2
Central (Recessed Wheel)	1 1/4	7 1/2
Jackson & Sears	5	6 1/2
Lawn Beauty	6 1/4	8
Scott	5 1/2	7 1/2

CAUTION

May irritate eyes, nose, throat, and skin. Avoid inhalation or contact with skin, eyes, or clothing. Do not contaminate feed or foodstuffs.

NOTICE

USS Agri-Chemicals, Inc. can accept no responsibility for injury to persons or animals or for loss or damage to lawns, crops, or other property resulting from failure to follow directions or to observe actions printed on this package.

USDA Reg. No. 3442608

