


Subject	Vertagreen Thiram 75 WP - 3 Lbs.	Account: USS50028
		Page 1 of 3
		Date: Rev. 6/13/85

Copy for Front

VERTAGREEN
THIRAM 75 WP
TURF FUNGICIDE & ANIMAL REPELLENT
For Golf Course Use



(Contains 75 lbs. Thiram per 100 lbs.)

ACTIVE INGREDIENTS:	By Weight
Thiram*.....	75.00%
INERT INGREDIENTS:.....	25.00%
TOTAL:.....	100.00%

*Tetramethylthiuram disulfide

EPA Reg. No. 3442-623

EPA Est. No.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Note: Regarding above copy, minimum type size is:
18 Pt. for CAUTION
12 PT. for KEEP OUT OF REACH OF CHILDREN

See Other Cautions on Back Panel

NET WT. 3 LBS.


Copy for Back

READ FOLLOWING CAREFULLY BEFORE APPLICATION

USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES
AND AT RECOMMENDED DOSAGE

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in
a manner inconsistent with its labeling.



Subject	Vertagreen Thiram 75 WP - 3 Lbs.	Account: USS50028
		Page 2 of 3
		Date: Rev. 6/13/85

Copy for Back (Continued)

Do not rotate treated crop with crops other than those with registered thiram uses.

Do not reenter treated areas within 24 hours following application unless protective clothing is worn.

Use this product for the control of brown patch, dollar spot and snow mold in lawns and as an animal repellent. Thiram is a taste repellent that is effective only on animals attempting to feed on the treated foliage. Use in sufficient water for good coverage.

ANIMAL REPELLENT: To protect trees, shrubs, nursery stock and ornamentals for 6 months or longer (depending on weather and other conditions) from rabbits, meadow mice and deer, use a mixture of 1 lb. of this product, 3 qts. of water and 2 lbs. of a weather resistant sticker. Do not mix more repellent than can be used in a short time. Apply when plants are dormant or growing but before expected time of animal damage. Use only when surfaces of plants to be treated are dry and under favorable drying conditions.

SPRAY APPLICATION: Apply mixture as a full-coverage spray with a hand or mechanical sprayer. For tree seedlings, do not treat more than 3,000 seedlings per gallon of finished spray.

DIP APPLICATION: Apply mixture to bundles of tree planting stock by dipping to thoroughly wet foliage and other parts to be protected. Permit excess repellent to run off treated plants without coming in contact with roots.

Bundles of tree planting stock that are treated with this product must bear distinct labeling that instructs: CAUTION: Treated with thiram. Wear rubber gloves and protective clothing when handling products treated with thiram. Direct exposure to skin may result in severe dermatitis.

BRUSH APPLICATION: Apply on lower trunk of fruit trees or ornamental plantings from ground level to a height of 2-1/2 ft. to protect plants from trunk injury.

DO NOT USE ON PLANT PARTS THAT ARE TO BE USED FOR FOOD OR FEED.

BROWN PATCH AND DOLLAR SPOT: Use 6 oz. per 1,000 sq. ft. Apply early before diseases appear. During summer when periods of high temperature and humidity are favorable for disease development, apply at 10-day intervals.

SNOW MOLD: Use 8 oz. per 1,000 sq. ft. in late fall before snow falls and 4 oz. per 1,000 sq. ft. in spring just after snow has melted. If repeated rains or periods of thawing occur, treatment at lower rate during open periods in mid-winter will provide added protection.

NOTE: 1 oz. equals 6 level tablespoonfuls.

Subject	Vertagreen Thiram 75 WP - 3 Lbs.	Account: USS50028
		Page 3 of 3
		Date: Rev. 6/13/85

Copy for Back (Continued)

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12 Pt. type size.)

STORAGE: Store in a dry place.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Consumption of alcoholic beverages increases the toxic effects of thiram. May cause skin irritation. Do not inhale dust. Do not get in eyes or on skin. Wash thoroughly after handling. Do not use grass clippings for food or feed purposes.

ENVIRONMENTAL HAZARDS


This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

NOTICE: USS Agri-Chemicals can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil, or other property resulting from failure to follow directions for use or to observe cautions printed on this label.

Manufactured For

USS Agri-Chemicals
Division of United States Steel
P. O. Box 1685 - Atlanta, GA 30301
Vertagreen is a Registered Trademark

USS
UPC Code
25704-50028



Below for Internal Use Only

APPROVALS - MARKETING	DATE	REGULATORY SRVS.	DATE
BY <i>John M. [Signature]</i>	6/14/85	<i>C. D. [Signature]</i>	6-14-85