FOLLOWING CAREFULLY BEFORE READ APPLICATION

### USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED DOSAGE

### **DIRECTIONS FOR USE**

Use this product for prevention and control of dollar spot, copper spot and red thread (pink patch).

PREVENTATIVE TREATMENT: Apply 1/2 oz. of this product in 5 to 10 gals. of water per 1,000 sq. ft. of turf area every month.

CURATIVE TREATMENT: If disease is already present, apply 1/2 oz. of this product in 5 to 10 gals. of water per 1,000 sq. ft. of turf area and make second application one week later. When dollar spot is effectively controlled, revert to preventative spray schedule.

NOTE: To control brown patch and above diseases simultaneously, use a suitable brown patch fungicide between successive applications of this product.

#### SPRAY PREPARATION


Fill tank with 5 to 10 gals. of water for each 1,000 sq. ft. of turf to be treated. Add required amount of product and keep in suspension by agitation.

IMPORTANT --- Fungicides tend to wash from grass blades during hard rains or under conditions of heavy, daily watering. Watering after application is unnecessary and should preferably be delayed for 24 hours after application. If there is evidence that product has been removed, make re-application, especially at times when diseases may be expected to be severe.

# CADMIUM 60 WP **TURF FUNGICIDE**

ACTIVE INGREDIENT

- Cadmium Succinate\* . .
- INERT INGREDIENTS . .
- \*Total Cadmium (Cd) . .





## VERTAGARD

FOR CONTROL OF

DOLLAR SPOT • COPPER SPOT **RED THREAD (PINK PATCH)** 

																			By	By Weight			
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	60%			
•	•	٠	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	40%			
										i	TOTAL			٠	•	•	•	•	-	100%			
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	29%			

USDA Reg. No. 3442-626

## WARNING

### Keep out of reach of children

See other warnings on side panel

Net Weight Lbs.

ARMOUR AGRICULTURAL CHEMICAL COMPANY P. O. BOX 1685 • ATLANTA, GA.

\*\*\*\*\***\*\*\*** 



## VERTAGARD

# CADMIUM 60 WP **TURF FUNGICIDE**

FOR CONTROL OF

DOLLAR SPOT COPPER SPOT **RED THREAD (PINK PATCH)** 

ACTIVE INGREDIENT																		
Cadmium Succinate*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
INERT INGREDIENTS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

ACCEPTED

RE

lar

his

ft.

int,

of

nd is

ray

ses.

ide

3ch

red

by

ass

of

is 24 hat

on,

JUN1 3 1967

UNDER THE FEDERAL UNSECTICIDE FOR ECONOMIC POISON REGISTER-ED UNDER NO. 34402 - 126

3442-626

USDA Reg. No. 3442-626

## WARNING

Keep out of reach of children

See other warnings on side panel

Net Weight Lbs.

\*\*\*\***\*\*\*\*** 

# **ARMOUR AGRICULTURAL CHEMICAL COMPANY**

P. O. BOX 1685 • ATLANTA, GA.

#### WARNING

#### MAY BE FATAL IF SWALLOWED

Avoid breathing dust.

Do not get in eyes or on skin.

Wash thoroughly after handling.

#### **DISPOSAL OF EMPTY CONTAINERS** AND SPILLAGE

EMPTY CONTAINERS: DO NOT RE-USE, Burn promptly and keep out of smoke.

SPILLAGE: Clean up, use promptly or bury at least 18" deep in an isolated location away from water supplies.

#### NOTICE

Armour Agricultural Chemical Company can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil, or other property resulting from failure to follow directions for use or to observe cautions printed on this label.

By Weight . . . . 60% . . . . 40% TOTAL . . . . . 100%