

Code: 13-C

9/6/66

Armour Vertagreen Weed & Feed

Copy for Face:

20 LBS. NET WT.  
ARMOUR LOGO  
VERTAGREEN  
WEED & FEED

*OK*

ACTIVE INGREDIENTS	By Weight
Dimethylamine salt of 2,4-Dichlorophenoxyacetic Acid*	1.39%
Isocetyl ester of Silvex [2-(2,4,5-Trichlorophenoxy) propionic acid]**	.82%
INERT INGREDIENTS	97.79
	<u>100.00%</u>
	Total
*2,4-D acid equivalent	1.15%
**Silvex acid equivalent	.58%

CAUTION: KEEP OUT OF REACH OF CHILDREN  
ADDITIONAL CAUTIONS: SEE REVERSE SIDE

Treats 5000 Sq. Ft. (50 x 100)

WEED & FEED

Copy for Gussets:

Near Top:

Lower Portion:

ARMOUR LOGO

VERTAGREEN  
WEED & FEED

**ACCEPTED**

APR 15 1967

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 3442-660

Code: 13-C  
Armour Vertagreen Weed & Feed  
Copy for Back:

9/6/66

ACCEPTED

The following copy must appear in the upper 1/3 of back of bag:

NET WT.  
GROSS WT.  
NET WT.  
GROSS WT.

(PRINT NAME OF MANUFACTURER HERE)  
(PRINT TRADE NAME HERE)  
(PRINT GUARANTEED ANALYSIS HERE) (PRINT PESTICIDE INGREDIENT STATEMENT HERE)  
(PRINT STATEMENT OF ACTIVE INGREDIENT PER 100 LBS. HERE)

ARMOUR AGRICULTURAL CHEMICALS CO., P. O. BOX 1685, ATLANTA, GA.

The following copy must appear in the lower 2/3 of back of bag:

READ FOLLOWING LABEL CAREFULLY BEFORE APPLICATION

USE THIS PRODUCT ONLY FOR PURPOSES LISTED AND AT RECOMMENDED DOSAGE

This product is designed for control of broadleaf weeds and certain woody plants in lawns, such as:

<u>Bindweed</u>	<u>Croton</u>	<u>Jewelweed</u>	<u>Pennywort</u>	<u>Smartweed</u>
<u>Black medic</u>	<u>Dandelion</u>	<u>Jimson weed</u>	<u>Pepper grass</u>	<u>Speedwell</u>
<u>Blue lettuce</u>	<u>Dock</u>	<u>Kochia</u>	<u>Pigweed</u>	<u>Spotted spurge</u>
<u>Buckhorn</u>	<u>Fanweed</u>	<u>Knotweed</u>	<u>Plantain</u>	<u>Thistle</u>
<u>Burdock</u>	<u>Galinsoga</u>	<u>Lambsquarters</u>	<u>Poison ivy</u>	<u>Vervains</u>
<u>Chickweed</u>	<u>Goldenrod</u>	<u>Mallow</u>	<u>Poison oak</u>	<u>Vetch</u>
<u>Chicory</u>	<u>Ground ivy</u>	<u>Morning glory</u>	<u>Poverty weed</u>	<u>Wild aster</u>
<u>Cinquefoil</u>	<u>Hawkweed</u>	<u>Mustard</u>	<u>Purslane</u>	<u>Wild lettuce</u>
* <u>Clover</u>	<u>Heal-all</u>	<u>Nettles</u>	<u>Ragweed</u>	<u>Wild radish</u>
<u>Cocklebur</u>	<u>Henbit</u>	<u>Oxalis</u>	<u>Shepherd's-purse</u>	<u>Yarrow</u>

\*Clover is more sensitive to weed killers in spring and fall. If desired, after weeds have been killed, clover can be re-seeded in early fall.

DIRECTIONS FOR APPLYING

WHEN TO APPLY: Best results are obtained if applied when weeds are growing rapidly, just before or during early stages of bloom.

HOW TO APPLY: Use a fertilizer spreader. Following settings are approximate for applying contents of this package at suggested rate of 4 lbs. per 1000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

(PRINT HERE AFTER SETTING GUIDE HERE)

CAUTION!

AVOID INHALATION of dust or contact with skin, eyes or clothing. Wash exposed parts thoroughly with soap and water after handling.

DO NOT apply when grass is wet or on hot humid days.

(continued)

ACCEPTED

4/6/66

Code: 13-C  
Armour Vertagreen Weed & Feed  
Copy for Back - cont'd.

DO NOT apply when wind is blowing, and DO NOT allow dust to drift to any other plants such as flowers, shrubs or vegetables.

DO NOT store near other fertilizers, acids, insecticides or fungicides.

DO NOT broadcast on dichondra, St. Augustine, centipede, carpet or bent grasses.

DO NOT apply on grass seedlings or newly seeded lawns.

DO NOT contaminate water used for irrigation or domestic purposes.

Vapors from this product may injure susceptible plants in the immediate vicinity.

NOTICE

Armour Agricultural Chemical Company can accept no responsibility for injury to persons or animals or for loss or damage to lawns, soil, or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

USDA Reg. No. 3442-

Code: 13-C

11/10/66

Armour Vertagreen Weed & Feed

Copy for Guaranteed Analysis

20-10-5  
2,4-D & Silvex

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N).....	20.00%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ).....	10.00%
Soluble Potash (K <sub>2</sub> O).....	5.00%

Where required by state law:

Potential Acidity 1000 lbs. Calcium  
Carbonate Equivalent per ton

ACTIVE INGREDIENTS By Weight

Dimethylamine salt of 2,4-Dichloro- phenoxyacetic acid*	1.39%
Isooctyl ester of Silvex [2-(2,4,5- Trichlorophenoxy)propionic acid]**	.82%

INERT INGREDIENTS	97.79%
Total	100.00%

*2,4-D acid equivalent	1.15%
**Silvex acid equivalent	.58%

(This product contains 1.15 lbs. 2,4-D  
and 0.58 lb. Silvex per 100 lbs.)

ACCEPTED

*[Handwritten signature]*

*[Handwritten text]*

Code: 13-C

9/6/66

Armour Vertagreen Weed & Feed

Copy for Spreader Setting Guide:

SPREADER SETTING GUIDE

Spreader settings are approximate and are based on an average walking speed.  
Reduce setting for slower speed; raise setting for higher speed.

<u>Make</u>	<u>Setting</u>
Central (Recessed Wheel)	6-3/4
Champion	1-1/2
Lawn Beauty	7-1/2
Sears & Jackson	5
Scott	5-1/2
Ward (Recessed Wheel)	6-3/4

