



Vertagreen

TRADEMARKS

Triple Duty Rose & Flower Treatment

Fertilizer/Systemic Insecticide/Weed Killer
8-8-8 with "DI-SYSTON and TREFLAN"

ACTIVE INGREDIENTS	By Weight
O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate	1.00%
Trifluralin (a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine)	0.17%
INERT INGREDIENTS	98.83%
TOTAL	100.00%

Feeds Roses / Kills Insects / Prevents Weeds


USDA Reg. No. 3442-673

"DI-SYSTON is the Reg. TM of Farbenfabriken Bayer A.G., Chemagro Corporation Licensee.

TREFLAN® is the Reg. TM for trifluralin. Elanco Products Company, a Division of Eli Lilly and Company.

WARNING: Keep Out of Reach of Children
See additional warnings on back panel

5 Lbs. Net Wt.



Triple Duty Rose and Flower Treatment




5 Lbs. Net Wt.

Triple Duty Rose and Flower Treatment

Fertilizer/Systemic Insecticide/Weed Killer
8-8-8 with DI-SYSTON & TREFLAN

MINIMUM GUARANTEED ANALYSIS		ACTIVE INGREDIENTS	By Weight
Total Nitrogen (N)	8.00%	O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate	1.00%
6.0% Ammoniacal Nitrogen		Trifluralin (a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine)	0.17%
0.8% Urea Nitrogen		INERT INGREDIENTS	98.83%
1.2% Water Insoluble Nitrogen		TOTAL	100.00%
Available Phosphoric Acid (P ₂ O ₅)	8.00%		
Soluble Potash (K ₂ O)	8.00%	(Contains 1 lb. DI-SYSTON & .17 lb. TREFLAN per 100 lbs.)	
Magnesium (Mg)	0.80%	'U.S. Patent No. 2,759,010	
Iron (Fe)	0.32%		
Manganese (Mn)	0.07%		
Potential acidity 500 lbs. calcium carbonate equivalent per ton			



**READ FOLLOWING CAREFULLY BEFORE APPLICATION
USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT
RECOMMENDED DOSAGE**

This product is designed to supply the following:

1. A plant food for roses, ornamental shrubs, established bedding plants, and flowers. (Do not apply around Amaranthus, Celosia, Portulaca, Ajuga, and Periwinkle.)
2. A systemic insecticide which is taken up by roots and carried to branches and leaves to control the following sucking and chewing insects: Aphids, Spider Mites, Thrips, Leafhoppers, Whiteflies, Lace Bugs, Holly Leaf Miners, Birch Leaf Miners, Mimosa Webworms, and Pine Tip Moths.
3. A pre-emergence herbicide which kills the following weeds or annual grasses as they germinate: Smooth and Hairy Crabgrass, Barnyardgrass, Green and Yellow Foxtail, Johnsongrass (from seed), Goosegrass, Annual Bluegrass, Stinkgrass, Bromegrass, Jungle-rice, Sprangletop, Cheat, Spiny and Redroot Pigweed, Carelessweed, Lambsquarters, Carpetweed, Russian Thistle, Kochia, Purslane, Florida Pussley, Knotweed, Stinging Nettle, Goosefoot, Chickweed, and Puncturevine. This material will not kill established weeds.

WHEN TO USE

Make first application when established plants have about one inch of new growth in the spring. When planting new rose bushes, do not apply directly into the planting hole. Remove unwanted weeds and grasses, cultivate the planting area, set plants, smooth soil, and apply amount of product indicated below.

HOW TO USE

NEWLY PLANTED ROSE BUSHES: After planting, mix 1/2 cup (4 oz.) of product into the top 2 inches of soil covering 8-10 square feet of ground area. Water thoroughly. Do not apply additional fertilizer for about six weeks.

ESTABLISHED ROSES: Apply 1/2 cup (4 oz.) of product into the top 1-2 inches of soil covering 8-10 square feet of ground area. Distribute product evenly around shrub and water thoroughly. **AVOID CONTACT WITH HANDS.**

ORNAMENTAL SHRUBS: Apply 1/2 cup (4 oz.) of product for each 8-10 square feet of ground area occupied by plant or each 5 feet of row (2 feet wide). Distribute product evenly around shrub from base to drip line. Work into 1 to 2 inches of soil and water thoroughly.

FLOWERS AND BEDDING PLANTS: Apply 2 1/2 pounds of product per 100 square feet (5 x 20 ft.) of bed area. Work into top 1 to 2 inches of soil and water thoroughly. Do not apply additional fertilizer for about 4 to 6 weeks. **DO NOT USE WHEN PLANTING FROM SEED. APPLY ONLY TO ESTABLISHED PLANTS.**

WARNING

May be fatal if swallowed. Do not breathe dust. May be absorbed through the skin. Avoid contact with skin, eyes, and clothing. Poisoning may occur as a result of exposure. Wash hands thoroughly after handling. Do not contaminate feed or food. Keep children and pets away from treated area until product is worked and watered into the soil and treated area is completely dry. Keep container tightly closed during storage.

If swallowed, induce vomiting and call a physician immediately. **NOTE TO PHYSICIAN:** Antidote—Atropine Sulfate and/or 2-PAM. Product contains an organic phosphate which is a cholinesterase inhibitor.


Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with insecticides. Do not apply to plants to be used for animal or human consumption.

Do not apply to areas where roots of fruit trees, vegetables, or other food crops may extend. Do not use on lawns. Do not reuse container for any purpose. Crush and dispose of container promptly when empty.

Do not contaminate fish ponds.

NOTICE

USS Agri-Chemicals can accept no responsibility for injury to persons or animals or for loss or damage to plants, soil, or other property resulting from failure to follow directions for use or to observe warnings printed on this package.





Vertagreen

TRADEMARKS

Triple Duty Rose & Flower Treatment

Fertilizer/Systemic Insecticide/Weed Killer
8-8-8 with *DI-SYSTON and TREFLAN*

ACTIVE INGREDIENTS	By Weight
O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate	1.00%
Trifluralin (a,a,a-trifluoro-2,6-dinitro-N-N-dipropyl-p-toluidine)	0.17%
INERT INGREDIENTS	98.83%
TOTAL	100.00%

Feeds Roses / Kills Insects / Prevents Weeds


USDA Reg. No 3442-673

*DI-SYSTON is the Reg. TM of Farbenfabriken Bayer A.G., Chemagro Corporation Licensee.

TREFLAN* is the Reg. TM for trifluralin, Elanco Products Company, a Division of Eli Lilly and Company.

WARNING: Keep Out of Reach of Children
See additional warnings on back panel

5 Lbs. Net Wt.



Triple Duty Rose and Flower Treatment



5 Lbs. Net Wt.

Triple Duty Rose and Flower Treatment

Fertilizer/Systemic Insecticide/Weed Killer
8-8-8 with DI-SYSTON & TREFLAN

MINIMUM GUARANTEED ANALYSIS		ACTIVE INGREDIENTS	By Weight
Total Nitrogen (N)	8.00%	O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate*	1.00%
6.0% Ammoniacal Nitrogen		Trifluralin (a,a,a-trifluoro-2,6-dinitro-N-N-dipropyl-p-toluidine)	0.17%
0.8% Urea Nitrogen		INERT INGREDIENTS	98.83%
1.2% Water Insoluble Nitrogen		TOTAL	100.00%
Available Phosphoric Acid (P ₂ O ₅)	8.00%		
Soluble Potash (K ₂ O)	8.00%	(Contains 1 lb. DI-SYSTON & .17 lb. TREFLAN per 100 lbs.)	
Magnesium (Mg)	0.60%	*U.S. Patent No 2,759,010	
Iron (Fe)	0.32%		
Manganese (Mn)	0.07%		
Potential acidity 500 lbs. calcium carbonate equivalent per ton			

Manufactured for
USS Agri-Chemicals
Division of United States Steel Corporation
P. O. Box 1685 Atlanta, Georgia

**READ FOLLOWING CAREFULLY BEFORE APPLICATION
USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT
RECOMMENDED DOSAGE**

This product is designed to supply the following:

- 1 A plant food for roses, ornamental shrubs, established bedding plants, and flowers. (Do not apply around Amaranthus, Celosia, Portulaca, Ajuga, and Periwinkle.)
- 2 A systemic insecticide which is taken up by roots and carried to branches and leaves to control the following sucking and chewing insects: Aphids, Spider Mites, Thrips, Leafhoppers, Whiteflies, Lace Bugs, Holly Leaf Miners, Birch Leaf Miners, Mimosa Webworms, and Pine Tip Moths.
- 3 A pre-emergence herbicide which kills the following weeds or annual grasses as they germinate: Smooth and Hairy Crabgrass, Barnyardgrass, Green and Yellow Foxtail, Johnsongrass (from seed), Goosegrass, Annual Bluegrass, Stinkgrass, Bromegrass, Jungle-rice, Sprangletop, Cheat, Spiny and Redroot Pigweed, Carelessweed, Lambsquarters, Carpetweed, Russian Thistle, Kochia, Purslane, Florida Pussley, Knotweed, Stinging Nettle, Goosefoot, Chickweed, and Puncturevine. This material will not kill established weeds.

WHEN TO USE

Make first application when established plants have about one inch of new growth in the spring. When planting new rose bushes, do not apply directly into the planting hole. Remove unwanted weeds and grasses, cultivate the planting area, set plants, smooth soil, and apply amount of product indicated below.

HOW TO USE

NEWLY PLANTED ROSE BUSHES: After planting, mix 1/2 cup (4 oz.) of product into the top 2 inches of soil covering 8-10 square feet of ground area. Water thoroughly. Do not apply additional fertilizer for about six weeks.

ESTABLISHED ROSES: Apply 1/2 cup (4 oz.) of product into the top 1-2 inches of soil covering 8-10 square feet of ground area. Distribute product evenly around shrub and water thoroughly. **AVOID CONTACT WITH HANDS.**

ORNAMENTAL SHRUBS: Apply 1/2 cup (4 oz.) of product for each 8-10 square feet of ground area occupied by plant or each 5 feet of row (2 feet wide). Distribute product evenly around shrub from base to drip line. Work into 1 to 2 inches of soil and water thoroughly.

FLOWERS AND BEDDING PLANTS: Apply 2 1/2 pounds of product per 100 square feet (5 x 20 ft.) of bed area. Work into top 1 to 2 inches of soil and water thoroughly. Do not apply additional fertilizer for about 4 to 6 weeks. **DO NOT USE WHEN PLANTING FROM SEED. APPLY ONLY TO ESTABLISHED PLANTS.**

WARNING

May be fatal if swallowed. Do not breathe dust. May be absorbed through the skin. Avoid contact with skin, eyes, and clothing. Poisoning may occur as a result of exposure. Wash hands thoroughly after handling. Do not contaminate feed or food. Keep children and pets away from treated area until product is worked and watered into the soil and treated area is completely dry. Keep container tightly closed during storage.

If swallowed, induce vomiting and call a physician immediately. **NOTE TO PHYSICIAN:** Antidote—Atropine Sulfate and/or 2-PAM. Product contains an organic phosphate which is a cholinesterase inhibitor.

Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with insecticides. Do not apply to plants to be used for animal or human consumption.

Do not apply to areas where roots of fruit trees, vegetables, or other food crops may extend. Do not use on lawns. Do not reuse container for any purpose. Crush and dispose of container promptly when empty.

Do not contaminate fish ponds.

NOTICE

USS Agri-Chemicals can accept no responsibility for injury to persons or animals or for loss or damage to plants, soil, or other property, resulting from failure to follow directions for use or to observe warnings printed on this package.

ACCEPTED
1/27/70
UNDER THE PATENT RIGHTS OF
FUNGICIDE AND INSECTICIDE
FOR ECONOMIC RESEARCH
P. O. BOX 1685 ATLANTA, GEORGIA
10 ATTACHED DOCUMENTS