


**DANGER—POISON— PRECAUTIONS**


**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed. It is highly toxic to humans. It is also highly toxic to fish and wildlife. Do not use in areas where it may be ingested.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if it comes in contact with your skin. It is highly toxic to humans. It is also highly toxic to fish and wildlife. Do not use in areas where it may be ingested.



**CAN KILL YOU IF BREATHED**

This product can kill you if you breathe it. It is highly toxic to humans. It is also highly toxic to fish and wildlife. Do not use in areas where it may be ingested.

POISONOUS TO FISH AND WILDLIFE

PROTECT BEES

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

NOT FOR HOME USE

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

1. Wear a full protective suit, including rubber boots or rubber overalls. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for EPN and methyl parathion. 4. Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

This product is highly toxic to humans and animals. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use.

Do not use this product in areas where it may be ingested. Do not use in areas where it may be inhaled. Do not use in areas where it may be in contact with skin. Do not use in areas where it may be in contact with eyes.

**IMPORTANT!** EPN and methyl parathion are highly toxic to humans and animals. Always use this product in accordance with the label directions. Do not use in areas where it may be ingested, inhaled, or in contact with skin or eyes.

**AFTER WORK:** Wash hands and face thoroughly with soap and water. Wash clothes separately. Do not use contaminated clothing. Do not use contaminated equipment. Do not use contaminated tools. Do not use contaminated containers. Do not use contaminated equipment.



Trademark

**EPN-Methyl Parathion 2-4 EC**

Contains 2 lbs. EPN and 4 lbs. Methyl Parathion per gallon

ACTIVE INGREDIENTS	Net Weight
0.12% EPN (ethyl 6-oxo-6H-pyrimidin-2-yl methyl phosphorothioate)	2.40
0.004% Methyl parathion (methyl 6-oxo-6H-pyrimidin-2-yl phosphorothioate)	4.00
Agri-Chem Raw Agent (Ethion, Dithion, and related compounds)	20.50
<b>INERT INGREDIENTS</b>	<b>6.10</b>
<b>TOTAL</b>	<b>33.00</b>
• EPN	
• Methyl Parathion	
<b>NET CONTENTS</b>	<b>112.00</b>

**STOP—READ LABEL BEFORE USING!**

See Side Panels for Antidote & Precautions



Keep Out of Reach of Children

Net Contents

Gal.



Manufactured for **Agri-Chemicals**

Division of United States Steel Corporation  
P. O. Box 1685 Atlanta, Georgia



Trademark

# EPN-Methyl Parathion 2-4 EC

Contains 2 lbs. EPN and 4 lbs. Methyl Parathion per gallon

ACTIVE INGREDIENTS	By Weight*
O-Ethyl O-pentyl phenyl phosphonothioate**	21.1
O,O-Dimethyl O-pentyl phosphorothioate**	12.2
Nylon-6 Ramie Aromatic Petrolatum Formative Solvent	20.8
INERT INGREDIENTS	65.9
TOTAL	100.0

- \*EPN
- \*\*Methyl Parathion

Label No. 112-001

**STOP—READ LABEL BEFORE USING!**

See Side Panels  
for Antidote &  
Precautions



Keep Out of  
Reach of  
Children

Net Contents Gal.

## FIRST AID TREATMENT

Call a doctor, physician or hospital immediately. Explain that the victim has been exposed to EPN and methyl parathion and describe the condition.

If breathing has stopped, start artificial respiration and maintain until doctor arrives.

If swallowed and victim is awake, have him drink a glass of water and vomit by sticking his finger down his throat, or give sippy or strong salty water to drink. Repeat until vomit is clear. Do not give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes with copious water for at least 15 minutes. Wash remaining contamination from the body. See doctor immediately.

## NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in a dose of 2 mg. to 4 mg. (1/4 to 1/2 cc. of 1% solution) every 15 to 30 minutes until the patient is no longer symptomatic. Repeat this dose until the patient is no longer symptomatic. In case of severe poisoning, atropine sulfate may be given in a dose of 4 to 8 mg. (1/2 to 1 cc. of 1% solution) every 15 to 30 minutes until the patient is no longer symptomatic. Atropine sulfate may be given in a dose of 4 to 8 mg. (1/2 to 1 cc. of 1% solution) every 15 to 30 minutes until the patient is no longer symptomatic. The PATENT is in the name of Agri-Chemicals.

Following is a list of symptoms which may be observed in the case of poisoning by EPN and methyl parathion. These symptoms may be observed in the case of poisoning by EPN and methyl parathion. These symptoms may be observed in the case of poisoning by EPN and methyl parathion.

## POST-TREATED AREA

## DIRECTIONS

**WARNING:** This is a highly toxic material. It is highly toxic to man and animals. It is highly toxic to fish and aquatic life. It is highly toxic to birds and mammals. It is highly toxic to bees and other beneficial insects. It is highly toxic to plants. It is highly toxic to soil. It is highly toxic to water. It is highly toxic to air. It is highly toxic to the environment. It is highly toxic to the ozone layer. It is highly toxic to the climate. It is highly toxic to the world.

**DISPOSAL:** This is a highly toxic material. It is highly toxic to man and animals. It is highly toxic to fish and aquatic life. It is highly toxic to birds and mammals. It is highly toxic to bees and other beneficial insects. It is highly toxic to plants. It is highly toxic to soil. It is highly toxic to water. It is highly toxic to air. It is highly toxic to the environment. It is highly toxic to the ozone layer. It is highly toxic to the climate. It is highly toxic to the world.

**GROUND APPLICATION:** This is a highly toxic material. It is highly toxic to man and animals. It is highly toxic to fish and aquatic life. It is highly toxic to birds and mammals. It is highly toxic to bees and other beneficial insects. It is highly toxic to plants. It is highly toxic to soil. It is highly toxic to water. It is highly toxic to air. It is highly toxic to the environment. It is highly toxic to the ozone layer. It is highly toxic to the climate. It is highly toxic to the world.

**AIR APPLICATION:** This is a highly toxic material. It is highly toxic to man and animals. It is highly toxic to fish and aquatic life. It is highly toxic to birds and mammals. It is highly toxic to bees and other beneficial insects. It is highly toxic to plants. It is highly toxic to soil. It is highly toxic to water. It is highly toxic to air. It is highly toxic to the environment. It is highly toxic to the ozone layer. It is highly toxic to the climate. It is highly toxic to the world.

**COTTON:** This is a highly toxic material. It is highly toxic to man and animals. It is highly toxic to fish and aquatic life. It is highly toxic to birds and mammals. It is highly toxic to bees and other beneficial insects. It is highly toxic to plants. It is highly toxic to soil. It is highly toxic to water. It is highly toxic to air. It is highly toxic to the environment. It is highly toxic to the ozone layer. It is highly toxic to the climate. It is highly toxic to the world.