




DO NOT SWALLOW

### DANGER—POISON— PRECAUTIONS

#### CAN KILL YOU IF SWALLOWED


This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



DO NOT TOUCH

#### CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing. (Liquid goes through clothes).



DO NOT BREATHE

#### CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

#### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where water conditions favor drift from treated areas. Do not apply on or near water, streams, etc.

#### PROTECT BEES

This product is highly toxic to bees needed for pollination of fruit trees and crops. Protective information may be obtained from your Cooperative Agent or Extension Office.

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**

**NOT FOR HOME USE**

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots, or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for EPN and methyl parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to EPN and methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, fore and arms with soap and water before smoking, eating or drinking.

**AFTER WORK:** Take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPN and methyl parathion are extremely toxic to humans. They may irritate the body, but do not with a skin rash. They may irritate the eyes, nose and throat. They may be absorbed through the skin. Exposed persons should seek prompt medical attention if they have any symptoms.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, dizziness, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping of eyelids, numbness and tingling of hands and feet, muscle spasms, and coma.



Trademark

# EPN-Methyl Parathion 3-3 EC

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon

#### ACTIVE INGREDIENTS:

	By Weight
O-Ethyl O-(p-nitrophenyl) phenylphosphonothioate*	31.7%
O,O-dimethyl O-p-nitrophenylthiophosphate**	31.7%
Xylene Range Aromatic Petroleum Derivative Solvent	28.1%

#### INERT INGREDIENTS

8.2%

#### TOTAL

100.0

\*EPN

\*\*Methyl Parathion

EPA Reg. No. 5412-691

**STOP—READ LABEL BEFORE USING!**

See Side Panels  
for Antidote &  
Precautions

Keep Out of  
Reach of  
Children

Net Contents

Gal.



Manufactured for

**Agri-Chemicals**

Division of United States Steel Corporation

P. O. Box 1685

Atlanta, Georgia



Trademark

# EPN-Methyl Parathion 3-3 EC

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon

ACTIVE INGREDIENTS:	By Weight
O-Ethyl O-(p-nitrophenyl) phenylphosphonothioate*	31.7%
O,O-dimethyl O-p-nitrophenylthiophosphate**	31.7%
Xylene Range Aromatic Petroleum Derivative Solvent	28.1%
INERT INGREDIENTS	8.2%
TOTAL	100.0

\*EPN

\*\*Methyl Parathion

EPA Reg. No. 3412-694

**STOP—READ LABEL BEFORE USING!**

See Side Panels  
for Antidote &  
Precautions

Net Contents

Keep Out of  
Reach of  
Children

Gal.

## FIRST AID TREATMENT

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to EPN and methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), induce vomiting quickly by the vomit reflex by striking finger down throat or by giving sippy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

## NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as available. Repeat at 15 to 30 minute intervals until signs of atropinization appear. 2 PAM (2-Pyridyl Ethyl Dimethylcarbamate) may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. EPN and methyl parathion are strong irritants to the skin and irritate the eyes and produce serious systemic and respiratory irritation and respiratory depression. At first sign of respiratory failure, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal results have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For additional information on this pesticide, please contact the manufacturer, USS Agri-Chemicals, P.O. Box 1685, Atlanta, Georgia 30303. For more information on the use of this pesticide, please contact the U.S. Department of Agriculture, Registration and Compliance Division, Pesticide Compliance Division, 1400 Independence Avenue, S.W., Washington, D.C. 20250.

## POST TREATED AREA

Do not allow children or pets to enter treated areas until the pesticide has dried.

NOTICE: This pesticide is a restricted use pesticide. It is not to be used by anyone who does not have a restricted use pesticide license. For more information on this pesticide, please contact the manufacturer, USS Agri-Chemicals, P.O. Box 1685, Atlanta, Georgia 30303.

## DIRECTIONS

**WARNING:** Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Workers entering treated fields within 24 hours after application should wear protective clothing. Do not contaminate food or feed products.

**DISPOSAL:** Rinse equipment and containers and dispose of waste and spillage by burying in non-crop land away from water supplies. Containers should be disposed of by punching holes in them and burying with waste.

**GROUND APPLICATION:** Use amount of product indicated in label to get water to adequate coverage.

**AIR APPLICATION:** Do not use less than 3 gallons of dilute solution per acre.

**COTTON:** Aphids and Fleahoppers—1 gallon per 12 acres. Bollworms, Boll Weevils, Cotton Leafworms, Spider Mites and Thrips—1 gallon per 6 acres. Begin applications when insect infestation warrants and repeat at 4 to 5 day intervals as necessary. Do not apply within 7 days of hand-picking or harvest.

3442-694  
**ACCEPTED**  
AUG 30 1973  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 3412-694  
TO ATTACHED COMMENTS



Manufactured for  
**Agri-Chemicals**  
Division of United States Steel Corporation  
P. O. Box 1685 Atlanta, Georgia